2744 + 87 30-039-0+396 2744 + 87 30-039-20471

<u>_</u>

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS... NORTHWESTERN NEW MEXICO

Operator MERIDIAN OIL CO.	Location: Unit B Sec. 22 Twp 28 Rng.5
Name of Well/Wells or Pipeline Sex	viced San Juan 28-5 # 30 & 87
	- cps 1125w
Blevation 6684' Completion Date 9/12/	/90 Total Depth 380 Land Type N/A
Casing Strings, Sizes, Types & Dep	•
7.6 Carina Chuinna and carrated ab	N/A
If Casing Strings are cemented, sh	low amounts. & types used. N/A
If Cement or Bentonite Plugs have	been placed, show-depths & amounts-used
Depths & thickness of water zones. Salty, Sulphur, Etc. 180 ft. got wa	with description of water: Fresh, Clear ater sample
Depths gas encountered: N/A	
Ground bed depth with type & amoun	at of coke breeze used: 355 ft.
Ashbury Petroleum Coke	
Depths anodes placed: 340, 320, 310,	300, 290, 265, 255, 245, 235, 225
Depths vent pipes placed: 355 ft. P	VC Vent Pipe
Vent pipe perforations: 240 ft. ne	rforated MERELWES
Romarks: gb #3	
	MAT 3 I 1991
	OIL CON. DIV.

If any of the above data is unavailable, please indicate so. Copies of al logs, including Drillers Log, Water Analyses & Well Bore Schematics shoul be submitted when available. Unplugged abandoned wells are to be include

S. S. A. S. S. S. L. Mar. L. and L. A. L. L. L.

Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL	Location: Unit NE Sec. 22 Twp 28 Rng 5
Name of Well/Wells or Pipeline Ser	viced SAN JUAN 28-5 UNIT #30 #87
	cps 1125w
Elevation 6684' Completion Date 10/5,	/77 Total Depth 240' Land Type* N/A
Casing, Sizes, Types & Depths	N/A
If Casing is cemented, show amount	s & types usedN/A
If Cement or Bentonite Plugs have	been placed, show depths & amounts used
Depths & thickness of water zones Fresh, Clear, Salty, Sulphur, Etc.	with description of water when possible:
Depths gas encountered: N/A	
Type & amount of coke breeze used:	36 SACKS
Depths anodes placed: 210', 170', 140	', 130', 120', 100', 90'
Depths vent pipes placed: 215'	m eretuen
Vent pipe perforations: 180'	MAY 3 1 1991
Remarks: gb #2	711 CON. DIV.) DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Name of Well/Wells or Pipeline Serviced SAN JUAN 28-5 UNIT #87, #30 cps 1125w Elevation 6684' Completion Date 10/5/77 Total Depth 290' Land Type* N/A Casing, Sizes, Types & Depths N/A If Casing is cemented, show amounts & types used N/A If Cement or Bentonite Plugs have been placed, show depths & amounts use	5
Elevation 6684' Completion Date 10/5/77 Total Depth 290' Land Type* N/A Casing, Sizes, Types & Depths N/A If Casing is cemented, show amounts & types used N/A If Cement or Bentonite Plugs have been placed, show depths & amounts use	
Casing, Sizes, Types & Depths N/A If Casing is cemented, show amounts & types used N/A If Cement or Bentonite Plugs have been placed, show depths & amounts use	
If Casing is cemented, show amounts & types usedN/A If Cement or Bentonite Plugs have been placed, show depths & amounts use	
If Cement or Bentonite Plugs have been placed, show depths & amounts use	
	<u> </u>
	 ed
Depths & thickness of water zones with description of water when possibl	Le:
Fresh, Clear, Salty, Sulphur, Etc. 80'	
Depths gas encountered: N/A	
Type & amount of coke breeze used: 56 SACKS	
Depths anodes placed: 255', 240', 230'	
Depths vent pipes placed: 260'	
Vent pipe perforations: 200' MAY 31 1991	
Remarks: gb #1 OIL CON. DIV.	

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.