30-039-01112

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #96 cps 158w Elevation 6317' Completion Date 10/1/76 Total Depth 497' Land Type* N/A Casing, Sizes, Types & Depths N/A If Casing is cemented, show amounts & types used N/A If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 200' MAY31 1991 Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318' Remarks: gb #3	Operator MERIDIAN OIL Location: Unit NE Sec. 26 Twp 30 Rng 7
Elevation 6317' Completion Date 10/1/76 Total Depth 497' Land Type* N/A Casing, Sizes, Types & Depths N/A If Casing is cemented, show amounts & types used N/A If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 200' MAY31 1991 Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #96
Casing, Sizes, Types & Depths N/A If Casing is cemented, show amounts & types used N/A If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 200' MAY31 1991 Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	cps 158w
If Casing is cemented, show amounts & types usedN/A If Cement or Bentonite Plugs have been placed, show depths & amounts usedN/A Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc200'	Elevation 6317' Completion Date 10/1/76 Total Depth 497' Land Type* N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 200' Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	Casing, Sizes, Types & Depths N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. 200' Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	If Casing is cemented, show amounts & types used N/A
Fresh, Clear, Salty, Sulphur, Etc. 200' Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	
Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	Depths & thickness of water zones with description of water when possible:
Depths gas encountered: N/A Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	
Type & amount of coke breeze used: 65 SACKS Depths anodes placed: 475', 465', 420', 410', 360', 350', 310' Depths vent pipes placed: 475' Vent pipe perforations: 318'	
Depths vent pipes placed: 475' Vent pipe perforations: 318'	
Vent pipe perforations: 318'	Depths anodes placed: 475', 465', 420', 410', 360', 350', 310'
	Depths vent pipes placed: 475'
Remarks: qb #3	Vent pipe perforations: 318'
	Remarks: gb #3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

30-039-07172

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Féderal or Indian, add Lease Number.

30-039-07772

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 26 Twp 30 Rng 7
Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #96
cps_158w
Elevation 6317' Completion Date 4/11/63 Total Depth 100' Land Type* N/A
Casing, Sizes, Types & Depths N/A
If Casing is cemented, show amounts & types used N/A
If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A
Depths & thickness of water zones with description of water when possible: Fresh, Clear, Salty, Sulphur, Etc. N/A
Depths gas encountered: N/A
Type & amount of coke breeze used: 765 lbs.
Depths anodes placed: 85', 79', 73', 67', 35' MAY31 1991
Depths vent pipes placed: N/A OIL CON. DIV
Vent pipe perforations: N/A \\DIST. 3
Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.