

7 30-045- 10272

10 30-045- 20761

210 30-045- 26993

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit SW Sec. 29 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC A #7, #10, #210

cps 2071w

Elevation 6034' Completion Date 5/29/63 Total Depth 220' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2000 lbs.

Depths anodes placed: 190', 184', 178', 172', 166'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991

OIL CON. DIV


If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

WELL NAME Atlantic No. 7-A ^{#7}
^{#10}
^{#20} DATE 5-29-63
CPS NO. 330-W 201
LOCATION SW⁸ Sec. 29 T31N R10W
WORK ORDER NUMBER 184-40542-50-02
ANODE HOLE DEPTH 220'
TOTAL DRILLING RIG TIME 7 Hrs
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock WM. 3483 X
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 190, #2 184, #3 178, #4 172, #5 166
TOTAL LBS. COKE USED ~~7700~~ 2000 # 20 Socks
ANODE OUTPUTS 12.2 VOLTS, #1 4.9, #2 5.0, #3 5.4, #4 5.0, #5 4.5
TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 10.5 OHMS 1.08
NUMBER FEET SURFACE CABLE CONDUIT 588
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static c/s .83 R 600 South
Good All Rectifier 28 V 12A Ser. # 62C6157
NOTE - Surface Cable & Anodes are No. 8 Solid Wire



ORIGINAL & 1 COPY
ALL REPORTS

1573'

LEASE ~~55~~ 39-7300 R-106 WELL NO.

CONTRACTOR
D. E. Wilson

RIGNO.

REPORT

DATE **11-27-67** 19-5

MORNING

DAYLIGHT

EVENING

Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.					
0	60	54455	2000		155	172	44 shale	2000											
60	85	54455	1		172	220	44 shale	1											
85	97	54455	1					1											
97	155	44 clay	1					1											

[illegible]

SIZE	SINGLES	SIZE	SINGLES	SIZE	SINGLES
TYPE	DOWN ON KELLY	TYPE	DOWN ON KELLY	TYPE	DOWN ON KELLY
MAKE	TOTAL DEPTH	MAKE	TOTAL DEPTH	MAKE	TOTAL DEPTH
63					
Rock m-3					
Wulka m-2	820				

[illegible][illegible][illegible][illegible][illegible]

Aug 28 - arrived 11:00 AM. Mailed 2:30. Out 5:00	
Aug 29 - left Westfield 6:00. Arrived at Aug 30 - went to work. I changed off with Ed. Spent	

SIGNED: Toolpusher

Company Supervisor

Oil Barrel