

#1 30-045-09449
#7 30-045-20846
#215 30-045-27075

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit SW Sec. 15 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY B #1, #7, #215
cps 2068w

Elevation 6344' Completion Date 5/17/63 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1445 lbs.

Depths anodes placed: 170', 164', 158', 152', 146'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1


RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

WELL NAME SUNRAY NO. 1-B #1 #215 DATE May 17, 1963
LOCATION SW¹ Sec. 15 T. 30 N. R. 10 W CPS NO. 207W 2068W
WORK ORDER NUMBER 184-40542-50-02
ANODE HOLE DEPTH 200'
TOTAL DRILLING RIG TIME 6 1/2 Hrs.
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock WM 2802
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 170, #2 164, #3 158, #4 152 5 146
TOTAL LBS. COKE USED 1445 17 sacks
ANODE OUTPUTS 12.2 VOLTS, #1 3.0, #2 3.8, #3 3.8, #4 3.3 531
TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 8.0 OHMS 1.45
NUMBER FEET SURFACE CABLE CONDUIT 347
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static c/s. 76 R 600' SW
Good All Rectifier 28V 12A Scr# 62C6162



ALL CONSTRUCTION COMPLETED

Sorrels

SIGNATURE

GROUND BED LAYOUT SKETCH

ORIGINAL & 1 COPY
ALL REPORTS

6 344

1217'

SENARY NO-1-B

LEASED 15 1200 g.m.w. WELL NO.

CONTRACTOR

J.E. Wilson

RIG NO. D-6

REPORT NO.

DATE APR 16, 1963

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew				Driller				Total Men In Crew			
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.				
0	45	5026	2802		150	155	4026	2002															
45	57	5026			155	180	4026																
57	142	5026			180	200	4026																
142	150	5026																					
BIT NO.				NO. DC				NO. DC				NO. DC				NO. DC				NO. DC			
SERIAL				NO. STANDS				NO. STANDS				NO. STANDS				NO. STANDS				NO. STANDS			
SIZE				SINGLES				SINGLES				SINGLES				SINGLES				SINGLES			
TYPE				DOWN ON KELLY				DOWN ON KELLY				DOWN ON KELLY				DOWN ON KELLY				DOWN ON KELLY			
MAKE				TOTAL DEPTH				TOTAL DEPTH				TOTAL DEPTH				TOTAL DEPTH				TOTAL DEPTH			
MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED				MUD RECORD				MUD ADDITIVES USED AND RECEIVED			
Time				Time				Time				Time				Time				Time			
WT.				WT.				WT.				WT.				WT.				WT.			
V/S.				V/S.				V/S.				V/S.				V/S.				V/S.			
FROM				TO				FROM				TO				FROM				TO			
TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN							

REMARKS -

REMARKS -

REMARKS -

MAY 16 - MOVED 11:30 STA. D189, 12:00 DRILLED 200' BUT 5:00
MAY 19 - LEFT Bloom Field 6:00 AM MOVED 8:00 g.m.w. 7:00 cleaned out hole & thinned down. Finished 8:00

SIGNED: Toolpusher

Company Supervisor

W. J. [Signature]