

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>Chevron USA</u> Telephone: <u>(432) 687-7123</u> e-mail address: <u>bailerg@chevron.com</u>		
Address: <u>15 Smith Road, Midland, TX 79705</u>		
Facility or well name: <u>Montoya 25 #4</u> API #: <u>30-045-33442</u> U/L or Qtr/Qtr <u>E</u> Sec <u>25</u> T <u>32</u> N R <u>13W</u>		
County: <u>San Juan</u> Latitude <u>36 95883411</u> Longitude <u>-108.1596458</u> NAD: 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>		
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>		
RCVD MAY 16 '08		
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) 10
Ranking Score (Total Points)		10

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:
All liquids were removed, the liner cut at mud level, and the drill pit filled as per current NMOCD regulatory standards.
Prior to closing this drill pit a sample was collected by an environmental scientist and transported to Envirotech's Laboratory where it was analyzed for Total Petroleum Hydrocarbons (TPH), Benzene, Toluene, Ethylbenzene, Xylene (BTEX), and Chloride Both TPH and BTEX results are below the regulatory standard for this site

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date _____



Printed Name/Title Mr. Rodney Bailey - Environmental Specialist Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval
DEPUTY OIL & GAS INSPECTOR, DIST. #1
Printed Name/Title _____ Signature [Signature]

Date: JUN 02 2008

36.95883411° -108.1596458°

CLIENT: _____	ENVIROTECH INC. <small>ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 84-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 632-0615</small>	LOCATION NO: _____ C.O.C. NO: _____																																											
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: ____ of ____																																											
LOCATION: NAME: <u>MONTONA 2S</u> WELL #: <u>4</u> PIT: <u>DRILL</u> QUAD/UNIT: <u>E</u> SEC: <u>2S</u> TWP: <u>32N</u> RNG: <u>13W</u> PM: <u>NM</u> CNTY: <u>SS</u> ST: <u>NM</u> QTR/FOOTAGE: <u>2300' FWL</u> <u>11105' FWL</u> CONTRACTOR: _____		DATE STARTED: <u>12/17/07</u> DATE FINISHED: <u>12/17/07</u> ENVIRONMENTAL SPECIALIST: <u>ENH</u>																																											
EXCAVATION APPROX. _____ FT. x _____ FT. x _____ FT. DEEP. CUBIC YARDAGE: _____ DISPOSAL FACILITY: _____ REMEDIATION METHOD: _____ LAND USE: _____ APT LEASE: <u>30-045-33442</u> FORMATION: _____																																													
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>15 YD</u> FT. <u>20°</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>200 <1000</u> NMCD RANKING SCORE: <u>10</u> NMCD TPH CLOSURE STD: <u>1000</u> PPM <u>SOIL AND EXCAVATION DESCRIPTION:</u> <p style="margin-left: 40px;"><u>SAMPLE COLLECTED FROM DRILL PIT</u></p> <p style="margin-left: 40px;"><u>SEE ATTACHED FOR LAB RESULTS</u></p>																																													
CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED																																													
FIELD 418.1 CALCULATIONS																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																			
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																						
<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> SCALE  0 FT </div> <div style="width: 65%; text-align: center;"> OVM RESULTS </div> </div>																																													
PIT PERIMETER 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1</td><td> </td></tr> <tr><td>2</td><td> </td></tr> <tr><td>3</td><td> </td></tr> <tr><td>4</td><td> </td></tr> <tr><td>5</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1		2		3		4		5												PIT PROFILE <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">LAB SAMPLES</th> </tr> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	LAB SAMPLES			SAMPLE ID	ANALYSIS	TIME															
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																												
1																																													
2																																													
3																																													
4																																													
5																																													
LAB SAMPLES																																													
SAMPLE ID	ANALYSIS	TIME																																											
TRAVEL NOTES. CALLOUT: _____ ONSITE: _____																																													

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER ENVIRONMENT

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Chevron	Project #:	92270-210
Sample ID:	Montoya 25-4	Date Reported:	12-21-07
Laboratory Number:	43881	Date Sampled:	12-17-07
Chain of Custody No:	3713	Date Received:	12-17-07
Sample Matrix:	Soil	Date Extracted:	12-19-07
Preservative:	Cool	Date Analyzed:	12-20-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	1,610	0.1
Total Petroleum Hydrocarbons	1,610	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **La Plata - New Mexico.**


Analyst


Review

ENVIROTECH LABS

ENVIRONMENTAL SOLUTIONS CORPORATION OF CALIFORNIA

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	12-20-07 QA/QC	Date Reported:	12-21-07
Laboratory Number:	43878	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	12-20-07
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	1.0532E+003	1.0536E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.0973E+002	9.1009E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	0.5	0.5	0.0%	0 - 30%
Diesel Range C10 - C28	303	301	0.6%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	0.5	250	250	99.6%	75 - 125%
Diesel Range C10 - C28	303	250	550	99.5%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 43878 - 43886 and 43900.


Analyst


Review

ENVIROTECH LABS

PRAGMATIC SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Chevron	Project #:	92270-210
Sample ID:	Montoya 25-4	Date Reported:	12-21-07
Laboratory Number:	43881	Date Sampled:	12-17-07
Chain of Custody:	3713	Date Received:	12-17-07
Sample Matrix:	Soil	Date Analyzed: *	12-20-07
Preservative:	Cool	Date Extracted:	12-19-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: La Plata - New Mexico.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR BASELINE MONITORING

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	12-20-BTEX QA/QC	Date Reported:	12-21-07
Laboratory Number:	43878	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	12-20-07
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept Range 0-15%			
Benzene	6.7922E+007	6.8059E+007	0.2%	ND	0.1
Toluene	6.5053E+007	6.5183E+007	0.2%	ND	0.1
Ethylbenzene	5.2668E+007	5.2774E+007	0.2%	ND	0.1
p,m-Xylene	1.0200E+008	1.0220E+008	0.2%	ND	0.1
o-Xylene	4.9695E+007	4.9795E+007	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	1.8	1.7	5.6%	0 - 30%	0.9
Toluene	21.0	20.9	0.5%	0 - 30%	1.0
Ethylbenzene	6.8	6.7	1.5%	0 - 30%	1.0
p,m-Xylene	38.7	38.6	0.3%	0 - 30%	1.2
o-Xylene	11.5	11.4	0.9%	0 - 30%	0.9


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	1.8	50.0	51.6	99.6%	39 - 150
Toluene	21.0	50.0	70.8	99.7%	46 - 148
Ethylbenzene	6.8	50.0	56.3	99.1%	32 - 160
p,m-Xylene	38.7	100	138	99.6%	46 - 148
o-Xylene	11.5	50.0	61.4	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 43878 - 43883, 43885 - 43886 and 43900.


Analyst


Review

ENVIROTECH LABS

PRAC TICAL SOLUTIONS FOR ARGENTINEAN MINING


Chloride


Client:	Chevron	Project #:	92270-210
Sample ID:	Montoya 25-4	Date Reported:	12-21-07
Lab ID#:	43881	Date Sampled:	12-17-07
Sample Matrix:	Soil	Date Received:	12-17-07
Preservative:	Cool	Date Analyzed:	12-20-07
Condition:	Cool and Intact	Chain of Custody:	3713

Parameter	Concentration (mg/Kg)
Total Chloride	74.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: La Plata - New Mexico.


Analyst


Review

CHAIN OF CUSTODY RECORD

3713

Client: CHEVRON			Project Name / Location: LA PLATA - NEW MEXICO			ANALYSIS / PARAMETERS															
Client Address:			Sampler Name: N. HAYWORTH			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	CI-				Sample Cool	Sample Intact	
Client Phone No.:			Client No.: 92270-210																		
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative HClO ₂ HNO ₃ H ₂ O ₂															
FEDERAL B#3	12/17/07		43878	SOIL	1		✓	✓	✓						✓						
TOFOYA LZ-3	12/17/07		43879	}	1		✓	✓	✓						✓						
KLINE 10-4	12/17/07		43880		1		✓	✓	✓							✓					
MONTROYA 25-4	12/17/07		43881		1		✓	✓	✓							✓					
WILHELMSEN 9-3	12/17/07		43882		1		✓	✓	✓							✓					
WRIGHT 10-2	12/17/07		43883		1		✓	✓	✓							✓					
Relinquished by: (Signature) <i>N. Hayworth</i>						Date 12/17/07	Time 1600	Received by: (Signature) <i>[Signature]</i>						Date 12/17/07	Time 1600						
Relinquished by: (Signature)								Received by: (Signature)													
Relinquished by: (Signature)								Received by: (Signature)													

ENVIROTECH INC.

5796 U.S. Highway 64 • Farmington, New Mexico 87401 • (505) 632-0615

ENVIROTECH LABS

ANALYTICAL SOLUTIONS FOR THE PETROLEUM INDUSTRY

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Chevron	Project #:	92270-210
Sample ID:	Drill Pit	Date Reported:	03-07-08
Laboratory Number:	44407	Date Sampled:	03-04-08
Chain of Custody No:	3942	Date Received:	03-05-08
Sample Matrix:	Soil	Date Extracted:	03-06-08
Preservative:	Cool	Date Analyzed:	03-07-08
Condition:	Cool & Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.6	0.2
Diesel Range (C10 - C28)	1,750	0.1
Total Petroleum Hydrocarbons	1,750	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Montoya 25 #4**


Analyst


Review

ENVIROTECH LABS

Practical Solutions for a Better Tomorrow

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	03-07-08 QA/QC	Date Reported:	03-07-08
Laboratory Number:	44390	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-07-08
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	9.7641E+002	9.7680E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.8603E+002	9.8642E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	20.5	20.4	0.5%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	250	100%	75 - 125%
Diesel Range C10 - C28	20.5	250	270	99.8%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 44390 - 44394, 44403 - 44407

Analyst 

Review 

3942

san juan reproduction 578-129

CLIENT: <u>Chevron</u>	ENVIROTECH INC. <small>ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 84-3014 FARMINGTON, NEW MEXICO 87401 PHONE (505) 632-0815</small>	LOCATION NO: _____ C.O.C. NO: _____
------------------------	--	--

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: <u>1</u> of <u>1</u>
---	-------------------------------


LOCATION: NAME: <u>Montoya 25</u> WELL #: <u>004</u> PIT: <u>Drill</u> QUAD/UNIT: _____ SEC: <u>25</u> TWP: <u>32N</u> RNG: <u>13W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>2360' FMC 1165' FMC</u> CONTRACTOR: _____	DATE STARTED: <u>4/21/08</u> DATE FINISHED: <u>4/21/08</u> ENVIRONMENTAL SPECIALIST: <u>S. McDaniel</u>
--	---

EXCAVATION APPROX. _____ FT. x _____ FT. x _____ FT. DEEP. CUBIC YARDAGE: _____ DISPOSAL FACILITY: _____ REMEDIATION METHOD: _____ LAND USE: _____ <u>APR</u> <u>30-045-23442</u> FORMATION: _____
--

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>15 yd</u> FT. <u>20°</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>7100</u> NEAREST WATER SOURCE: <u>71000</u> NEAREST SURFACE WATER: <u>7200 < 1000</u> NMOC RANKING SCORE: <u>10</u> NMOC TPH CLOSURE STD: <u>1000</u> PPM SOIL AND EXCAVATION DESCRIPTION:	CHECK ONE: <input checked="" type="checkbox"/> PIT ABANDONED <input type="checkbox"/> STEEL TANK INSTALLED
---	--


Composite Sample taken from Drill Pit

SCALE



0 FT

TIME	SAMPLE I.D	LAB No:	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. ppm

PIT PERIMETER 	OVM RESULTS	PIT PROFILE																						
<table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td>1</td><td> </td></tr> <tr><td>2</td><td> </td></tr> <tr><td>3</td><td> </td></tr> <tr><td>4</td><td> </td></tr> <tr><td>5</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	1		2		3		4		5												LAB SAMPLES	
SAMPLE ID	FIELD HEADSPACE PID (ppm)																							
1																								
2																								
3																								
4																								
5																								
	<table border="1"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	SAMPLE ID	ANALYSIS	TIME																				
SAMPLE ID	ANALYSIS	TIME																						

TRAVEL NOTES. CALLOUT: _____ ONSITE: _____
--

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER WORLD

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Chevron	Project #:	92270-210
Sample ID:	Drill Pit Composite	Date Reported:	04-24-08
Laboratory Number:	45109	Date Sampled:	04-21-08
Chain of Custody No:	4246	Date Received:	04-21-08
Sample Matrix:	Soil	Date Extracted:	04-22-08
Preservative:	Cool	Date Analyzed:	04-23-08
Condition:	Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	173	0.1
Total Petroleum Hydrocarbons	173	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Montoya 25-4.**


Analyst


Review

ENVIROTECH LABS

Practical Solutions for a Better Tomorrow

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-23-08 QA/QC	Date Reported:	04-24-08
Laboratory Number:	45055	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-23-08
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	9.8826E+002	9.8865E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1.0030E+003	1.0034E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	250	100%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 45055 - 45058, 45073 - 45074 and 45109 - 45111.

Analyst

Review

ENVIROTECH LABS

PRAC/ALV/SOLUTIONS/RO/PA/EE/ST/TO/GE/TO/NT

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Chevron	Project #:	92270-210
Sample ID:	Drill Pit Composite	Date Reported:	04-24-08
Laboratory Number:	45109	Date Sampled:	04-21-08
Chain of Custody:	4246	Date Received:	04-21-08
Sample Matrix:	Soil	Date Analyzed:	04-23-08
Preservative:	Cool	Date Extracted:	04-22-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.5	0.9
Toluene	23.0	1.0
Ethylbenzene	4.2	1.0
p,m-Xylene	20.2	1.2
o-Xylene	7.9	0.9
Total BTEX	56.8	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Montoya 35-4.


Analyst


Review

ENVIROTECH LABS

IMPRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	04-23-BTEX QA/QC	Date Reported:	04-24-08
Laboratory Number:	45074	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-23-08
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept Range: 0 - 15%			
Benzene	4.9161E+007	4.9260E+007	0.2%	ND	0.1
Toluene	4.1216E+007	4.1298E+007	0.2%	ND	0.1
Ethylbenzene	3.0734E+007	3.0795E+007	0.2%	ND	0.1
p,m-Xylene	6.2344E+007	6.2469E+007	0.2%	ND	0.1
o-Xylene	2.9889E+007	2.9949E+007	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	1.5	1.5	0.0%	0 - 30%	0.9
Toluene	1,090	1,080	0.8%	0 - 30%	1.0
Ethylbenzene	463	462	0.2%	0 - 30%	1.0
p,m-Xylene	2,700	2,690	0.4%	0 - 30%	1.2
o-Xylene	1,170	1,180	0.8%	0 - 30%	0.9


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	1.5	50.0	51.3	100%	39 - 150
Toluene	1,090	50.0	1,130	99.2%	46 - 148
Ethylbenzene	463	50.0	509	99.2%	32 - 160
p,m-Xylene	2,700	100	2,800	100%	46 - 148
o-Xylene	1,170	50.0	1,200	98.3%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments: QA/QC for Samples 45074 and 45109.

Analyst 

Review 

ENVIROTECH LABS

DEVELOPING SOLUTIONS TO OFF-ROAD VEHICLE EMISSIONS

Chloride


Client:	Chevron	Project #:	92270-210
Sample ID:	Drill Pit Composite	Date Reported:	04-22-08
Lab ID#:	45109	Date Sampled:	04-21-08
Sample Matrix:	Soil	Date Received:	04-21-08
Preservative:	Cool	Date Analyzed:	04-22-08
Condition:	Intact	Chain of Custody:	4246

Parameter	Concentration (mg/Kg)
Total Chloride	200


Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Montoya 25-4.

Analyst





Review



CHAIN OF CUSTODY RECORD

4246

Client: Chevron			Project Name / Location: Montoya 25-4				ANALYSIS / PARAMETERS														
Client Address:			Sampler Name: J McDaniel				TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	PAH	TPH (418.1)	Chlorides				Sample Cool	Sample Intact
Client Phone No.:			Client No.: 92270-210																		
Sample No./ Identification	Sample Date	Sample Time	Lab No.	Sample Matrix	No./Volume of Containers	Preservative H ₂ O ₂ HNO ₃															
Drill pit composite	4/21/08	1400	45109	Soil	1/4oz			X	X							X				X	X
Relinquished by: (Signature) 						Date 4/21/08	Time 1515	Received by: (Signature) 								Date 4/21/08	Time 1515				
Relinquished by: (Signature)								Received by: (Signature)													
Relinquished by: (Signature)								Received by: (Signature)													

ENVIROTECH INC.

5796 U.S. Highway 64 • Farmington, New Mexico 87401 • (505) 632-0615



Rodney Bailey
Waste & Water Team
Lead

**Chevron North America
Exploration and Production**
Mid Continent Business Unit/HES
15 Smith Rd
Midland, Texas 79705
Tel 432-894-3519
Fax 866-569-5650
bailerq@chevron.com

May 12, 2008

RCVD MAY 16 '08

Mr. Brandon Powell
New Mexico Oil Conservation Division
1000 Rio Bravo
Aztec, NM 87410

OIL CONS. DIV.
DIST. 3

Phone: (505) 334-6178 ext. 15

RE: SAMPLING AND CLOSURE OF A DRILL PIT LOCATED AT THE MONTOYA 25 #4 WELL
SITE, SAN JUAN COUNTY, NEW MEXICO; Project No.92270-210

Dear Mr. Powell,


Envirotech has completed sampling of a drill pit located at the Montoya 25 #4 well site, San Juan County, New Mexico. Closure was completed by a third party. Attached to this letter are the field analysis and the C-144 pit closure documentation.

It is Chevrons understanding that under current NMOCD regulations a drill pit can be closed without a sample being collected. Closure of a drill pit can occur by removing all liquids, cutting the liner at the mud level and filling the pit with material originally removed to create the pit. Chevron feels that prior to this closure a sample should be taken in order to determine if contamination is present above the regulatory standard.

The site was ranked according to the NMOCD/BLM guidance for unlined surface impoundments. The site was ranked as a 1000 ppm closure for Total Petroleum Hydrocarbons (TPH), 10 ppm Benzene and 50 ppm Benzene, Toluene, Ethylbenzene, and Xylene (BTEX). On April 21, 2008 one (1) composite sample was collected from inside the drill pit. The sample was then placed on ice and transported under chain of custody to Envirotech's Laboratory for analysis by USEPA Method 8015 for TPH and USEPA Method 8021 for BTEX. The sample was also analyzed for Chlorides. The result showed that the material in the drill pit is below the NMOCD regulatory closure.

Based on the results from the sampling at the Montoya 25 #4 well site, Envirotech recommends that this drill pit be closed as per current regulations and no further action with regards to this drill pit be taken after closure. If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read "Rodney Bailey". The signature is fluid and cursive, with a large initial "R" and a long, sweeping underline.

Rodney Bailey

Chevron North America

Exploration & Production Company