Form C-144 June 24, 2008

<u>District I</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210
<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Proposed Alternative Method Permit or Closure Plan Application

	ystem, below-grade tank, or proposed alternative method system, below-grade tank, or proposed alternative method
· · · · · · · · · · · · · · · · · · ·	dividual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of lia	ability should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances.
Operator:Energen Resources	OGRID #:16298
Address:2010 Afton Place, Farmington, New Mexico 87401	
Facility or well name:Arboles 20 A 1R	
API Number:30-039-27453OCD Permit	
U/L or Qtr/QtrL Section20 Township32N	Range4W County:Rio Arriba
Center of Proposed Design: Latitude36 58' 09" N Lo	ongitude107 17' 01"W NAD: □1927 ☒ 1983
Surface Owner: ⊠ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian	
Pit: Subsection F or G of 19.15.17.11 NMAC	☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC
Temporary:  Drilling  Workover	☐ Drying Pad ☐ Tanks ☐ Haul-off Bins ☐ Other
☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit	☐ Lined ☐ Unlined
Lined Unlined	Liner type: Thicknessmil
Liner type: Thicknessmil	Other
Other String-Reinforced	Seams: Welded Factory Other
Seams: Welded Factory Other	Volume:500bblyd <sup>3</sup>
Volume: bbl Dimensions: L x W x D	Dimensions: Length_20 ft x Width13.5 ft_
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volume:bbl	☐ Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	☐ Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
☐ Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
☐ Visible sidewalls and liner	☐ Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thicknessmil  HDPE PVC	emergency telephone numbers
Other	Signed in compliance with 19.15.3.103 NMAC
Alternative Method:	Administrative Approvals and Exceptions:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
of approval.	Please check a box if one or more of the following is requested, if not leave blank:
	Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for
	consideration of approval.
	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the deattached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:  or Permit Number:	ocuments are 9 NMAC
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the de-	ocuments are
attached.  ☐ Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of ☐ Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC NMAC	19.15.17.9
Previously Approved Design (attach copy of design) API Number:	

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	cuments are
<ul> <li>Attached.</li> <li>Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> </ul>	
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan	
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization	
<ul><li>☐ Monitoring and Inspection Plan</li><li>☐ Erosion Control Plan</li></ul>	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Proposed Closure: 19.15.17.13 NMAC	
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for con	nsideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10	
NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa ake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

closure plan. Please indicate, by a check mark in the box, that the comparison of Protocols and Procedures - based upon the appropriate requires	ments of 19.15.17.13 NMAC  ppropriate requirements of Subsection F of 19.15.17.13 NMAC  ag fluids and drill cuttings)  appropriate requirements of Subsection H of 19.15.17.13 NMAC  of Subsection I of 19.15.17.13 NMAC
or facilities for the disposal of liquids, drilling fluids and drill cuttin	
Disposal Facility Name: _Envirotech,; Carracas SWD #1	•
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate reconstruction and Design of Burial Trench (if applicable) based.  Protocols and Procedures - based upon the appropriate requirer.  Confirmation Sampling Plan (if applicable) - based upon the appropriate reconstruction.  Waste Material Sampling Plan - based upon the appropriate reconstruction.	quirements of Subsection F of 19.15.17.13 NMAC d upon the appropriate requirements of 19.15.17.11 NMAC ments of 19.15.17.13 NMAC propriate requirements of Subsection F of 19.15.17.13 NMAC quirements of Subsection F of 19.15.17.13 NMAC g fluids and drill cuttings or in case on-site closure standards cannot be achieved) of Subsection H of 19.15.17.13 NMAC of Subsection I of 19.15.17.13 NMAC
Operator Application Certification:	
I hereby certify that the information submitted with this application is	s true, accurate and complete to the best of my knowledge and belief.
Name (Print):Pat Sanchez	Title:District Engineer
Signature:	Date: 7-14-2008
e-mail address:psanchez@energen.com  OCD Approval: Permit Application (including closure plan)	
OCD Approval: Presmit Application (including closure plan)	
	//
OCD Representative Signature: Sauston Tous	//
OCD Representative Signature: Sauston Tous	Approval Date: 7-14-08  OCD Permit Number:
OCD Representative Signature: Standon Standon  Title: Enviro   Spec  Closure Report (required within 60 days of closure completion):  Closure Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain.	Approval Date: 7-14-08  OCD Permit Number:  Subsection K of 19.15.17.13 NMAC  Closure Completion Date:
Title:	Approval Date: 7-14-08  OCD Permit Number: Subsection K of 19.15.17.13 NMAC Closure Completion Date: Alternative Closure Method  following items must be attached to the closure report. Please indicate, by a check
Title:	Approval Date: 7-14-08  OCD Permit Number:  Subsection K of 19.15.17.13 NMAC  Closure Completion Date:
Title:	Approval Date: 7-14-08  OCD Permit Number: Subsection K of 19.15.17.13 NMAC Closure Completion Date: Alternative Closure Method  following items must be attached to the closure report. Please indicate, by a check
Title:	Approval Date:
Title:	Approval Date:

### **Closed-loop Design Plan:**

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

### **Closed-loop Operating and Maintenance Plan:**

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- 1) The liquids will be vaccumed out and disposed of at the Carracas SWD#1 facility (Disposal API Number 30-039-30168). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

# Closed-loop Closure Plan:

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM-01-0011) following rig operations. All remaining liquids will be transported and disposed of in the Carracas SWD#1 facility (Disposal API number 30-039-30168). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

## AS DRILLED

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number 30-039-27453	¹ Pool Code 71629			
Property Code	'Property Name Arboles 20 A			
OGRID No. 162928	'Operator Nam Energen Resources C		'Elevation 7405'	

<sup>10</sup> Surface Location

					Bullace	Docation			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	20	32N	04W	1	1490'	South	790'	West	Rio Arriba
11 Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	20	32N	04W	1	1939'	South	2526'	West	Rio Arriba
12 Dedicated Acres	u Ioint o	· Infill "C	'ansolidation (	ode B Ord	ler No		<u> </u>		

Dedicated Acres Joint or Infill Consolidation Code Code Code 320.00 S/2

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

5270.10 16 <sup>17</sup> OPERATOR CERTIFICATION by certify that the information con m hole location or has a right to drill this well at this location ract with an owner of such a mineral or working interest, t or a compulsory pooling order 8/14/2007 Date Nathan Smith Printed Name 20 KAP 83 18 SURVEYOR CERTIFICATION 36 58'09" I hereby certify that the well location shown on this plat 107 17'01" was plotted from field notes of actual surveys made by 2526 BHL me or under my supervision, and that the same is true and correct to the best of my belief. SHL 790' April 16, 2003 Date of Survey Signature and Seal of Professional Surveyor 1490' 1939 Original survey conducted and recorded by Jason C. Edwards 15269 Certificate Number