District I

State of New Mexico **Energy Minerals and Natural Resources** Form C-144 June 16, 2008

1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Davis #8E API Number: 30-045-23759 OCD Permit Number: U/L or Qtr/Qtr: H(SENE) Section: 11 Township: 31N Range: 12W County: San Juan Center of Proposed Design: Latitude: 36.915910' N Longitude: 108.058290' W NAD: X 1927 1983	1220 S St. Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office.	
Closure of a pii, closuel-loop system, below-grade cank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pii, closued-loop system, below-grade tank or alternative request Please and another approach of the special content of the conte	——————————————————————————————————————		
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Pease is about all grounds of the sequent of the consumence shallow plants or states when ground states were promised to the consumence by the consumence of the co	Type of action: X Permit of a pit, closed-loop system	n, below-grade tank, or proposed alternative method $151.\ 3$	
Address: PO Box 4289, Farmington, NM 87499 Facility or well name: Davis #8E API Number: 30-045-23759 OCD Permit Number: Unit of Vigoria Center of Proposed Design: Latitude: 36.915910' N Longitude: 108.058290' W NAD: X 1927 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment Pit: Subsection For G of 19.15.17.11 NMAC Tribal Trust or Indian Allotment Pit: Subsection For G of 19.15.17.11 NMAC Tribal Trust or Indian Allotment David Tribal Trust or In	Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the		
Facility or well name: Davis #8E API Number: 30-045-23759 OCD Permat Number: U/Lor Qtr/Qtr: H(SENDE) Section: 11 Township: 31N Range: 12W County: San Juan Center of Proposed Design: Latitude: 36.915910' N Longitude: 108.058290' W NAD: X 1927	Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538	
API Number: 30-045-23759 OCD Permit Number: U/L or Qtr/Qtr. H(SENE) Section: 11 Township: 31N Range: 12W County: San Juan Center of Proposed Design: Latitude: 36.915910 N Longitude: 108.058290' W NAD: X 1927	Address: PO Box 4289, Farmington, NM 87499		
Center of Proposed Design: Latitude: 36.915910'N Longitude: 108.058290'W NAD: X 1927 1983	Facility or well name: Davis #8E		
Center of Proposed Design: Latitude: 36,915910' N Longitude: 108,058290' W NAD: \$\frac{1}{2}\$ 1927 \$\ 1983 \$\ Surface Owner: \$\frac{1}{2}\$ Federal \$\ \	API Number: 30-045-23759 OC	CD Permit Number:	
Surface Owner:	U/L or Qtr/Qtr: H(SENE) Section: 11 Township: 31N	Range: 12W County: San Juan	
Ett: Subsection F or G of 19.15.17.11 NMAC	Center of Proposed Design: Latitude: 36.915910' N L	ongitude: 108.058290' W NAD: X 1927 1983	
Temporary: Drilling Workover Permanent Emergency Cavitation Lined Unlined			
Temporary: Drilling Workover Drynng Pad X Tanks Haul-off Bins Other: Lined Unlined Unlined	Pit: Subsection F or G of 19.15.17.11 NMAC	X Closed-loop Systems: Subsection H of 19.15.17.11 NMAC	
Permanent Emergency Cavitation Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Unter type: Thickness mil HDPE PVC Unter type: Thickness Military Monthly inspections Unter type: Thickness Military Monthly inspections Unter type: Thickness Military Unter type: Thickness Unter type: Thickness Military Unter type: Thickness Unter type: Thickne	Temporary: Drilling Workover	Drying Pad X Tanks Haul-off Bins Other:	
Liner type: Thickness			
String-Reinforced Seams: Welded Factory Other: Volume: 500 bbl 104 yd3 Dimensions: L xW xD Dimensions: Length 45' x Width 10'	Lined Unlined	Liner type: Thickness mil LLDPE HDPE PVC	
String-Reinforced Seams: Welded Factory Other: Volume: 500 bbl 104 yd3 Dimensions: L xW xD Dimensions: Length 45' x Width 10'	Liner type: Thickness mil LLDPE HDPE PVC	Other:	
Seams: Welded Factory Other Volume: 500 bbl 104 yd3 Dimensions: L xW xD Dimensions: Length 45' x Width 10' Below-grade tank: Subsection I of 19 15.17.11 NMAC Chain link, six feet in height, two strangs of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Screen Netting: Subsection E of 19.15.17.11 Visible sidewalls and liner Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Other: Signed in compliance with 19.15.3.103 NMAC Alternative Method: Submitted to the Santa Fe Environmental Bureau office for consideration of approval. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a bax if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Other String-Reinforced		
Volume: bbl Dimensions: L xW xD Dimensions: Length 45' x Width 10' Below-grade tank: Subsection 1 of 19 15.17.11 NMAC			
Volume:bbl			
Volume:bbl			
Type of fluid: Four foot height, four strands of barbed wire evenly spaced between one and four feet Secondary containment with leak detection Netting: Subsection E of 19.15.17.11 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Screen	Below-grade tank: Subsection I of 19 15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC	
Tank Construction Material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Wisible sidewalls and liner Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Other: Liner type: Thickness: mil HDPE PVC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Metring: Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Monthly inspections X Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Volume:bbl	Chain link, six feet in height, two strangs of barbed wire at top	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls and liner Monthly inspections Signs: Subsection C of 19 15.17.11 NMAC Other: Liner type: Thickness:mil	Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between	
Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Tank Construction Material:	one and four feet	
Visible sidewalls and liner	Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11	
Visible sidewalls only Signs: Subsection C of 19 15.17.11 NMAC 12"x 24", 2" lettering, provided Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC	Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other	
Dither:	Visible sidewalls and liner	Monthly inspections	
Liner type: Thickness:milHDPEPVCemergency telephone numbersX Signed in compliance with 19.15.3.103 NMAC	Visible sidewalls only	Signs: Subsection C of 19 15.17.11 NMAC	
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Other:	12"x 24", 2" lettering, provided Operator's name, site location, and	
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approvals (s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Liner type: Thickness: mil HDPE PVC	emergency telephone numbers	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Other:	X Signed in compliance with 19.15.3.103 NMAC	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Alternative Method:	Administrative Approvals and Exceptions:	
of approval. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	Submittal of an exception request is required. Exceptions must be	Justifications and/or demonstrations of equivalency are required. Please	
leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe			
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe	oi appiovai.		
office for consideration of approval. (Fencing in Design Plan) Exception(s): Requests must be submitted to the Santa Fe		Administrative approval(s): Requests must be submitted to the	
Exception(s): Requests must be submitted to the Santa Fe			
		The state of the s	

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	∐Yes □NA	∐No	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No	
- NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	□No	
Society; Topographic map			
Within a 100-year floodplain - FEMA map	Yes	□No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.	9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the de	ocuments ar	e attached.	
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintence Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of API Number: or Permit			
Closed-loan Systems Permit Application Attachment Checklists Subsection R of 10.15.17.0 NIMAC			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan - based upon the appropriate requirements of 19.15.17.12 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of API Number:			

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are at Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	tached.	
Proposed Closure: 19.15.17.13 NMAC Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank X Closed-loop System Alter	native	
Proposed Closure X Waste Excavation and Removal On-site Closure Method (only for temporary pits and closed-loop		
☐ In-place ☐ On-site Trench ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau f	or	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommentations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justification and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐Yes☐No ☐NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells	Yes No	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	∏Yes∏No ∏NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□Yes □No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	∏Yes ∏No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	∏Yes ∏No	
Within 500 feet of a wetland. proposed site	☐Yes ☐No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	☐Yes ☐No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	∏Yes ∏No	
Within a 100-year floodplain - FEMA map	∐Yes ∏No	

	MAC) Instructions: Each of the following items must be attached	
to the closure plan. Please indicfate, by a check mark in the box, that the documents are attached. X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirantion Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC		
Supposal Facility Name and Permit Number (for liquids, drilling fluid)	·	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC		
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17.13 NMAC		
X Site Reclamation Plan - based upon the appropriate requirements of S		
Waste Removal Closure for Closed-loop Systems That Utilize Haul-off facilities for the disposal of liquids, drilling fluids and drill cuttings.	Bins Only: (19 15 17 13 D NMAC) Instructions: Please identify the facility or	
Disposal Facility Name. Envirotech, Basin Disposal	Disposal Facility Permit Number: NM-01-0011 & NM-01-005	
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the		
check mark in the box, that the documents are attached.	e Jouowing tiems must bee attached to the closure plan. Flease indicate, by a	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requiren	nents of Subsection F of 19.15.17 13 NMAC	
Construction and Design of Burial Trench (if applicable) based upon	the appropriate requirements of 19.15.17.11 NMAC	
Protocols and Procedures - based upon the appropriate requirements of	of 19.15.17,13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropri	ate requirements of Subsection F of 19 15 17 13 NMAC	
Waste Material Sampling Plan - based upon the appropriate requirem	ents of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluid	s and drill cuttings or in case on-site closure standards cannot be	
Soil Cover Design - based upon the appropriate requirements of Subs	ection H of 19.15 17 13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subs		
Site Reclamation Plan - based upon the appropriate requirements of S		
Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accura	ate and complete to the best of my knowledge and belief.	
Name (Print) Crystal Tafoya	Title: Regulatory Technician	
712-1		
Signature Captal alayou	Date: 7/16/2008	
e-mail address: crystal tafoya@conocophillips.com	Telephone: 505-326-9837	
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	
OCD Approval: Permit Application (including closure plan) OCD Representative Signature:	Closure Plan (only) Approval Date: 7-18/08	
OCD Representative Signature: Branch Bulk	Approval Date: 7-18/08	
OCD Representative Signature: Branch Bulk	OCD Permit Number 17 13 NMAC	
OCD Representative Signature: Breach Sell Title: ENJ. 70/5 pec	OCD Permit Number	
OCD Representative Signature: Breach Sell Title: ENJ. 70/5 pec	OCD Permit Number 17 13 NMAC	
OCD Representative Signature: Title: ENJ. 70 Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method:	OCD Permit Number 17 13 NMAC	
OCD Representative Signature: Title: ENJ. 70 Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method:	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date:	
OCD Representative Signature: Title: ENJ. 70 Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END'NO Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure Al If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached.	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END' O Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All of different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END'NO Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure Al If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached.	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END'NO SPEC Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All of different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable)	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END'NO SPEC Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure Al If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following itembox, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following itembox, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END'CO SPEC Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	Approval Date: 7-18/68 OCD Permit Number 17 13 NMAC Closure Completion Date: Iternative Closure Iterna	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	Approval Date: 7-18/08 OCD Permit Numbei 17 13 NMAC Closure Completion Date: Iternative Closure	
OCD Representative Signature: Title: END'CO SPEC Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	Approval Date: 7-18/68 OCD Permit Number 17 13 NMAC Closure Completion Date: Iternative Closure Iterna	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All of different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude.	Approval Date: 7-18/68 OCD Permit Number Iternative Closure Ite	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is to	Approval Date: 7-18/68 OCD Permit Number Iternative Closure Ite	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 Closure Method: Waste Excavation and Removal On-Site Closure All If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following item box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is to closure complies with all applicable closure requirements and conditions specified in the application in the applicable in the applicable of the specified in the application in the applicable in the applicab	Approval Date: 7-18/08 OCD Permit Number 17 13 NMAC Closure Completion Date: Iternative Closure Iterna	

Form C-144 Oil Conservation Division Page 4 of 4

OIL CONSERVATION DIVISION

STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

-80

1320 1650

1980 2310 2640

P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

Form C-102 Revised 10-1-78

All distances must be from the cuter houndaries of the Section. Operator 8E SOUTHLAND ROYALTY COMPANY DAVIS Unit Letter Township County Range San Juan 31N 12W Actual Footage Location of Well: feet from the North East feet from the line and Ground Level Elev. Producing Formation Pool Dedicated Acreage: 6324' GR Dakota Basin Dakota Астев 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? Yes ☐ No If answer is "yes," type of consolidation If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. **CERTIFICATION** I hereby certify that the information contained herein is true and complete to best of my knowledge and beflef. District Production Manager יס97 Southland Royalty Company Company August 9, 1979 Date Sec. 11 I hereby certify that the well location shown on this plat was platted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed July Fred Certificate 3950 330 880 2000

1500

1000

50Q

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.