District I

1625 N French Dr., Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410 District IV

1220 S St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

State of New Mexico

Energy Minerals and Natural Resources

Department

Form C-144 June 16, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application DIL CONS. DEL

_	
Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method IST. 3
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
ni i i	P 2 2 2 2 2 440 P 1 1 1 2 1 11 1 2 2 2 2 2 2 2 2 2 2 2

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its responsibility to comply with	h any other applicable governmental authority's rules, regulations oi ordinances
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	and the second s
Facility or well name: San Juan 32-9 Unit #37A	
API Number: 30-045-29311 OC	D Permit Number:
U/L or Qtr/Qtr: J(NWSE) Section: 32 Township: 32N	Range: 9W County: San Juan
Center of Proposed Design: Latitude: 36.938430' N L	ongitude: 107.798490' W NAD: X 1927 1 983
Surface Owner: Federal X State Private Triba	ll Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	X Closed-loop Systems: Subsection H of 19.15.17.11 NMAC
Temporary: Drilling Workover	Drying Pad X Tanks Haul-off Bins Other:
Permanent Emergency Cavitation	Lined · Unlined
Lined Unlined	Liner type: Thickness mil LLDPE HDPE PVC
Liner type: Thickness milLLDPEHDPEPVC	Other:
Other String-Reinforced	Seams: Welded Factory Other:
Seams: Welded Factory Other	Volume: 500 bbl 104 yd3
Volume:bbl Dimensions: LxWxD	Dimernsions: Length 45' x Width 10'
Below-grade tank: Subsection I of 19.15.17 11 NMAC	Fencing: Subsection D of 19 15.17.11 NMAC
Volume:bbl	Chain link, six feet in height, two strangs of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between
Tank Construction Material:	one and four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11
Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
Visible sidewalls and liner	Monthly inspections
Visible sidewalls only	Signs: Subsection C of 19 15.17.11 NMAC
Other:	12"x 24", 2" lettering, provided Operator's name, site location, and
Liner type: Thickness:mil HDPE PVC	emergency telephone numbers
Other:	X Signed in compliance with 19.15.3.103 NMAC
Alternative Method:	Administrative Approvals and Exceptions:
Submittal of an exception request is required. Exceptions must be	Justifications and/or demonstrations of equivalency are required. Please
submitted to the Santa Fe Environmental Bureau office for consideration of approval.	refer to 19.15.17 NMAC for guidance.
or approval.	Please check a box if one or more of the following is requested, if not leave blank:
	Administrative approval(s): Requests must be submitted to the
	appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan)
	Exception(s): Requests must be submitted to the Santa Fe
	Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes	□No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within the area overlying a subsurface mine.	Yes	□No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	Пу.	Път
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	∐Yes	∐No
Within a 100-year floodplain - FEMA map	Yes	□No
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.	9 NMAC	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the de	ocuments ar	e attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintence Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	NMAC	
Previously Approved Design (attach copy of API Number: or Permit		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the dattached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.10 NM The sign Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	.15.17.9	re
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC X Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of API Number:		

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are at	tached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC	
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	
Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H2S, Prevention Plan	
Emergency Response Plan	
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
Proposed Closure: 19.15.17.13 NMAC	
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank X Closed-loop System Alter	native
Proposed Closure X Waste Excavation and Removal	
On-site Closure Method (only for temporary pits and closed-loop	
In-place On-site Trench	•
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau f	or
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC	!
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommentations of acceptable source	
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate	
district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justification and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.	∏Yes∏No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Ground water is between 50 and 100 feet below the bottom of the buried waste	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells	□NA □
	□NA □Yes□No
- NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells	□NA □Yes□No □NA
- NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste.	NA Yes No NA Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). 	NA Yes No NA Yes No NA NA
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	NA Yes No NA Yes No NA NA
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial 	NA Yes No NA Yes No NA NA
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic 	NA
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time 	NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	NA Yes No NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal 	NA Yes No NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended 	NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	NA Yes No NA Yes No NA Yes No NA Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).	NA Yes No NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. proposed site Within the area overlying a subsurface mine. 	NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No
- NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	NA Yes No NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No Yes No Yes No
- NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	NA Yes No NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No
- NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes,or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	NA Yes No NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No Yes No Yes No
 NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM 	NA Yes No NA Yes No NA Yes No NA Yes No Yes No Yes No Yes No Yes No Yes No

Form C-144 Oil Conservation Division Page 3 of 4

Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached					
to the closure plan. Please inducfate, by a check mark in the box, that the documents ar X Protocols and Procedures - based upon the appropriate requirements					
X Protocols and Procedures - based upon the appropriate requirements Confiramtion Sampling Plan (if applicable) - based upon the appropriate requirements					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC					
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC					
X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Waste Removal Closure for Closed-loop Systems That Utilize Haul-off facilities for the disposal of liquids, drilling fluids and drill cuttings.					
Disposal Facility Name. Envirotech, Basin Disposal	Disposal Facility Permit Number: NM-01-0011 & NM-01-005				
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the check mark in the box, that the documents are attached.	e following items must bee attached to the closure plan. Please indicate, by a				
Siting Criteria Compliance Demonstrations - based upon the appropri	nate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requires	nents of Subsection F of 19.15.17.13 NMAC				
Construction and Design of Burial Trench (if applicable) based upon	the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements	of 19.15 17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropr	iate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requiren	nents of Subsection F of 19 15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluid	ls and drill cuttings or in case on-site closure standards cannot be				
Soil Cover Design - based upon the appropriate requirements of Sub-	section H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Sub	section I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of S	Subsection G of 19.15.17 13 NMAC				
Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accur	ate and complete to the best of my knowledge and belief				
Name (Print). Crystal Tafoya	Title: Regulatory Technician				
1 10-71					
Signature. Cyptol afaya	Date. 7/16/2008				
e-mail address: crystal.tafoya@conocobhillibs.com	Telephone: 505-326-9837				
OCD Approval: Permit Application (including closure plan) OCD Representative Signature: Signature: Provided the second s	Closure Plan (only) Approval Date: 7-18-08 OCD Permit Number				
	_				
OCD Representative Signature: 93.4.6.	Approval Date: 7-18-08 OCD Permit Number				
OCD Representative Signature: 83 d 8200 Title: Enviro / Spec	Approval Date: 7-18-08 OCD Permit Number				
OCD Representative Signature: Title: Eta Sico Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 1:	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC				
OCD Representative Signature: Title: Example Specific Specific Subsection K of 19 1: Closure Report (required within 60 days of closure completion): Subsection K of 19 1: Closure Method:	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC				
OCD Representative Signature: Title: Example 1 Spec Closure Report (required within 60 days of closure completion): Subsection K of 19 1: Closure Method:	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal on-Site Closure different from approved plan, please explain	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A Closure Report Attactment Checklist: Instructions: Each of the following itembox, that the documents are attached. Proof of Closure Notice	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following itembox, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable)	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following itembox, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iterbox, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
OCD Representative Signature: Title: Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude:	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date: Ilternative Closure Ins must be attached to the closure report. Please indicate, by a check mark in the				
Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date: Ilternative Closure ms must be attached to the closure report. Please indicate, by a check mark in the Longitude:				
OCD Representative Signature: Title:	Approval Date: 7-18-08 OCD Permit Number S 17 13 NMAC Closure Completion Date: Iternative Closure Ins must be attached to the closure report. Please indicate, by a check mark in the Longitude: NAD. 1927 1983 True, accurate and complete to the best of my knowledge and belief 1 also certify that the				
Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude: Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is a closure complies with all applicable closure requirements and conditions specified in the a	Approval Date: 7-18-08 OCD Permit Number S 17 13 NMAC Closure Completion Date: Iternative Closure Ins must be attached to the closure report. Please indicate, by a check mark in the Longitude: NAD. 1927 1983 True, accurate and complete to the best of my knowledge and belief Lalso certify that the				
Closure Method: Waste Excavation and Removal On-Site Closure Application of Closure Report Attactment Checklist: Instructions: Each of the following iterbox, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Certification: I hereby certify that the information and attachments submitted with this closure report is closure complies with all applicable closure requirements and conditions specified in the a Name (Print):	Approval Date: 7-18-08 OCD Permit Number S17 13 NMAC Closure Completion Date: Ilternative Closure Instructed to the closure report. Please indicate, by a check mark in the Longitude: NAD. 1927 1983 True, accurate and complete to the best of my knowledge and belief 1 also certify that the pproved closure plan Title:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 1. Closure Method: Waste Excavation and Removal On-Site Closure A If different from approved plan, please explain Closure Report Attactment Checklist: Instructions: Each of the following iter box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude: Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is a closure complies with all applicable closure requirements and conditions specified in the a	Approval Date: 7-18-08 OCD Permit Number 5 17 13 NMAC Closure Completion Date: Ilternative Closure ms must be attached to the closure report. Please indicate, by a check mark in the Longitude:				

Form C-144 Oil Conservation Division

Page 4 of 4

District f
PO Box 1988, Hobbs, NM 88241-1988
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1609 Rio Bruzos Rd., Aziec, NM 87410
District IV

PO Box 2008, Santa Fc. NM 87504-2088

State of New Mexico Energy, Macrola & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number				¹ Pool Code		³ Pool Name					
30-045-2931 72359/72319 Blanco Pictured Cliffs/Blanco Mesaverde								saverde			
* Property Code				⁵ Property Name					' Well Number		
7473	7473			San	Juan 32	-9 Unit			3	7A .	
'OGRID No.				Operator Name					"Elevation		
14538				1	Meridian Oil Inc.			1	6752'		
¹⁰ Surface Location											
UL or lot no.	Section 32	Township 32N	Range 9W]	feet from the 1625	North/South line South	Feet from the	East/West line East		County S.J.	
11 Bottom Hole Location If Different From Surface											
UL er lot so.	Section	Township	Range	Lot Ida F	feet from the	North/South line	Feet from the	East/West	line	County	
" Dedicated Acres " Joint or Infill " Consolidation Code " Order No. 160-E/320 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED											
-	·····	OR A	NON-ST.	ANDARD U	NIT HAS BI	EEN APPROVED	فيركب فتنادح بمسوة		e acrosses of	5°C	
16	266	8.38°		£-35	55-18	E-538	I hereby cen	ofy that the infi	огталая	TIFICATION contained herein is knowledge and belief	



Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.