District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

Type of action:

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1.           Operator: _CDX Gas LLC
Address: _2700 Farmington Ave, Building K, Suite #1
Facility or well name:Jicarilla Apache 147- 7E
API Number:30039223410000 OCD Permit Number: <b>DIST. 3</b>
U/L or Qtr/QtrCSection8Township25NRange5WCounty:Rio Arriba
Center of Proposed Design:         Latitude36.41938 Longitude107.3869 NAD:         □ 1927 ☒ 1983
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC   Temporary:
Selow-grade tank: Subsection I of 19.15.17.11 NMAC   Volume:
5.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or abuseh)	hospital,				
institution or church)  ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet  ☐ Alternate. Please specify_Four foot hog wire					
7.  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen □ Netting □ Other □ Monthly inspections (If netting or screening is not physically feasible)					
8.  Signs: Subsection C of 19.15.17.11 NMAC  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acce material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ⊠ No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No ☒ NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No 図 NA				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ⊠ No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ⊠ No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ⊠ No				
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes ☒ No				
Within a 100-year floodplain FEMA map	☐ Yes ⊠ No				

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.  ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Monitoring and Inspection Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: □ Drilling □ Workover □ Emergency □ Cavitation □ P&A □ Permanent Pit ☑ Below-grade Tank □ Closed-loop System □ Alternative  Proposed Closure Method: ☑ Waste Excavation and Removal □ Waste Removal (Closed-loop systems only) □ On-site Closure Method (Only for temporary pits and closed-loop systems) □ In-place Burial □ On-site Trench Burial □ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15.  Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  ☑ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  ☑ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  ☑ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  ☑ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  ☑ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.I Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future services. Yes (If yes, please provide the information below) No	rice and operations?
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disting considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justic demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<ul><li>☐ Yes ☐ No</li><li>☐ NA</li></ul>
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<ul><li>☐ Yes ☐ No</li><li>☐ NA</li></ul>
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - 1WATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plans a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print):Lee Gardner Title:HSE Coordinator
Signature: Lee Date: 8-6-88
e-mail address:lee.gardner@cdxgas.com
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: 33/6=3/6 Approval Date: 9-2-08
Title: Fruito [Spec OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:
Closure Method:  Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23.  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?  [ Yes (If yes, please demonstrate compliance to the items below) [ No
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique
24.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude
25.
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:

e-mail address:\_

Telephone: \_



### Below Grade Tank Management Plan

### I. Siting Criteria

- 1. No below grade tank may be located where:
  - a. Ground water is less than 50 feet below the bottom of the temporary pit or below grade tank.
  - b. Within 300 feet of a continuously flowing watercourse
  - c. Within 200 feet of any significant watercourse, lakebed, sinkhole or playa lake
  - d. Within 300 feet from a permanent residence, school, hospital, institution or church
  - e. Within 500 feet of a private domestic fresh water well or spring used by less than five households for domestic or stock watering purposes or within 1000 feet of any other fresh water well spring.
  - f. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3 as amended, unless the municipality specifically approves
  - g. Within 500 feet of a wetland
  - h. Within an unstable area
  - i. Within a 100 year flood plain
  - j. Over or near any known or suspected mined area
- 2. If ground water is an issue, the tank shall be placed above ground in a lined berm.
- 3. All excavated material will be stored at least 300 feet from any continuous flowing water and 200 feet away from any other water way.

### **II. Construction:**

- 1. After June 16, 2008 any below grade tank replacement will use only steel double walled, double bottom tanks with a leak detection system.
- 2. Current tank is constructed of fiberglass and is not compliant with 19.15.17 NMAC. Tank will be replaced by a steel, double walled double bottomed tank by June 16, 2013.
- 3. The below grade tank pit bottom shall be free on any rocks, debris, sharp edges, or irregularities
- 4. Prior to the installation of any tank, the soil shall be sampled for
  - a. Chlorides
  - b. Benzene, toluene, ethyl benzene, and xylene
  - c. Benzene
  - d. Total petroleum hydrocarbons.

- 5. A fence meeting one of the following requirements shall be erected around the tank site consisting of:
  - a. Four strands of barbed wire placed on a pole between one and four feet
  - b. A chain link fence six feet tall and topped with at least two strands of barbed wire when the temporary pit is within 1000 feet of a residence, school, hospital, institution or church. The fence shall have a gate which is locked when responsible personnel are not on-site.
  - c. Oil Conservation Division approved alternative

    Note: CDX Gas uses Jicarilla Apache Tribal approved hog wire with a
    barbed wire top
- 6. Any open top tank shall be covered with netting, expanded metal, or "chicken wire" to prevent wildlife from entering the tank.
- 7 Any tank area shall be bermed to prevent the run on of water.

### **III.Operations and Maintenance:**

- 1. All tanks and existing pits shall be inspected each month as a part of the Spill Prevention Control and Countermeasure facility inspection.
- 2. The inspection shall be documented on the Spill Prevention Control and Countermeasures Plan inspection form and maintained for at least five years.
- 3. All sides of the below grade tanks existing before June 16, 2008 shall be visible.
- 4. Any dirt or debris shall be noted on the inspection form and removed promptly.
- 5. Any oil visible on the surface of the fluid in the below grade tank shall be promptly removed.
- 6. Absorbent materials shall be maintained on site for this purpose.
- 7. Each below grade tanks shall have enough free board to prevent overflowing.
- 8. Any spillage or leak shall be reported to the Oil Conservation Division with in 48 hours of detection.
- 9. Any produced waste shall be disposed at either:
  - a. Basin Disposal (permit number NM-01-005)
  - b. Aquamoss (permit number SWD-1034A)

### IV. Closure:

- 1. Current below grade tank is fiberglass reinforce plastic which does not meet current regulations. Tank will be replaced with a steel, double walled, double bottomed tank having a leak detection system by June 16 2013.
- 2. Any existing below grade tanks that do not show integrity shall be immediately removed from service.
- 3. The tanks shall be recycled, reused, reclaimed or disposed of in an Oil Conservation Division approved manner.
- 4. The soil under a pit shall be sampled for:
  - a. Benzene as determined by Environmental Protection Agency SW-846 method 8012B or 8260B or other Environmental Protection Agency method that the Oil conservation Division approves. The test shall not exceed 0.2 mg/kg.

- b. Total Petroleum Hydrocarbons as determined by the Environmental Protection Agency SW-846 method 8021B or 8260B or other Environmental Protection Agency method that the Oil Conservation Division approves. The test shall not exceed 100 mg/kg.
- c. Total Benzene, Toluene, Ethyl Benzene, and Xylene as determined by Environmental Protection Agency SW-846 method 8021B or 8260B or other Environmental Protection Agency method that the Oil Conservation Division approves. The test shall not exceed 50 mg/kg.
- d. Chlorides as determined by Environmental Protection Agency method 300.1. The test shall not exceed 250mg/kg or background concentration, whichever is greater.
- 3. If contaminated soil is found under the pit, the soil will be removed and transported to either:
  - a. TNT land farm (permit number NM-01-0008)
  - b. Industrial Ecosystems Landfarm (permit number NM 01-0010B)
- 4. Any produced sludge shall be disposed of at either:
  - a. Basin Disposal (permit number NM-01-005)
  - b. Aquamoss (permit number SWD-1034A)
- 5. Any equipment associated with the removed below grade tank shall be removed unless needed for some other purpose.
- 6. Upon permanent closure of the below grade tank location:
  - a. Notify the land owner in writing by certified mail, return receipt requested, of the closure.
  - b. Notify the Oil Conservation Division at least 72 hours but not more than one week in advance of the closure.
  - c. Submit a closure report to the Oil conservation Division with in 60 days.

### V. Site Reclamation

### A. Contouring:


- 1. The site shall be contoured to blend in with the surrounding terrain.
- 2. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material for establishing vegetation at the site, which ever is greater.
- 3. The soil shall be spread in such a manner as to prevent the pooling of water.

### B. Reseeding:

- 1. The area shall be reseeded at the first growing season after the completion of all work.
- 2. The seed mixture shall consist of three native plant species including one grass or Jicarilla Apache Tribal approved seed mix.
- 3. The seed mixture shall be drilled on the contour whenever practical.
- 4. At least 70 percent of the native perennial vegetative cover (unimpacted by overgrazing, fire, or other intrusive damage) shall be maintained through two

V:/Farmington/Pit Rule/Below Grade Tank Plan

successive growing seasons. Irrigation may not be used to accomplish the required ground cover.



## CDX Gas, LLC Tapicito Project Jicarilla Apache Nation, San Juan Basin

Jicarilla 147 #7E

Below Grade Blow Pit Tank Well API: 30039223410000

TWP: 25 N - Range: 5 W - Sec. 8; 800 FNL 1620 FWL

### Siting Criteria Compliance

- For Ground water is <u>not</u> less than 50 feet below the bottom the subject location
- The subject location is not within 300 feet of a continuously flowing watercourse.
- > The subject location is <u>not</u> within 200 feet of any significant watercourse, lakebed, sinkhole or playa lake
- The subject location is <u>not</u> within 300 feet of a known permanent residence, school, hospital, institution or church
- The subject location is <u>not</u> within 500 feet of any known private domestic fresh water well or 1000 feet of any other fresh water well spring
- The subject location is <u>not</u> within any known incorporated municipal boundary
- The subject location is not within 500 feet of a known wetland
- > The subject location is not within a known unstable area
- > The subject location is not within a known 100 year flood plain
- > The subject location is not over any known subsurface or surface mine

### **Regional Geologic Setting**


At CDX's Tapicito Project located in the eastern-central portion of the San Juan Basin, within the Jicarilla Apache Indian Nation, the San Jose Formation outcrops and forms the surface landscape.


The San Jose Formation outcrops in the eastern-northeastern portion and covers ~1/6<sup>th</sup> of the San Juan Structural Basin. The San Jose Formation overlies the Nacimiento Formation in the area generally south of the CO-NM state line, and overlies the Animas Formation in the area generally north of the CO-NM state line (Fassett, 1974, p. 229). The basal contact of the San Jose varies with location in the basin. This contact is a disconformity along the basin margins, and it is an angular unconformity along the Naciemento Uplift; the contact is conformable in the central basin (Baltz, 1967, p. 54; Fassett, 1974 p. 229).


The Eocene-aged San Jose Formation was deposited in various fluvial-type environments (Baltz, 1967, p 44-45) and consists of interbedded sequence of sandstone, siltstone and shale. The sandstone are buff to yellow and rusty-colored, crossbedded, very fine to coarse-grained arkose, which are locally conglomeratic and contain abundant silicified wood (Baltz, 1967, p. 46; Fassett, 1974, p 229; Anerholm, 1979, p. 23).


Hydrogeological Report
Jicarilla 147 #7E

Thickness of the San Jose Formation generally increases from west to east. Fassett (1974, p 229) reported a maximum thickness if 2,400 feet in the east-central part of the basin, and Stone and other (1983, p. 25) reported a range of from about 200 feet in the west and south to almost 2,700 feet in the center of the structural basin.









### **Ground Water Data, Water Well Locations**

Hydraulic Properties: Levings and Others (1990) reported well yields from 79 water wells completed in the San Jose, Nacimiento and Animas Formations ranged from 1 to 61 gallons per minute and median is 6 gallons per minute. Transmissivity data for the San Jose, Nacimiento and Animas Formations are minimal. Values of 40 and 120 feet squared per day were determined from two aquifer tests (Stone and Others, 1983, table 5). The San Jose, Nacimiento and Animas Formations are a source of water for public supply, commercial, private-domestic and livestock use in areas where drilling depths and pumping levels are economically feasible and where water quality is suitable.

The San Jose, Nacimiento and Animas Formations are all hydrologically similar because sands in all units produce approximately the same quantities of water. The great percentage of fine material in all may restrict the downward vertical leakage to the Ojo Alamo Sandstone or Kirtland Shale. The poorly cemented material is highly erodible, forms a badland terrain and supports only spotty vegetation. These conditions are more conductive to runoff than retention of precipitation.

**iWaters Database:** The search showed no reported wells with groundwater information in the T25N-R5W. Attached are the results for the three query engines: 1) POD/Surface Data Report, 2) Avg Depth to Water Report, 3) Water Column Report

- > Ground water is not less than 50 feet below the bottom the subject location
- No known private water wells are within 500 feet of the subject location
- No known public water wells are within 1000 feet of the subject location
- No water wells around the subject area are listed in the iWaters Database

Bsn Tws

Rng Sec Zone

No Records found, try again

# New Mexico Office of the State Engineer POD Reports and Downloads

	102110	, vi is una 2 o		
Township: 2	5N Range: 05W	Sections:		
NAD27 X:	Y:	Zone:	Search Radiu	s:
County:	Basin:		Number:	Suffix:
Owner Name: (First)	(L	ast) ⊚All	○Non-Dome	stic ODomestic
POD / Surface Data Report Avg Depth to Water Report  Water Column Report  Clear Form iWATERS Menu Help				
AVERAGE DE	PTH OF WATER REPO	ORT 08/04/200	)8 (Depth Water in Fe	eet)

Y Wells

Min

Max

Avg

x

# New Mexico Office of the State Engineer POD Reports and Downloads

		POD Kej	orts and Down	noaus			
Towns	ship: 25N	Range: 05W	Sections:				
NAD27	X:	Y:	Zone:		Search Radius:		
County:		Basin:			Number:	Suffix	<b>c</b> :
Owner Name: (I	First)	(La	ost)		○ Non-Domestic	O Dome	estic
	POD / Sur	face Data Report Wate	Avç er Column Repor		to Water Report		
		Clear Form (	iWATERS Me	enu	Help		
		AW	TER COLUMN R	EPORT	08/04/2008		
POD Number		s are 1=NW 2= s are biggest Rng Sec q q	to smallest		Depth Y Well	Depth Water	Wate Colum
w- D 1 5-		,					

# New Mexico Office of the State Engineer POD Reports and Downloads

То	wnship: 251	N Range: 05	W Sections:		
NAD2	7 X:	Y:	Zone:	Search Rad	lius:
County:		Basin:		Number:	Suffix:
Owner Name:	(First)		(Last)	○Non-Don ·	nestic ODomestic
1	POD /	Surface Data Re	eport <b>]</b> [ /	Avg Depth to Water Rep	ort
		Clear Form	iWATERS	Menu Help	
			·	E DATA REPORT 08/	'04/2008 (qua
	(acre	ft per annur	n)		(qua
DB File Nbr	Use	Diversion (	Owner	P	OD Number
SJ 01100	OIL	15 A	AMOCO PRODUCTI	ON COMPANY	SJ 01100
•					

### New Mexico Office of the State Engineer Water Right Summary

Back

SJ 01100 DB File Nbr:

Primary Purpose: OIL OIL PRODUCTION

PMTPermit

Primary Status: Total Acres:

0

Total Diversion: 1.5

Owner: AMOCO PRODUCTION COMPANY

Documents on File

Doc

File/Act Status 1 2 3 Trans Desc

From/To Acres Diversion Co

0

03/13/1980 PMT APR PRC SJ 01100

Т

15

Point of Diversion POD Number

(qtr are 1=NW 2=NE 3=SW 4=SE) (qtr are biggest to smallest Tws Rng Sec q q q Source

X Y are in Feet Zone X

UTM a UTM Z

13

SJ 01100

25N 05W 06 4 4 1

Priority Status 12/06/1979 PMT

Acres 0

Diversion 15

POD Number SJ 01100

Source

(quarters are 1=NW 2=NE 3=SW 4=SE)

Place of Use

(quarters are biggest to smallest

Tws Rng Sec qqqq 25N 05W 06

0

Acres Diversion Consumptive Use 15

Priority OIL

Status PMT

### New Mexico Office of the State Engineer Transaction Summary

Back

### APPRO Application to Appropriate

Primary status: PMT Permit
Secondary status: APR Approved
Person assigned: \*\*\*\*\*\*

Applicant: AMOCO PRODUCTION COMPANY

#### Events

Date	Туре	Description	Comment
12/06/1979	APP	Application Received	*
12/06/1979	MAP	Map or Plat Received	*
12/21/1979	NFP	Notice for Publication	
02/12/1980	AOP	Affidavit of Publication rcv	
03/13/1980	PUC	PBU/PCW Approval	
03/13/1980	FIN	Final Action on application	
12/30/2002	ARV	Rec & Arch - file location	SJ 01100 Box: 81
12/16/2003	QAT	Quality Assurance Completed	SQ 1
03/24/2005	QAT	Quality Assurance Completed	IMAGES MAP
10/19/2005	QAT	Quality Assurance Completed	SQ2
	12/06/1979 12/06/1979 12/21/1979 02/12/1980 03/13/1980 03/13/1980 12/30/2002 12/16/2003 03/24/2005	12/06/1979 APP  12/06/1979 MAP  12/21/1979 NFP  02/12/1980 AOP  03/13/1980 PUC  03/13/1980 FIN  12/30/2002 ARV  12/16/2003 QAT  03/24/2005 QAT	12/06/1979 APP Application Received  12/06/1979 MAP Map or Plat Received  12/21/1979 NFP Notice for Publication 02/12/1980 AOP Affidavit of Publication rcv 03/13/1980 PUC PBU/PCW Approval 03/13/1980 FIN Final Action on application 12/30/2002 ARV Rec & Arch - file location 12/16/2003 QAT Quality Assurance Completed 03/24/2005 QAT Quality Assurance Completed

DB_File_Nbr	Acres	Diversion	Consumptive	Purpose of Use
SJ 01100	0 .	15 0		OIL OIL PRODUCTION

### Point of Diversion

SJ 01100 25N 05W 06 SE SE NW in Rio Arriba County

### Place Of Use

Tws Rng Sec q Acres Diversion Consumptive Use Pri q 25N 05W 06 0 15 OIL

### Remarks

THIS WELL WILL BE DRILLED ON THE SAME LOCATION AS AMOCO'S JICARILLA CONTRACT 147 #3E.

### Conditions

5B :A totalizing meter shall be installed before the first branch of the discharge line from the well and the installation shall be acceptable to the State Engineer; the Engineer shall be advised of the make, model, serial number, date of installation, and initial reading of the meter prior to appropriation of water; pumping records shall be submitted to the District Supervisor on or before the 10th of Jan., April, July, and Oct. of each year for the 3 preceeding calendar months.

### Action of the State Engineer

Approval Code: A Approved Action Date: 03/13/1980

pcw due date: 03/31/1984
pbu due date: 03/31/1984

State Engineer: John R. D Antonio, Jr., P.E.

Bv:




### Wetland Maps and Data

The US Fish and Wildlife for the **Jicarilla 147** #**7E** is unavailable due to its location being within the Jicarilla Apache Indian Nation. The US Fish and Wildlife does not wetland information for the Jicarilla Apache Indian Nation. This well is not located near a wash or watercourse and is not in a wetland area as visible on the topographic map.

### Flood Zone Maps and Data

The FEMA Map for the **Jicarilla 147** #7E is unavailable due to its location being within the Jicarilla Apache Indian Nation. FEMA does not provide floodplain information for the Jicarilla Apache Indian Nation. This well is not located near a wash or watercourse and is not in a 100 year floodplain as visible on the topographic map.



### References

Baltz, E.H., 1967, Stratigraphy and Regional Tectonic Implications of part of Upper Cretaceous Rocks, east-central San Juan Basin, New Mexico: USGS Professional Paper 552, 101p

Brimhall, R.M., 1973, Ground-water hydrology of Tertiary Rocks of the San Juan Basin, New Mexico, in Fassett, J.E., ed., Cretaceous and Tertiary Rocks of the Southern Colorado Plateau: Four Corners Geological Society Memoir, p. 197-207

Fassett, J.E., 1974, Cretaceous and Tertiary rocks of the eastern San Juan Basin, New Mexico and Colorado, in Guidebook of Ghost Ranch, central-northern New Mexico: New Mexico Geological Society, 25<sup>th</sup> Field Conference, p. 225-230.

Fassett, J.E., and Hinds, J.S., 1971, Geology and fuel resources of the Fruitland Formation and Kirtland Shale of the San Juan Basin, New Mexico and Colorado: USGS Professional Paper 676, 76p.

Levings, G.W., Craigg, S.D., Dam, W.L., Kernodle, J.M., and Thorn, C.R., 1990, Hydrogeology of the San Jose, Nacimiento, Animas Formations in the San Juan structural basin, New Mexico, Colorado, Arizona, and Utah: USGS Hydrologic Investigations Atlas HA-720-A, 2 sheets.

Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., and Padgett, E.T., 1983, Hydrogeology and water resource of San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources, Hydrologic Report 6

Wells, S.G., Lambert, W., and Callender, J., 1981, Environmental Geology and Hydrology in New Mexico: New Mexico Geological Society Special Publication #10, 152p.


New Mexico Office of the State Engineer-iWATERS Database <a href="http://www.ose.state.nm.us/water\_db\_index.html">http://www.ose.state.nm.us/water\_db\_index.html</a>

New Mexico EMNRD Mining and Mineral Divison <a href="http://www.emnrd.state.nm.us/MMD/coalminewebmap/coalminewebmap.html">http://www.emnrd.state.nm.us/MMD/MRRS/MinesMillsQuarriesWebMap.htm</a>

State Bureau of Mines and Minerals Resources <a href="http://geoinfo.nmt.edu/index.html">http://geoinfo.nmt.edu/index.html</a>

US Fish and Wildlife <a href="http://www.fws.gov.html">http://www.fws.gov.html</a>

New Mexico Land Office <a href="http://store.usgs.gov/mod/index.html">http://store.usgs.gov/mod/index.html</a>



### http://terraserver-usa.com

US Geological Survey (USGS)
<a href="http://store.usgs.gov/mod/index.html">http://store.usgs.gov/mod/index.html</a>
<a href="http://terraserver-usa.com/">http://terraserver-usa.com/</a>


Federal Emergency Management Agency (FEMA)

<a href="http://www.fema.gov/">http://www.fema.gov/</a>
<a href="http://msc.fema.gov/webapp/wcs/stores/servlet/FemaWelcomeView?storeld=10001&catalogld=10001&langld=-1">http://msc.fema.gov/webapp/wcs/stores/servlet/FemaWelcomeView?storeld=10001&catalogld=10001&langld=-1</a>

Google Earth <a href="http://landstatus.nmstatelands.org/">http://landstatus.nmstatelands.org/</a>
<a href="http://www.earthpoint.us/townships.html">http://www.earthpoint.us/townships.html</a>

New Mexico Geological Society <a href="http://nmgs.nmt.edu/">http://nmgs.nmt.edu/</a>

Mines, Mil	ls & Quarries Commodity Groups
Δ	Aggregate & Stone Mines
· •	Coal Mines
*	Industrial Minerals Mines
•	Industrial Minerals Mills
	Metal Mines and Mill Concentrate
	Potash Mines & Refineries
***	Smaltare & Dafinary One



SCALE 1: 2,589,514

0 0 20 40 60

MILES

