## District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** 

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application
Type of action:  X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request  Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas Company, LP  Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Allison Unit 133 Lateral
API Number: 30-045-27154 OCD Permit Number:
U/L or Qtr/Qtr: G(SWNE) Section: 7 Township: 32N Range: 6W County: San Juan  Center of Proposed Design: Latitude: 36.997937' N Longitude: 107.499564' W@ NAD: 1927 X 1983  Surface Owner: Federal State X Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other  String-Reinforced  Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D
X   Closed-loop System:   Subsection H of 19.15.17.11 NMAC     Type of Operation:   P&A   X   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   X   Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins   Other     X   Lined   Unlined   Liner type: Thickness   20   mil   X   LLDPE   HDPE   PVD   Other     Liner Seams:   X   Welded   X   Factory   Other   Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other
5 Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8  Signs: Subsection C of 19.15.17.11 NMAC  12" X 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15 3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	□No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	□No		
Within a 100-year floodplain	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15 17.9 NMAC						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC						
Previously Approved Design (attach copy of design) API or Permit						
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC						
Previously Approved Design (attach copy of design) API						
Previously Approved Operating and Maintenance Plan API						
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
14 Proposed Closure: 19.15.17.13 NMAC						
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative						
Proposed Closure Method: Waste Excavation and Removal						
X Waste Removal (Closed-loop systems only)						
On-site Closure Method (only for temporary pits and closed-loop systems)						
In-place Burial On-site Trench						
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
Waste Excavation and Removal Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)						
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

16 Waste Removal Closure For Closed-loop Systems That Utilize Abo	vo Cround Stool Tonks on Houl off Ding Only	(10.15.17.12 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of			cilıties			
are required  Disposal Facility Name: Environch	Disposal Facility Pormut #	NM 01 0011				
Disposal Facility Name: Envirotech	Disposal Facility Permit #:					
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:		· · · ·	<b>.</b>		
Will any of the proposed closed-loop system operations and asso  Yes (If yes, please provide the information  N	lo	ii not be used for future se	rvice and oper	rations /		
Required for impacted areas which will not be used for future service of Soil Backfill and Cover Design Specification - based upo	•	νη Η of 19 15 17 13 ΝΜΔC	•			
Re-vegetation Plan - based upon the appropriate requirem			•			
Site Reclamation Plan - based upon the appropraite require	rements of Subsection G of 19.15.17.13 NM	1AC				
Siting Criteria (Regarding on-site closure methods only: 19 Instructions Each siting criteria requires a demonstration of compliance in the certain siting criteria may require administrative approval from the appropriate for consideration of approval. Justifications and/or demonstrations of equivalents.	ne closure plan Recommendations of acceptable sout te district office or may be considered an exception	which must be submitted to the S				
Ground water is less than 50 feet below the bottom of the buried			Yes	∐No		
<ul> <li>NM Office of the State Engineer - iWATERS database search, L</li> </ul>	JSGS: Data obtained from nearby wells		∐N/A			
Ground water is between 50 and 100 feet below the bottom of th	e buried waste		Yes	No		
- NM Office of the State Engineer - iWATERS database search; U	SGS, Data obtained from nearby wells		N/A			
Ground water is more than 100 feet below the bottom of the burn	ed waste.		Yes	No		
- NM Office of the State Engineer - (WATERS database search; U	SGS; Data obtained from nearby wells		□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of a (measured from the ordinary high-water mark)	ny other significant watercourse or lakebed, sin	khole, or playa lake	Yes	No		
- Topographic map, Visual inspection (certification) of the propose	ed site					
Within 300 feet from a permanent residence, school, hospital, institution - Visual inspection (certification) of the proposed site; Aerial photo	•	pplication.	Yes	No		
			Yes	No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municip pursuant to NMSA 1978, Section 3-27-3, as amended		pal ordinance adopted	Yes	□No		
Written confirmation or verification from the municipality, Writt Within 500 feet of a wetland	en approval obtained from the municipality		□ <sub>V20</sub>	□No		
- US Fish and Wildlife Wetland Identification map; Topographic n	nap; Visual inspection (certification) of the prop	osed site	Yes			
Within the area overlying a subsurface mine.			Yes	□No		
- Written confiramtion or verification or map from the NM EMNR	D-Mining and Mineral Division		_			
Within an unstable area.			Yes	☐No I		
<ul> <li>Engineering measures incorporated into the design; NM Bureau or Topographic map</li> </ul>	of Geology & Mineral Resources; USGS; NM G	eological Society;				
Within a 100-year floodplain - FEMA map			Yes	No		
18						
On-Site Closure Plan Checklist: (19.15 17 13 NMAC) Instruby a check mark in the box, that the documents are attached.	ctions: Each of the following items must	bee attached to the closure	e plan. Pleaso	e indicate,		
Siting Criteria Compliance Demonstrations - based upon	the appropriate requirements of 19.15.17.10	) NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC						
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, o	•		not be achieve	ed)		
Soil Cover Design - based upon the appropriate requirem						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

19 ′				,	
Operator Applica					
1	the information sub		•	e best of my knowledge and belief.	
Name (Print)		Crystal Tafoya	Title:	Regulatory Technician	
Signature _	Cm	stal / apryo	U Date	10/2/08	
e-mail address: _	crysta	il tafoya@conocophill/ps com	Telephone	505-326-9837	
20					
OCD Approval:	Permit Appli	cation (including closure plan	Closure Plan (only)	OCD Conditions (see attack	hment)
OCD Representa	tive Signature:	B1 05	?/	Approval Date:	10-14-08
	<i>-</i> , ,	spec			
Title:	Enviro 19	ipec	OCD Per	mit Number:	
21				<del></del>	
	required within 6	60 days of closure completion	1) Subsection K of 19 15 17 13 NM 4	.c	
				sure activities and submitting the clos	ure report. The closure
				es. Please do not complete this section	on of the form until an
approved closure pl	an has been obtaine	ed and the closure activities have	· <u> </u>		
L			Closur	re Completion Date:	
22					
Closure Method:					
Waste Exca	vation and Removal	On-site Closure Me	thod Alternative Closur	e Method Waste Removal (Clo	osed-loop systems only)
If different f	from approved plan,	please explain.			
23 Closure Report Re	oardino Waste Rei	noval Closure For Closed-Ioon	Systems That Utilize Above O	Fround Steel Tanks or Haul-off Bins	Only:
				tings were disposed. Use attachment	
were utilized.					
Disposal Facility	Name.	<del>_</del>	Disposal Facilit	y Permit Number.	
Disposal Facility				y Permit Number:	
_				not be used for future service and open	artions?
Yes (If yes,	please demonstrate	complilane to the items below)	∐No		
<del></del> -		will not be used for future service	e and operations		
l ≒	lation (Photo Docum				
=	ling and Cover Insta				
Ke-vegetant		s and Seeding Technique			
Clarent Barra	-4 A44	analitate forte di ca 77 di 6	A. CH. Landanian de la	to the district of the state of	indicate has a shoot would be
	documents are atta	•	tne jouowing tiems must be at	tached to the closure report. Please i	пассаге, ву а спеск тагк іп
l <b>–</b> ′		face owner and division)			
Proof of D	eed Notice (requir	ed for on-site closure)			
Plot Plan (1	for on-site closure	s and temporary pits)			
Confirmati	ion Sampling Anal	lytical Results (if applicable)			
ı ⊨		alytical Results (if applicable)	)		
≀ ≒	acility Name and				
📜 -	illing and Cover Ir				
==	· ·	ates and Seeding Technique			,
=	nation (Photo Doc				•
—	osure Location.	Latitude <sup>-</sup>	Longitude:	NAD 🗍	1927 1983
	· · · · · · · · · · · · · · · · · · ·				
25					
Operator Closur	e Certification:				
		d attachments submitted with this	s closure report is ture, accurat	e and complete to the best of my know	eledge and belief. I also certify that
		e closure requirements and condi			- ••
Name (Print):			Title:		
-			Title.		
Signature:			Date.		
					_
e-mail address:			Telephone.		

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

1000 Rio Brazos Rd., Aztec, N.M. 87410

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe. NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT IV

DISTRICT III


1220 S. St. Francis Dr., Santa Pe, NM 87505

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

' API	Number			Pool Code	<sup>3</sup> Pool Name						
30-045-27	154		71	1629		BASIN FRUITLAND COAL					
<sup>4</sup> Property Co	ode				<sup>6</sup> Property Name <sup>8</sup> Well Number					r	
6784	,				ALLISON UNIT 133 LATERAL				نا		
OGRID No	•,				<sup>s</sup> Operator 1	Name			• E	Slevation	
14538	·		BURLING	STON RE	SOURCES OIL & GAS COMPANY LP 6243						
<sup>10</sup> Surface Location											
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	line	County	·
G	; 7	32-N `	6W		790'	NORTH	2540'	EAST		SÁN	JUAN
Bottom Hole Location If Different From Surface											
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West	line	County	•
A	; 7	32-N	6-W		50'	NORŢH	50'	EAST	•	SAN	JUAN
Dedicated Acre	9		13 Joint or	lofill	14 Consolidation C	ode	<sup>15</sup> Order No.				
FC 276.89	ACRE E	./2									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



## **Burlington Resources Oil & Gas Company, LP**

#### **Closed Loop Design:**

The closed loop design will not incorporate a temporary pit or below grade tank. The plan will utilize an above grade tank suitable for holding the cuttings and fluids generated during drilling operations. The volume of the tank shall be of a sufficient volume to maintain an adequate free board for periodic removal and disposal of cuttings and fluids.

Burlington Resources Oil & Gas Company, LP may incorporate the use of a 20 mil, string reinforced, LLDPE liner with factory welded seams to line the drying pad in order to minimize the volume of fluids to be disposed of. The drying pad will be designed to prevent contamination of fresh water, protect public health and the environment, and have sumps to facilitate the collection of liquids derived from drilling cuttings, as specified per subsection H of 19.15.17.11. The cuttings pad will be constructed above grade and containment will be through the use of earthen berms of sufficient height to contain the cuttings and prevent run-off of surface water or fluids. The drying pad area will replace the area of the drill site previously designated for the reserve pit. It will be signed in compliance with 19.15.3.103.NMAC. Frac tanks will be utilized on site for fresh water storage.

### **Closed Loop Operations and Maintenance:**

The closed loop system will be operated and maintained for solids and liquid containment to prevent ground water contamination as follows:

- Any free liquids will be recovered and reused or disposed of at the Basin Disposal Facility (Permit # NM-01-005). Reuse may include the relocating of liquids to be used in other permitted drilling operations.
- 2. Drill solids will be recovered from location and hauled to a Envirotech (Permit #NM-01-0011) periodically as required to maintain a safe free board in the cuttings tank. No onsite trench burial of cuttings will occur.
- 3. In the event a drying pad is utilized, the cuttings will be picked up and transported to Basin Disposal Facility (Permit #NM-01-005). The liner will be disposed of at the San Juan County Landfill located on CR 3100. The drying pad will be closed within 6 months from the date that the drilling rig is released. Berms constructed from native materials will be bladed on site to the location's contour.
- 4. Any drilling materials or trash will be stored and disposed of appropriately.
- 5. The NMOCD will be notified within 48 hours of the discovery of compromised integrity of the closed loop containment. Any required repairs will commence immediately.

## **Closed Loop Closure Plan:**

- Upon completion of the drilling operations, all solids and liquids will be removed and disposed of to Envirotech (Permit #NM-01-0011) and Basin Disposal Facility (Permit # NM-01-005). Equipment shall also be removed from location. In the event a drying pad is utilized, the solids contained on the pad shall remain on site to allow sufficient drying and will then be transported to Envirotech (Permit # NM-01-0011) within 6 months from the date that the drilling rig is released.
- 2. After the drying pad is removed the surface below will be visually inspected for any contamination. If contamination is discovered a five point composite sample will be taken of the drying pad area using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	500

- 3. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
- 4. Notification will be sent to OCD when the reclaimed area is seeded.
- 5. BR shall seed the disturbed areas the first growing season after the operator closes the drying pad. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Туре	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Unknown	2.0
Four-wing Saltbrush	Delar	.25

Species shall be planted in pounds of pure live seed per acre: Present Pure Live Seed (PLS) = Purity X Germination/100 Two lots of seed can be compared on the basis of PLS as follows:

Source No. One (poor quality) Source No. two (better quality) Purity Purity 80 percent 50 percent 40 percent Germination 63 percent Germination Percent PLS 20 percent Percent PLS 50 percent

5 lb. bulk seed required to make 2 lb. bulk seed required to make

1 lb. PLS 1 lb. PLS