

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

30-045-07620

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

New Mexico Com A

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Four Star Oil and Gas Company

3. Address of Operator

P.O. Box 1289 Farmington, New Mexico 87499-1289

4. Well Location

Unit Letter P : 900 feet from the South line and 890 feet from the East line

Section 32 Township 29N Range 10W NMPM San Juan County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

5579' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐


COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

Four Star Oil and Gas proposes to plug and abandon the subject well according to the attached procedure:



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ken Jackson

TITLE Regulatory Specialist

DATE 10/24/03

Type or print name Ken Jackson

Telephone No. (281) 561-4991

(This space for State use)

APPROVED BY [Signature]

TITLE SUPERVISOR DISTRICT # 3

DATE OCT 27 2003

Conditions of approval, if any:

**New Mexico Com A #1**  
**Proposed P & A Procedure**

- 1) Install and test rig anchors. Prepare blow pit.
  - 2) MIRU. Conduct safety meeting with all personnel on location. N/U Relief line. Blow down well, and kill well with H2O if necessary. N/D Wellhead. N/U BOPE and test.
  - 3) If tubing exists, tooh & tally. If no tubing exists, RIH w/ gauge ring to 1900'. Set CIBP @ 1885'.
  - 4) PU 2 3/8" tubing & tag CIBP @1885'. Load hole and pressure test to 500 PSI.
  - 5) Plug #1 (PC Fruitland) 1885'-1710'. 18 sx. POOH Perf @ 970' Set CICR 920'.
  - 6) Plug #2 <sup>+0.0 Above 670</sup> (Kirtland) ~~970'-870'~~. 40sx. (8 sx above ret & 32 sx below) POOH. Perf @150'. Establish circulation to surface.
  - 7) Plug #3 (150' to surface) Mix and pump cement until good returns are evident (Approximately 46sx.)
- ND BOPE and RD floor. Dig cellar and cut off wellhead. Top off casing strings as needed. RD and MOL. Cut off anchors and install dry hole marker. Reclaim location.

**PROPOSED WELL BORE DIAGRAM  
NEW MEXICO COM A-1**

