District I

1625 N French Dr., Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	X Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Not does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator Builting December 2011 & Co. Common LD	
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538 Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: San Juan 27-4 Unit 132G	
API Number: 30-039-30345 OCD Permit Number:	
	Rio Arriba
Center of Proposed Design: Latitude: 36.542126' N Longitude: 107.232944' W	NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment	
2.4	
X Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary. X Drilling Workover	
Permanent Emergency Cavitation P&A X Lined Unlined Liner type Thickness 20 mil X LLDPE HDPE PVC	Other
X String-Reinforced	
	L 65' x W 45' x D 10'
Zinci Scalini. 14 World 14 World 15 Wor	<u> </u>
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation. P&A Drilling a new well Workover or Drilling (Applies to activities which requires notice of intent)	e prior approval of a permit or
Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD C Liner Seams: Welded Factory Other	Other 222324 25 2633
4 Below-grade tank: Subsection 1 of 19.15.17.11 NMAC Volume: bbl Type of fluid:	RECEIVED SO OIL CONS. DIV. DIST. 3
Tank Construction material:	UIL CONS. DIV. DIST. 3
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-of	1 (Pz
Visible sidewalls and liner Visible sidewalls only Other	- 4401 68 L999
Liner Type: Thickness mil HDPE PVC Other	
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for	

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet	innon or chin	cnj		
Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.				
7				
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15.17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15 3 103 NMAC				
o				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ar	proval.		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	wp			
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa			
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐Yes	Пио		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - tWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	∐No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.	□Yes	□No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15 17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC			
Dike Protection and Structural Integrity Design, based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan Closure Plan has a dispersion as a subsection C of 10.15.17.0 NIMAC and 10.15.17.13 NIMAC			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17.13 NMAC			
14 Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type. X Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative Proposed Closure Method: X Waste Excavation and Removal			
Waste Excavation and Removal Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached. V Protocols and Procedures based upon the engreprists requirements of 10.15.17.13 NMAC.			
X Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC			
X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions: Please identify the facility or facilities for the disposal of liquids, drilling are required	el Tanks or Haul-off Bins Only: (19.15 17.13.D NMAC) fluids and drill cuttings. Use attachment if more than two fe	acilities		
Disposal Facility Name	Disposal Facility Permit #:			
Disposal Facility Name:	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subse. Site Reclamation Plan - based upon the appropriate requirements of Sul	ate requirements of Subsection H of 19.15.17.13 NMAC ction I of 19.15.17.13 NMAC	С		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Instifications and/or demonstrations of equivalency are required.	Recommendations of acceptable source material are provided belo or may be considered an exception which must be submitted to the			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS Data obt	ained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste	a	Yes No		
- NM Office of the State Engineer - IWATERS database search, USGS; Data obta		N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data obta	nined from nearby wells	N/A □		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark).	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water vipursuant to NMSA 1978, Section 3-27-3, as amended.	well field covered under a municipal ordinance adopted	☐Yes ☐No		
 Written confirmation or verification from the municipality, Written approval ob Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual ins 		☐Yes ☐No		
Within the area overlying a subsurface mine - Written confirantion or verification or map from the NM EMNRD-Mining and	Yes No			
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & M		Yes No		
Topographic map Within a 100-year floodplain FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closur	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Operator Application Cert	diffraction.		
	ation submitted with this application is true, accura	ate and complete to the	e best of my knowledge and belief
Name (Print).	Crystal Tafoya	Title:	Regulatory Technician
	Crystal Taroya		11/22/2
Signature	coptal apaya	Date:	11/40/08
e-mail address	crystal tafoya@conocophillies.com	Telephone:	/ 505/826-9837
OCD Approvals Perm	sit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
	nit Application (including closure plan)	Closure Fian (only)	ocb conditions (see attachment)
OCD Representative Signa	ature: Branslon Da	nell	Approval Date: 12-3-08
mu 61	i ro 15pec	O CPD P	
Title: Euj	1015pec	OCD Per	mit Number:
Instructions: Operators are rec report is required to be submit		implementing any closin of the closure activiti mpleted.	NC sure activities and submitting the closure report. The closure tes. Please do not complete this section of the form until an re Completion Date:
22			
Closure Method:		_	
Waste Excavation and	Removal On-site Closure Method	Alternative Closur	e Method Waste Removal (Closed-loop systems only)
If different from appro	ved plan, please explain.		
23			
Instructions: Please identify to were utilized. Disposal Facility Name Disposal Facility Name	/aste Removal Closure For Closed-loop Systems the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids, drilli the facility or facilities for where the liquids drilli the facilities for the facilities for where the liquids drilli the facilities for	ing fluids and drill cut Disposal Facilit Disposal Facilit	tings were disposed. Use attachment if more than two facilities by Permit Number: ty Permit Number:
_	nonstrate complilane to the items below)	No	·
Required for impacted area Site Reclamation (Phoi	us which will not be used for future service and open to Documentation)	erations:	
Soil Backfilling and Co	over Installation		
Re-vegetation Application	tion Rates and Seeding Technique		
24			
the box, that the document Proof of Closure Not Proof of Deed Notice Plot Plan (for on-site Confirmation Sampl Waste Material Sam Disposal Facility Nat Soil Backfilling and	tice (surface owner and division) e (required for on-site closure) e closures and temporary pits) ing Analytical Results (if applicable) pling Analytical Results (if applicable) me and Permit Number Cover Installation cation Rates and Seeding Technique	wing items must be at	tached to the closure report. Please indicate, by a check mark in
On-site Closure Loca	ation: Latitude.	Longitude.	NAD 🔲 1927 🔲 1983
		-	te and complete to the best of my knowledge and belief. I also certify that closure plan.
Name (Print):		Tıtle [.]	
Signature:	<u> </u>	Date:	
e-mail address:		Telephone:	

Burlington Resources Oil & Gas Company, LP San Juan Basin Dig & Haul Closure Plan

In accordance with Rule 19.15.17.12 NMAC the following information describes the closure requirements of temporary pits on Burlington Resources Oil & Gas Company, LP (BR) locations. This is BR's standard procedure for temporary pits, which BR intends to excavate pit contents and dispose of off-site. A separate plan will be submitted for any temporary pit which does not conform to this plan.

All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of closure of pit closure. Closure report will be filed on C-144 and incorporate the following:

- Details on Capping and Covering, where applicable.
- Plot Plan (Pit Diagram)
- Inspection Reports
- Sampling Results
- C-105
- Copy of Deed Notice will be filed with County Clerk

General Plan:

- 1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves. The facilities to be used will be Basin Disposal (Permit #NM-01-005) and Envirotech Land Farm (Permit #NM-01-011).
- 2. The surface owner shall be notified of BR's closing of the temporary pit prior to closure as per the approved closure plan via certified mail, return receipt requested.
- 3. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.
- 4. Notice of Closure will be given prior to closure to the Aztec Division office between 72 hours and one week via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - Location by Unit Letter, Section, Township, and Range. Well name and API number.
- 5. All contents of the temporary pit including the liner will be excavated and hauled to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011
- 6. A five point composite sample will be taken from the soil under the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b).

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	1000/500

- 7. Upon testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. The cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater
- 8. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Reshaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
- 9. Notification will be sent to OCD when the reclaimed area is seeded.

10. BR shall seed the disturbed areas the first growing season after the operator removes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Type	Variety or Cultivator	PLS/A
Western wheatgrass	Arriba	3.0
Indian ricegrass	Paloma or Rimrock	3.0
Slender wheatgrass	San Luis	2.0
Crested wheatgrass	Hy-crest	3.0
Bottlebrush Squirreltail	Unknown	2.0
Four-wing Saltbrush	Delar	.25

Species shall be planted in pounds of pure live seed per acre: Present Pure Live Seed (PLS) = Purity X Germination/100 Two lots of seed can be compared on the basis of PLS as follows:

Source No. One (poor quality)

Purity

50 percent

Germination

40 percent

Percent PLS

20 percent

Source No. two (better quality)

Purity

80 percent

Germination

63 percent

Percent PLS

50 percent

5 lb. bulk seed required to make 2 lb. bulk seed required to make

1 lb. PLS 1 lb. PLS

11. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.