District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 S St. Francis Dr., Sama Fe, NM 67303
Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: Cain 22 API Number: 30-045-25037 OCD Permit Number:
U/L or Qtr/Qtr: C(NENW) Section: 31 Township: 29N Range: 9W County: San Juan
Center of Proposed Design: Latitude: 36.687210' N Longitude: 107.825040' W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x, x, W, x, z, x, D; X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams: Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital; institution four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	tion or church)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC	:
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.	eration of approval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	The second secon
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality. Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site. Within the area overlying a subsurface mine.	Yes No
Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No
Within a 100-year floodplain FEMA map	Yes No

Temporary Pits, Emergency Pits and Below-grade Tank Instructions: Each of the following items must be attached to the ap	s Permit Application Attachment Checkli	ist Subsection B of 19.15	179 NMAC	
Hydrogeologic Report (Below-grade Tanks) - based u	4.	The same and the same of the same	CHEST TO THE SECOND	
Hydrogeologic Data (Temporary and Emergency Pits		and the state of the state of		
Siting Criteria Compliance Demonstrations - based u		· 生,特别 (1)		
	•			監察
Design Plan - based upon the appropriate requiremen		,		
Operating and Maintenance Plan - based upon the app	•		· .	. "
Closure Plan (Please complete Boxes 14 through 18, 19.15.17.9 NMAC and 19.15.17.13 NMAC	ii applicable) - based upon the appropriate	requirements of Subse	ction C of	
Previously Approved Design (attach copy of design)	API	or Permit		-, 11,
12			the A grant of the A	
Closed-loop Systems Permit Application Attachment Ch. Instructions: Each of the following items must be attached to the ap Geologic and Hydrogeologic Data (only for on-site c.)	pplication. Please indicate, by a check mark in th			
Siting Criteria Compliance Demonstrations (only for				其類的
X Design Plan - based upon the appropriate requiremen		to requirements or (13).		
X Operating and Maintenance Plan - based upon the appropriate requirement		AC ,		100
	• •		· · · · · · · · · · · · · · · · · · ·	1.35
X Closure Plan (Please complete Boxes 14 through 18, NMAC and 19.15.17.13 NMAC	if applicable) - based upon the appropriate	requirements of Subse	ction C of 19.15.17.9	
Previously Approved Design (attach copy of design)	API	_ ,,		6.7
Previously Approved Operating and Maintenance Plan	API		AND THE PARTY OF T	:33
3. 5433.		the second second second second	Cherry in the second	. 本 (
Permanent Pits Permit Application Checklist: Subsection	on B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the		the box, that the docum	ents are attached.	
Hydrogeologic Report - based upon the requirements	the state of the s	स्त राज्यान्त्रात्रात्रात्रात्रात्रात्रात्रात्रात्र		
Siting Criteria Compliance Demonstrations - based u	The state of the s	50.00年的發展的 網際學術就們看完		
Climatological Factors Assessment		Harris State of Lines of		
Certified Engineering Design Plans - based upon the	appropriate requirements of 19.15.17.11 N	MAC		
Dike Protection and Structural Integrity Design: base		. ()		
Leak Detection Design - based upon the appropriate			27.77.27	
Liner Specifications and Compatibility Assessment -	based upon the appropriate requirements of	f 19:15.17:11 NMAC	ilinisat e ; ;	l
Quality Control/Quality Assurance Construction and	Installation Plan	1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Operating and Maintenance Plan - based upon the ap	propriate requirements of 19.15.17.12 NMA	AC Painter Light	经执列 提供,中华公司	SAU S
Freeboard and Overtopping Prevention Plan - based u	ipon the appropriate requirements of 19.15.	17.11 NMAC.		
Nuisance or Hazardous Odors, including H2S, Preven	ntion Plan			
Emergency Response Plan	in the second	A. 1457 114 A. 1157 1156		
Oil Field Waste Stream Characterization	the state of the			
Monitoring and Inspection Plan	Company of the			
Erosion Control Plan				
Closure Plan - based upon the appropriate requirement	nts of Subsection C of 19.15.17.9 NMAC a	nd 19:15:17:13 NMAC	學的學生的智能學	開
14,	.,	รูวร์เกรมการราก ได้หลังสุด	四级品别是1995、1774	T III
Proposed Closure: 19.15.17.13 NMAC				, Jan
Instructions: Please complete the applicable boxes, Boxes 14 thro				
Type: Drilling X Workover Emergency Cavita	tion P&A Permanent Pit Belo	w-grade Tank X Close	d-loop System	設制
Alternative	سار معرب الله الله الله الله الله الله الله الل			
Proposed Closure Method: Waste Excavation and Remove				监制
Waste Removal (Closed-loop	f of the	工程是一定的基础		器制
SADE AT LE PER LE TOTAL DE LA CONTRACTOR D	for temporary pits and closed-loop systems)	10127年,建筑、经济的社会 11. 名《增生》的图象是《精节		
In-place Burial	On-site Trench	university of the second		
Alternative Closure Method (E	Exceptions must be submitted to the Santa Fe	Environmental Bureau f	or consideration)	經則
\$\frac{1}{15}\frac		The state of the state of	STANKER IN THE	VIII 6
Waste Excavation and Removal Closure Plan Checklist(19.15.17.13 NMAC) Instructions: Each of the f	following items must be a	ttached to the closure pl	lan.
Please indicate, by a check mark in the box, that the documents a		ा १४ में १४		
Protocols and Procedures - based upon the appropriat	te requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based u		tion F of 19.15.17.13	NMAC	深朝!
Disposal Facility Name and Permit Number (for liqui				
Soil Backfill and Cover Design Specifications - based	l upon the appropriate requirements of Sub	section H of 19:15:17.	13 NMAC	製料
Re-vegetation Plan - based upon the appropriate requ	irements of Subsection I of 19.15.17.13 NM	MAC		
Site Reclamation Plan - based upon the appropriate re	equirements of Subsection G of 19.15.17.13	3 NMAC	国际公司	
grows formal regard colors to the treatment of the first that the first that the first		20 24	" " 1 91 " \$ 128 11 " 1 care 1 . 4 1 8 1 181 5 20 2 11 1	L'APPRIL

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please identify the facility or facilities for the disposal of liquids, dri	I Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) lling fluids and drill cuttings. Use attachment if more than wo				
facilities are required.					
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011				
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated ac Yes (If yes, please provide the information No	ctivities occur on or in areas that will nbe used for future	service and			
Required for impacted areas which will not be used for future service and operation	The Control of the Co				
Soil Backfill and Cover Design Specification - based upon the app Re-vegetation Plan - based upon the appropriate requirements of Su		MAC			
Site Reclamation Plan - based upon the appropriate requirements of					
17					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 No					
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office	· · · · · · · · · · · · · · · · · · ·				
office for consideration of approval Justifications and/or demonstrations of equivalency are					
Ground water is less than 50 feet below the bottom of the buried waste.	`	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS Data	a obtained from nearby wells	∏N/A			
Ground water is between 50 and 100 feet below the bottom of the buried	waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste		Yes No			
NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signals.	gnificant watercourse or lakebed, sinkhole, or playa lake	Yes No.			
(measured from the ordinary high-water mark).	A PARTIE DE LA CARTA DE LA LA CARTA DE LA				
Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or churc Visual inspection (certification) of the proposed site; Aerial photo; satellite in	3 8 1 1 1 1 1 1	Yes No			
Provided the Charles Tay on the Control of the Cont	The West and the Control of the Cont	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less	and the second s				
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in NM Office of the State Engineer - iWATERS database; Visual inspection (co					
Within incorporated municipal boundaries or within a defined municipal fresh water	and the control of t	Yes No			
pursuant to MMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approva	I obtained from the municipality				
Within 500 feet of a wetland	The second secon	Yes No			
US Fish and Wildlife Wetland Identification map; Topographic map; Visual	l inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.		Yes No			
Within an unstable area.	and Mineral Division	□Ves □No			
Engineering measures incorporated into the design; NM Bureau of Geology	& Mineral Resources; USGS; NM Geological Society;				
Topographic map	and the second s				
Within a 100-year floodplain.		Yes No			
SELECTION OF THE PROPERTY OF T	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Control of the contro			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: E	Each of the following items must bee attached to the clo	sure plan. Please indicate,			
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appro	1,1) *** 115_ (%, 1,6,6,2) - 2 **				
Proof of Surface Owner Notice - based upon the appropriate requi	- 1 という 1				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved).					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of S	· · · · · · · · · · · · · · · · · · ·				
Site Reclamation Plan - based upon the appropriate requirements	of Subsection G of 19.15.17:13 NMAC # 本語 表 語 表 語 表 語 語 語	PERSONAL PROPERTY OF THE PROPE			

Form C-144 Oil Conservation Division Page 4.0f.5

#19 # 19 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•	The state of the s		Mark the second
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate	and complete to the be	st of my knowledge and belief.		全京东海州流和
Name (Print): Rhonda Rogers	Title:	Regulatory Technician		· 是一个的情况的
Signature: Shore Decon.	Date:	12/10/2008	V遵复的是1000年	
description of the second	_	505-599-4018	Ladderfol Marketon F	
e-mail address: rogerrs@conocophilids.com	Telephone:	303-399-4016-48	。 《新聞歌歌歌》	· 其中的 學學
			19 15 1	
20		<u> </u>		ر المالية الم
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see atta	chment)	
OCD Parameters Simotons	//			
OCD Representative Signature:	<u></u>	Approval Date:	10-11-08	
Title: Envirolspec	OCD P	A November		
Title: Envirolspec	OCD Peri	nit Number:	<u> </u>	
			The second of th	7 16 3 16 3
21		•		
Closure Report (required within 60 days of closure completion): Subsect	tion K of 19 15.17.13 NMA	С		医唇根膜 肾
Instructions: Operators are required to obtain an approved closure plan prior to im	plementing any closur	e activities and submitting the closu	re report. The closure	
report is required to be submitted to the division within 60 days of the completion of		Please do not complete this section	of the form until an	Control of the second
approved closure plan has been obtained and the closure activities have been comp	oleted.			a Same
	Closur	e Completion Date:		
			1.5 71 31	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
, 22 . ,				
Closure Method:			The state of the s	一门流程
Waste Excavation and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (C	losed-loop systems only	為海洋温麗
If different from approved plan, please explain.		A STATE OF THE PROPERTY OF THE		是这是是是自己
		1,1 4, 1,5 7,45 476	Park of Strang Strang Co.	13 5 24 4 4 15 2 4 5
23.	•		3.33.33.33.33.31	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems T	<u>'hat Utilize Above Gr</u>	ound Steel Tanks or Haul-off Bins	Only:	17.26
Instructions: Please identify the facility or facilities for where the liquids, drilling	fluids and drill cutting	gs were disposed. Use attachment i	f more than two facilitie	s in the second
were utilized.		garria sililak yilibili		
Disposal Facility Name:	Disposal Facility	Permit Number	2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Disposal Facility Name:		Permit Number:		经保护的工具
Were the closed-loop system operations and associated activities performed on o	or in areas that will not	be used for future service and ope	artions?	
	No	A S S S S S S S S S S S S S S S S S S S		
1 San		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
Required for impacted areas which will not be used for future service and opera	ations:	कि विशेष के अपनी विशेष के अपनी विशेष		
Site Reclamation (Photo Documentation)		秦军的		
Soil Backfilling and Cover Installation		· Apports at March		
Re-vegetation Application Rates and Seeding Technique		The second	A. A. 网络学生	出了各位种理想的
		TO THE THE PARTY OF THE PARTY O	in amount of the	Day of the later
Closure Report Attachment Checklist: Instructions: Each of the follow	ina itams must ha atta	ched to the closure report Please	indicate by a check man	t in
the box, that the documents are attached.	ang nems musi de unu		CONTRACTOR OF THE	
Proof of Closure Notice (surface owner and division)				(各类的)
1. 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		वर्षा		
Proof of Deed Notice (required for on-site closure)		and the property we get		
Plot Plan (for on-site closures and temporary pits)		य करिए हैं है		" "
Confirmation Sampling Analytical Results (if applicable)	* :	ાં અન્યુદ્દાન માને કરે છે. કર્યો હો	TO AND THE PLANT	
Waste Material Sampling Analytical Results (if applicable)	* ** * ** *	الانجىم الدور الدور المستعجدية الدور المستعدد المستعدد المستعدد المستعدد المستعدد المستعدد المستعدد المستعدد ا التاريخ المستعدد الم		Continue and late
Disposal Facility Name and Permit Number	•		泛法的基础证明	经验证证
				5.12005000000000000000000000000000000000
Soil Backfilling and Cover Installation	, s	TOWN TO WASHINGTON		陈基础的制
Re-vegetation Application Rates and Seeding Technique				思想的
Site Reclamation (Photo Documentation)	,	المرابعة ال المرابعة المرابعة ال		
On-site Closure Location: Latitude:	Longitude:	NAD [2]	1927. 1983	
The second of th	-,-	A STATE OF THE STA	s emilya ja ze til nyfina "Lant" a Est. Til na is att nyfinalita annaktina ka	1. シェニトスに サウザリ 中の関連性な存储によりました。
Control of the state of the sta			Thorn her to the	40,18792347925
25 19 19 19 19 19 19 19 19 19 19 19 19 19			CASSIAL CO	11、記念が課と呼
Operator Closure Certification:		شائله بدر د فالدائه المسيدان	milian and a site of a subject march	
hereby certify that the information and attachments submitted with this closure re	port is ture, accurate o	and complete to the best of my know.	leage and belief. Laiso	erujy inai
the closure complies with all applicable closure requirements and conditions speci	fied in the approved ci	osure plan.		
Name (Print):	Title:			The Section of the
William In the Control of the Contro		200	TOTAL STATES	
Signature	Date:			《温度影響》
Company of the compan			STATE OF THE PARTY OF	计划设置到图数
e-mail address:	Telephone:			3.45.600000000000000000000000000000000000
THE STATE OF THE PARTY OF THE P		2011年,在花光計算數		北京
		A A A A CALL CALL CALL CALL CALL CALL C		REPORTED IN
	e seren	Dage 5		
Form C-144 Oil Conservation D	ivision	Page 5	DISCHARGE TO THE PARTY OF THE P	于比為關係
The control of the co		े अपनी क्रांत्र कर की क्रीडिंग के दिन है. अपनी क्रांत्र कर की क्रीडिंग के दिन स		
25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			为证据的数据	上記書籍
			例的問題的	DIR MATERIAL SECTION OF THE PARTY OF THE PAR
		ر المراجع المر المراجع المراجع المراجع وقد المراجع ا		
RECOLUMN V V V V		in the first of the control of	- A Marting management by	1、11-10年四年1月1日

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

13 12

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

The state of the

and the spaint met