District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 S St. Francis Dr., Santa Fe, NM 87505				
Dloylo Brond	Pit, Closed-Loop System,			otion
	osed Alternative Method P			
Type of action:	X Permit of a pit, closed-loop syst			
	Closure of a pit, closed-loop sys	, ,	ank, or proposed after	mative method
	Modification to an existing perrolling Closure plan only submitted for		ted or non-nermitted r	nit closed loop exetem
	below-grade tank, or proposed a		ted of non-permitted p	on, crosed-toop system,
Instructions: Please submit one a	pplication (Form C-144) per individ	dual pit, closed-loop	p system, below-grad	e tank or alternative request
	f this request does not relieve the operator of liab eve the operator of its responsibility to comply w			
Operator: Burlington Resources Oi	l & Cas Company LP		OGRID#: 14538	
Address: PO Box 4289, Farmingto				
Facility or well name: Grambling 6				
		OCD Permit Number	:	
U/L or Qtr/Qtr: K(NESW) Section		Range: 9	W County: Sai	n Juan
Center of Proposed Design: Latitude		Longitude:	107.768070' W	NAD: X 1927 1983
Surface Owner: X Federal		ibal Trust or Indian	Allotment	
2				
Pit: Subsection F or G of 19.15.1	7.11 NMAC			
Temporary: Drilling World	kover			,
_ =	Cavitation P&A			
Lined Unlined Li	ner type: Thickness mil	LLDPE H	IDPE PVC O	ther
String-Reinforced				
Liner Seams: Welded Fa	actory Other	Volume:	bbl Dimensions L	x Wx D
3				
	ion H of 19.15.17.11 NMAC			•
Type of Operation: P&A	Drilling a new well X Workover or notice of inte		activities which require	prior approval of a permit or
Druing Bod V Above Grou	and Steel Tanks Haul-off Bins	Other		
	er type: Thickness mil	<u> </u>	DPE PVD Oth	ner 45618910117273
	actory Other			
	, <u> </u>			RECEIVED
Below-grade tank: Subsection	I of 19.15.17.11 NMAC		, , ,	ਲ DEC 2008
	bl Type of fluid:			OIL CONS. DIV. DIST. 3
Tank Construction material:			· · · · · · · · · · · · · · · · · · ·	OIL CONS. DIV. DIST. 3
Secondary containment with leak de	etection Visible sidewalls. line	r, 6-inch lift and auto	matic overflow shut-off	10 10 10 10 10 10 10 10 10 10 10 10 10 1
Visible sidewalls and liner	Visible sidewalls only Oth			C1324252
Liner Type: Thickness	milHDPEPVC	Other		OIL CONS. DIV. DIST. 3
5				
Alternative Method:				te in the same
Submittal of an exception request is rec	quired. Exceptions must be submitted to	the Santa Fe Environ	nmental Bureau office fo	or consideration of approval.
	• • • • • • • • • • • • • • • • • • • •			20 00

or a second of the

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below	-grade tanks)
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet	of a permanent residence, school, hospital, institution or church)
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top to	anks)
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8	'
Signs: Subsection C of 19.15.17.11 NMAC	,
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
X Signed in compliance with 19.15.3.103 NMAC	
9	
Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for g	guidance.
Please check a box if one or more of the following is requested, if not leave blank:	,
Administrative approval(s): Requests must be submitted to the appropriate division district of the	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for cons	sideration of approval.
710	
Siting Criteria (regarding permitting) 19.15.17.10 NMAC	
Instructions: The applicant must demonstrate compliance for each siting criteria below in the applic	cation. Recommendations of acceptable
source material are provided below. Requests regarding changes to certain siting criteria may requi	
2. appropriate district office or may be considered an exception which must be submitted to the Santa 1 consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.	The state of the s
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	or walle for gammie.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other water	course, lakebed, sinkhole, or playa lake Yes No
(measured from the ordinary high-water mark).	Service of the servic
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church	in existence at the time of initial Yes No
application.	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA DESCRIPTION OF THE PROPERTY
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence	at the time of initial application.
(Applied to permanent pits)	NA 🗼
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five ho purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the	3 , 35 [10] Limit (9) (100 Limit)
- NM Office of the State Engineer - iWATERS database search; Visual inspection (co	ertification) of the proposed site.
Within incorporated municipal boundaries or within a defined municipal fresh water well field c	covered under a municipal ordinance
Written confirmation or verification from the municipality; Written approval obtained	from the municipality
Within 500 feet of a wetland.	Yes No
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspect	tion (certification) of the proposed site
Within the area overlying a subsurface mine.	Yes No
- Written confirmation or verification or map from the NM EMNRD - Mining and M	ineral Division
Within an unstable area.	Yes
Engineering measures incorporated into the design; NM Bureau of Geology & Min	neral Resources; USGS; NM Geological
Society; Topographic map	The state of the s
Within a 100-year floodplain	Yes No
💖 - 🕠 FEMA map	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached.						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC						
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19:15.17.9						
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	5 27					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	1					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of	1					
19.15.17.9 NMAC and 19.15.17.13 NMAC	1					
Previously Approved Design (attach copy of design) API or Permit						
12	i .					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	-					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9						
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	ľ					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
Previously Approved Operating and Maintenance Plan API	╛					
13]					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	13					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	the deposit					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC	1					
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Climatological Factors Assessment	3					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC						
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC						
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC						
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	١.					
Quality Control/Quality Assurance Construction and Installation Plan						
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC						
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC						
Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan						
Oil Field Waste Stream Characterization						
Monitoring and Inspection Plan						
☐ Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	, F					
14	ī					
Proposed Closure: 19.15.17.13 NMAC						
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.						
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System	<u> </u>					
Alternative Proposed Closure Method: Waste Excavation and Removal	i., -					
Toposed closure Method:						
On-site Closure Method (only for temporary pits and closed-loop systems)	1					
In-place Burial On-site Trench	,					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)						
15						
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.						
Please indicate, by a check mark in the box, that the documents are attached.	ۇ ئۇ ئۇلى					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	اور او کداره					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)						
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	11					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	<u>.</u>]: '					

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Gro	und Steel Tanks or Hauloff Rine Only (10 15 17 13 D NMAC)
Instructions: Please identify the facility or facilities for the disposal of liquids,	
facilities are required.	Discoul Facility Dameis 44, NRA 01 0011
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011
Disposal Facility Name: Basin Disposal Facility Will any of the proposed closed-loop system operations and associated	Disposal Facility Permit #: NM-01-005 d activities occur on or in areas that will nbe used for future service and
Yes (If yes, please provide the information No	
Required for impacted areas which will not be used for future service and open	rations: appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of	
Site Reclamation Plan - based upon the appropriate requirements	
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10) NMAC
Instructions Each siting criteria requires a demonstration of compliance in the closure p	plan Recommendations of acceptable source material are provided below. Requests regarding changes to
certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalency	office or may be considered an exception which must be submutted to the Santa Fe Environmental Bureau y are required. Please refer to 19 15.17 10 NMAC for guidance
Ground water is less than 50 feet below the bottom of the buried waste	e. Tyes TNo
NM Office of the State Engineer - iWATERS database search; USGS: I	
Ground water is between 50 and 100 feet below the bottom of the burn	
- NM Office of the State Engineer - iWATERS database search; USGS; D	Data obtained from nearby wells
Ground water is more than 100 feet below the bottom of the buried wa	
- NM Office of the State Engineer - iWATERS database search; USGS; D	Data obtained from nearby wells
Within 300 feet of a continuously flowing watercourse, or 200 feet of any othe	er significant watercourse or lakebed, sinkhole, or playa lake
(measured from the ordinary high-water mark).	
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site; Aerial photo; satelli	2.2 A 4.3 March 1984 1984 1984 1984 1984 1984 1984 1984
	west ∏No
Within 500 horizontal feet of a private, domestic fresh water well or spring that	
purposes, or within 1000 horizontal fee of any other fresh water well or spring.	, in existence at the time of the initial application.
Within incorporated municipal boundaries or within a defined municipal fresh w	
pursuant to NMSA 1978, Section 3-27-3, as amended.	vater well field covered under a municipal ordinance adopted Ves No
- Written confirmation or verification from the municipality; Written appro	oval obtained from the municipality
Within 500 feet of a wetland	Yes No No
- US Fish and Wildlife Wetland Identification map; Topographic map; Vis	sual inspection (certification) of the proposed site
Within the area overlying a subsurface mine. - Written confiramtion or verification or map from the NM EMNRD-Minir	ng and Mineral Division
Within an unstable area.	Yes
50 - Engineering measures incorporated into the design; NM Bureau of Geolo	ogy & Mineral Resources; USGS; NM Geological Society;
Topographic map	
Within a 100-year floodplain.	Yes I No I N
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions	: Each of the following items must bee attached to the closure plan. Please indicate,
by a check mark in the box, that the documents are attached.	1
Siting Criteria Compliance Demonstrations - based upon the ap	propriate requirements of 19.15.17.10 NMAC
Proof of Surface Owner Notice - based upon the appropriate re	quirements of Subsection F of 19.15.17.13 NMAC
Construction/Design Plan of Burial Trench (if applicable) base	d upon the appropriate requirements of 19.15.17.11 NMAC
Construction/Design Plan of Temporary Pit (for in place burial	of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate requirer	nents of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the ap	· [1] [1] [1] [1] [1] [1] [1] [1] [1] [1]
Waste Material Sampling Plan - based upon the appropriate req	nuirements of Subsection F of 19.15.17.13 NMAC
	g fluids and drill cuttings or in case on-site closure standards cannot be achieved)
Soil Cover Design - based upon the appropriate requirements o	
Re-vegetation Plan - based upon the appropriate requirements o	

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:		green of the state		
I hereby certify that the information submitted with this application is true, accurate a	and complete to the be	st of my knowledge and belief		
Name (Print): Rhonda Rogers	Title:	Regulatory Technician	1 60 45 M	(Sept. Sept
Signature: Show the same of th	Date:	12/9/2008		14
e-mail address: rogerrs@conocophillips.com	Telephone:	505-599-4018		
20		Поста из <i>с</i>		
	Closure Plan (only)	OCD Conditions (see attac	,	
OCD Representative Signature:	·	Approval Date:	12-11-08	
Title: Envico/spec	OCD Parm	nit Number:	,	. 1
Time.	OCD Term	int Number.		
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to impreport is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been completed.	plementing any closure the closure activities. eted.	e activities and submitting the closur		,
Closure Method:				
	Alternative Closure	Method Waste Removal (Cl	osed-loop systems only) % (SEE
If different from approved plan, please explain.	-	· · · · · · · · · · · · · · · · · · ·		Constitution of the consti
23			F. 16' 16' B' C.	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Th	nat Utilize Above Gro	und Steel Tanks or Haul-off Bins	Only:	
Instructions: Please identify the facility or facilities for where the liquids, drilling f	fluids and drill cutting	s were disposed. Use attachment ij	f more than two faciliti	es and the
were utilized. Disposal Facility Name.	Disposal Facility	Permit Number:	The state of the s	
Disposal Facility Name:	Disposal Facility	- · · · · · · · · · · · · · · · · · · ·		
Were the closed-loop system operations and associated activities performed on or			rtions?	
Yes (If yes, please demonstrate compliane to the items below)	No	- 444 44	alma amananan a	المعرضة ويُحمد المُحمد في الم
Required for impacted areas which will not be used for future service and operat	tions:		3 1	1
Site Reclamation (Photo Documentation)			and the second	1 10 10 10 1
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			موسارة فيستم فسجاف ليلك المدر	
		14-,7	<u> </u>	
24 Closure Report Attachment Checklist: Instructions: Each of the following	no items must he attac	hed to the closure renort. Please is	ndicaté hy a chéck-mai	k in
the box, that the documents are attached.		,		
Proof of Closure Notice (surface owner and division)		, ,	e sant Majetan i	1, 2
Proof of Deed Notice (required for on-site closure)			in to post in mind the	71. 18 E
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)		The state of the s	e garaga and a garaga a	a secure as acquired a finguran
Waste Material Sampling Analytical Results (if applicable)		A .	برسم ششؤا يحاشبون	
Disposal Facility Name and Permit Number		•	4.4	
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		1 () () () () () () () () () (
Site Reclamation (Photo Documentation)		(19.10 <u>多</u> 6.1	不够。随着	
On-site Closure Location: Latitude:	Longitude:	NAD NA	1927	
				ा राज्यपुर के दूर्वतिहरू हो। वर्षा राज्यपुर के दूर्वतिहरू
25 :		y on the heart.	रिक्त के दिन के दिन के विकास के वित्र के विकास क	the state of the s
Operator Closure Certification:		100	2. 计经验证据	二二個對
I hereby certify that the information and attachments submitted with this closure repo			edge and belief. I also	certify that
the closure complies with all applicable closure requirements and conditions specifie	ed in the approved clos	sure plan.	291.3.	
Name (Print):	Title:	,		Taran and
 Signature:	Date:		12 A.C.	4. 9.
Signature.			A Markata	(李杨)
e-mail address:	Telephone:	in the standard	THE PROPERTY OF	

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.