### <u>District I</u>

1625 N. French Dr , Hobbs, NM 88240

District II

1301 W. Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S St. Francis Dr , Santa Fe, NM 87505	
$\infty$ 1 $\sim$	Pit, Close

1220 S St. Francis Dr , Santa Fe, NM 87505	appropriate NMOCD District Office.
RID.	Pit, Closed-Loop System, Below-Grade Tank, or
Prop.	osed Alternative Method Permit or Closure Plan Application
Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Please be advised that approval of	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request fithis request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the eve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Decrator: Burlington Resources Oi	l & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmingto	n, NM 87499
Facility or well name: East 13R	
API Number: 3	0-045-33620 OCD Permit Number:
U/L or Qtr/Qtr: M(SWSW) Section	
Center of Proposed Design: Latitude	
Surface Owner: X Federal	State Private Tribal Trust or Indian Allotment
Permanent Emergency C Lined Unlined Li String-Reinforced	avitation P&A ner type: Thickness mil LLDPE HDPE PVC Other  actory Other Volume: bbl Dimensions L x W x D
3  X Closed-loop System: Subsect Type of Operation: P&A	ion H of 19.15.17.11 NMAC  Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Lined Unlined Line	nd Steel Tanks
Below-grade tank: Subsection  Volume: b  Tank Construction material:	of 19.15.17.11 NMAC  bl Type of fluid:  Stection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Secondary containment with leak d Visible sidewalls and liner Liner Type: Thickness	visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls only Other  mil HDPE PVC Other
5 Alternative Method:	

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

٥	Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		İ
	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	tion or church	.
	Four foot height, four strands of barbed wire evenly spaced between one and four feet	non or charen	"
	Alternate Please specify		
7			
	Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
	Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)		
ō	Signs: Subsection C of 19.15.17.11 NMAC		
	12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
	X Signed in compliance with 19.15.3.103 NMAC		
9	Administrative Approvals and Exceptions:		
	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
	Please check a box if one or more of the following is requested, if not leave blank:		
	Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of the Santa Fe Environmental Bu	eration of ann	roval
	Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	oration or app	
10		دم.و	
10	Siting Criteria (regarding permitting) 19.15.17.10 NMAC	ζ.	
	Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		,
	appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
	consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	1	
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	□Yes	Пио
	- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	_	
ı	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	□No
, ´.;	(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	o. * s	
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Yes	Пио
	application.	_	L
	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
٢	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	∐Yes □NA	□No
	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	LINA	
	Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	□.No
	purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
17 1 -	NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	Kada .	
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No
	- Written confirmation or verification from the municipality; Written approval obtained from the municipality	,	•
	Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site.	Yes	□No ·
	Within the area overlying a subsurface mine.	Yes	ΠNo
	- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		
	Within an unstable area.	Yes	No
	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		
	Within a 100-year floodplain	Yes	□No
	- FEMA map	-	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC Instructions. Each of the following items must be attached to the application. Please inducate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API or Permit	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.1 NMAC and 19 15.17.13 NMAC	
Previously Approved Design (attach copy of design)  API	
Previously Approved Operating and Maintenance Plan API	
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
14 Proposed Closure: 19.15.17.13 NMAC	· V
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling \( \) Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method Waste Excavation and Removal \( \) Waste Removal (Closed-loop systems only)  On-site Closure Method (only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	re plan.
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	3.

Form C-144 Oil Conservation Division Page 3 of

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required	And Many				
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	the management			
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and  Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and  Soil Backfill and Cover Design Specification - based upon to Re-vegetation Plan - based upon the appropriate requirement.  Site Reclamation Plan - based upon the appropriate requirement.	the appropriate requirements of Subsection H of 19.15.17.13 NMAC s of Subsection 1 of 19 15.17 13 NMAC				
17					
	sure plan Recommendations of acceptable source material are provided below Requests regarding chai trict office or may be considered an exception which must be submitted to the Santa Fe Environmental Bu				
Ground water is less than 50 feet below the bottom of the buried w - NM Office of the State Engineer - tWATERS database search; USG		lo i			
_		Jo			
Ground water is between 50 and 100 feet below the bottom of the - NM Office of the State Engineer - (WATERS database search, USG		NO			
Ground water is more than 100 feet below the bottom of the buried	d waste.	ا ا			
- NM Office of the State Engineer - iWATERS database search; USG	S; Data obtained from nearby wells	4.1			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any (measured from the ordinary high-water mark)	other significant watercourse or lakebed, sinkhole, or playa lake	lo			
- Topographic map, Visual inspection (certification) of the proposed s	ite				
Within 300 feet from a permanent residence, school, hospital, institution, c - Visual inspection (certification) of the proposed site; Aerial photo, sa		, 10			
( ). ( ).	Yes N	No .			
Within 500 horizontal feet of a private, domestic fresh water well or spring purposes, or within 1000 horizontal fee of any other fresh water well or sp NM Office of the State Engineer - iWATERS database. Visual inspe	ring, in existence at the time of the initial application.	-			
Within incorporated municipal boundaries or within a defined municipal fre pursuant to NMSA 1978, Section 3-27-3, as amended		No .			
, - Written confirmation or verification from the municipality. Written a	approval obtained from the municipality	ا است فیجید محد مودد			
Within 500 feet of a wetland	Visual in matin (and 5 at any of the control of the	Vo			
- US Fish and Wildlife Wetland Identification map, Topographic map Within the area overlying a subsurface mine.	; visual inspection (certification) of the proposed site	Jo.			
- Written confirantion or verification or map from the NM EMNRD-N	Mining and Mineral Division				
, Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of G     Topographic map	eeology & Mineral Resources; USGS; NM Geological Society;	,			
Within a 100-year floodplain.	' <del></del> '   <del></del>	No			
- FEMA map		· · · · · · · · · · · · · · · · · · ·			
On-Site Closure Plan Checklist: (19.15.17 13 NMAC) Instruction by a check mark in the box, that the documents are attached.	ons: Each of the following items must bee attached to the closure plan: Please in	ndicate,			
Siting Criteria Compliance Demonstrations - based upon the Proof of Surface Owner Notice - based upon the appropriat	10.00000000000000000000000000000000000	a			
	pased upon the appropriate requirements of 19.15.17.11 NMAC	• •			
Construction/Design Plan of Temporary Pit (for in place but	urial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NM.	AC			
Protocols and Procedures - based upon the appropriate required Confirmation Sampling Plan (if applicable) - based upon the	the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate		•			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirement Re-vegetation Plan - based upon the appropriate requirement	nts of Subsection H of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate require	ments of Subsection G of 19.15.17.13 NMAC	" , -jaja-			

Operator Application Contification				1
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate a	nd complete to the best of	of my knowledge and belief.		, 3 d
Name (Print): Rhonda-Rogers	Title:	Regulatory Technician		
Signature / horse fores	Date:	12/17/2008		
e-mail address. rogerrs@conocophillips.com	Telephone:	505-599-4018		,
	<u> </u>			
20				
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see att	achment)	
OCD Representative Signature:		Approval Date:	12-31-08	,
1				
Title: Environger	OCD Permit	Number:		
21				
Closure Report (required within 60 days of closure completion): Subsection	n K of 19 15 17.13 NMAC			
Instructions Operators are required to obtain an approved closure plan prior to imp	lementing any closure a	_	•	
report is required to be submitted to the division within 60 days of the completion of to approved closure plan has been obtained and the closure activities have been completed.		ease do not complete this section	n of the form until an	
approved crossice pain this seem sommen than the crossic dentities have seen compre		Completion Date:		
	Closure	ompiction Date:		
22				
Closure Method:	Alternative Closure Me	akad Dwarts Barrend (	21	1
	Alternative Closure Me	waste Kemovai (C	Closed-loop systems only)	, ,
If different from approved plan, please explain				** .
-23				11/2
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Th.  Instructions: Please identify the facility or facilities for where the liquids, drilling fi				
were utilized.	and and arm camings r	vere uisposeu. Ose unuenmeni	y more man two jucinities	
Disposal Facility Name	Disposal Facility Pe	mut Number	ara seem ye	, .
Disposal Facility Name	Disposal Facility Pe		· · · · · · · · · · · · · · · · · · ·	
Were the closed-loop system operations and associated activities performed on or		e used for future service and op-	eartions?	مند کدردهٔ،
Yes (If yes, please demonstrate compliane to the items below)		•	a a mar song pagangan Tagan Kal	n and the second
Required for impacted areas which will not be used for future service and operati  Site Reclamation (Photo Documentation)	ons:	it is the way	Enish Selection	,
Soil Backfilling and Cover Installation			Park of the	. 1
Re-vegetation Application Rates and Seeding Technique		અ એ ફેક્સલન		
24 .		70 70 4	and the same of the	
Closure Report Attachment Checklist: Instructions: Each of the followin	g items must be attache	d to the closure report. Please	indicate, by a check mark	k in
the box, that the documents are attached.	-	•		1 4
Proof of Closure Notice (surface owner and division)		,	By the face	
Proof of Deed Notice (required for on-site closure)			1 3 4 38 4 48	
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)			The second secon	rana iraa i
Waste Material Sampling Analytical Results (if applicable)			La Santa fridancia a	, ,
Disposal Facility Name and Permit Number		ţ		
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique		த் வ <b>ி</b> வது சூர்	a state of the con-	
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude:	Longitude:	NAD [	1927	
Fig. 1		7.3	Control of the second	as against again
		territoria de la companione de la compan	the state of the s	
Operator Closure Certification:				, ,
I hereby certify that the information and attachments submitted with this closure repo	ort is ture, accurate and	complete to the best of my know	ledge and belief. I also co	ertify that
the closure complies with all applicable closure requirements and conditions specifie	ed in the approved closu	re plan.	المرابع المرابع المرابع	1, 3,1 2,1
Name (Print):	Title:		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.3
· · · · · · · · · · · · · · · · · · ·		* * * * * * * * * * * * * * * * * * * *		
Signature:	Date:	····	The state of the s	
asmail address:	Telephone:	p 1 1 1		
e-mail address:	receptione.	<u> </u>	and processing the second	

# Burlington Resources Oil & Gas Company, LP Closed-loop Plans

## Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

## **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

### Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.