

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS) 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		WELL API NO. 30-045-26726
2. Name of Operator Elm Ridge Exploration Co., LLC		5. Indicate Type of Lease STATE FEE X
3. Address of Operator PO Box 156, Bloomfield, NM 87413		6. State Oil & Gas Lease No. V-1729
4. Well Location Unit Letter <u>D</u> : 330' feet from the <u>North</u> line and 330' feet from the <u>West</u> line Section 32 Township 25N Range 11W NMPM San Juan County		7. Lease Name or Unit Agreement Name Bryan Simpson
		8. Well Number 1
		9. OGRID Number
		10. Pool name or Wildcat Bisti Lower Gallup
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6465' GR		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Elm Ridge Exploration Co., LLC requests approval to plug and abandon this well according to the attached procedure.

A COMPLETE C-144 MUST BE SUBMITTED TO AND APPROVED BY THE NMOCD FOR: A PIT, CLOSED LOOP SYSTEM, BELOW GRADE TANK, OR PROPOSED ALTERNATIVE METHOD, PURSUANT TO NMOCD PART 19.15.17, PRIOR TO THE USE OR CONSTRUCTION OF THE ABOVE APPLICATIONS

RCVD DEC 31 '08

OIL CONS. DIV.
DIST. 3

Spud Date: 5-17-1986

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amy Mackey TITLE Administrative Manager DATE 12/30/08
Type or print name Amy Mackey E-mail address: Amackey1@elmridge.net PHONE: 505-632-3476
For State Use Only
APPROVED BY: Earl G. Bolt TITLE Deputy Oil & Gas Inspector,
Conditions of Approval (if any): District #3 DATE JAN 08 2009

note changes

Plugging Program for Bryan Simpson #1:

Plug 1: Spot 17 sack balanced plug from 2010-1910', ^{+ 50% Excess} to cover 100' across top of Cliff House.

Plug 2: Spot 17 sack balanced plug from 1590-1490' ^{+ 50% Excess} to cover 100' across top of Chacra.

Plug 3: Spot 76 sack balanced plug from 1268-823' to cover across Pictured Cliffs and Fruitland tops.

Plug 4: Spot 89 sack balanced plug from 522' to surface to cover across surface casing shoe and Ojo Alamo inside 5-1/2" casing.

Reclaim location per NMOCD regulations.

NOTE: All cement volumes include 50% excess.

Elm Ridge Resources

Pertinent Data Sheet

Well Name: Bryan Simpson #1
Footage: 330' FNL and 330' FWL
Location: Section 32, T25N, R11W
County: San Juan County, NM
API#: 30-045-26726

Field: Bisti Lower Gallup **Elevation:** 6465' GR **TD:** 5020' KB
PBTD: 4680' KB (CIBP)

Completed: 6/19/86

Casing Record:

Hole Size	Casing Size	Wt.	Grade	Depth Set	Cement
12-1/4"	8-5/8"	24#	J-55	472'	307 ft ³ (Circ.)
7-7/8"	5-1/2"	15.5#	K-55	5017'	1812 ft ³ TOC: Surface (Calc.)

(8/2/2004): 5-1/2" CIBP set at 4680'. 3 sx cement set on top. MIT run to 600 psi for 30 minutes.

Tubing Record: None

Formation Tops:

Nacimiento Surface
Ojo Alamo Not logged
Fruitland 873'
Pictured Cliffs 1218'
Lewis 1372'
Chacra 1540'
Cliff House 1960'
Menefee 2629'
Pt. Lookout 3650'
Mancos 3830'
Gallup 4703'

RCVD DEC 31 '08

OIL CONS. DIV.

DIST. 3

Perforation Record: 4714-4910' (abandoned behind CIBP in 2004)

Wellbore Diagram
Bryan Simpson #1
NW/4 Sec. 32, T25N, R11W
San Juan County, NM
API #30-045-26726

Before

Nacimiento- Surface
Ojo Alamo-Not Logged

TOC: Surface (calc.)

12-1/4" OH
8-5/8" 24# J-55 set @ 472'. Circ. cmt to surface.

Fruitland 873'

Pictured Cliffs 1218'

Lewis 1372'

Chacra 1540'

Cliff House 1960'

Menefee 2629'

Point Lookout 3650'

Mancos 3830'

Gallup 4703'

TOC above CIBP: 4653'
CIBP: 4680' (8/2004)
Perfs: 4714-4910'

5-1/2" 15.5# K-55 Set @ 5017'
7-7/8" OH @ 5020'

RCVD DEC 31 '08
OIL CONS. DIV.

DIST. 3

Bryan Simpson (5.5 in LS)
12/30/2008

Wellbore Diagram
Bryan Simpson #1
NW/4 Sec. 32, T25N, R11W
San Juan County, NM
API #30-045-26726

After

Nacimiento- Surface
Ojo Alamo-Not Logged

Plug 4: 522'-Surface

12-1/4" OH
8-5/8" 24# J-55 set @ 472'.

Fruitland 873'

Plug 3: 1268-823'

Pictured Cliffs 1218'

Lewis 1372'

Chacra 1540'

Plug 2: 1590-1490'

Cliff House 1960'

Plug 1: 2010-1910'

Menefee 2629'

RCVD DEC 31 '08
OIL CONS. DIV.
DIST. 3

Point Lookout 3650'

Mancos 3830'

Gallup 4703'

TOC above CIBP: 4653'
CIBP: 4680' (8/2004)
Perfs: 4714-4910'

5-1/2" 15.5# K-55 Set @ 5017'
7-7/8" OH @ 5020'

BryanSimpson1WBD
12/30/2008