<u>Districe I</u> 1625 N French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Robert L Bayless Producer LLC OGRID #:
Address P.O.BOX 168, Farmington NM 87402
Facility or well name: John Dashko # 1
API Number: <u>30-039-22552</u> OCD Permit Number:
U/L or Qtr/Qtr NE/SE Section 11 Township 24N Range 7W County: Rio Arriba
Center of Proposed Design: Latitude 36.3268199 Longitude 107.5386116 NAD: □1927 □ 1983 Surface Owner: ☑ Federal □ State □ Private □ Tribal Trust or Indian Allotment
Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions. L x W x D
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
☐ Lined ☐ Unlined Liner type: Thickness mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other
Type of Operation:
4.
Volume: 100 bbl Type of fluid: Water Tank Construction material: Steel Tank
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
5. Alternative Method:


Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.


Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
s. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Burcau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Ycs ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Tempòrary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nutsance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling facilities are required.				
, *	sal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on Yes (If yes, please provide the information below) No	or in areas that will not be used for future servi	ice and operations?		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate require Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G o	.15.17.13 NMAC	;		
Siting Criteria (regarding on-site closure methods only): 19 15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure provided below. Requests regarding changes to certain siting criteria may require admic considered an exception which must be submitted to the Santa Fe Environmental Burea demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guid	nistrative approval from the appropriate distr nu office for consideration of approval. Justif	ict office or may be		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☑ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No 図 NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	t watercourse or lakebed, sinkhole, or playa	☐ Yes ⊠ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in exis Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		☐ Yes ⊠ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than f watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, i NM Office of the State Engineer - iWATERS database; Visual inspection (certific	in existence at the time of initial application.	☐ Yes ⊠ No		
Within incorporated municipal boundaries or within a defined municipal fresh water well adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtain	·	☐ Yes ⊠ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspe	ction (certification) of the proposed site	☐ Yes ⊠ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and M	ineral Division	☐ Yes ⊠ No		
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Min Society, Topographic map 	neral Resources; USGS; NM Geological	☐ Yes ⊠ No		
Within a 100-year floodplain FEMA map		☐ Yes ⊠ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the followard by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subsection I of Surface Owner Notice - based upon the appropriate requirements of Subsection Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cutton Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 Site Reclamation Plan - based upon the appropriate requirements of Subsection G o	nts of 19.15.17.10 NMAC ction F of 19.15.17.13 NMAC ate requirements of 19.15.17.11 NMAC ased upon the appropriate requirements of 19.1 NMAC ints of Subsection F of 19.15.17.13 NMAC ction F of 19.15.17.13 NMAC tings or in case on-site closure standards canno 0.15.17.13 NMAC	5.17.11 NMAC		

19.
Operator Application Certification: 1 hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Habib Guerrero Title: Engineer
Signature: Date:09/15/08
e-mail address: hguerrero@rlbayless.com Telephone: 505-326-2659
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) Coch Conditions (see attachment) See Closure Plan
OCD Representative Signature: Brad Sell Approval Date: 1-22-09
Title: Enviro/spec OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \) No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927 1983
25. Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e. mail address: Telenhone:







POD Reports and Downloads	
Township: 24N Range: 07W Sections: 12	
NAD27 X: Y: Zone: Search Radius:	
County: Basin: & Number: Suffix:	
Owner Name: (First) (Last) Onn-Domestic Onnestic All	
POD / Surface Data Report Avg Depth to Water Report Water Column Report	
Clear Form WATERS Menu Help	
POD / SURFACE DATA REPORT 09/12/2008 (quarters are 1=NW 2=NE 3=SW 4=SE) (acre ft per annum) (quarters are biggest to smallest X Y are in	Foot
(acre ft per annum) (quarters are biggest to smallest X Y are in DB File Nbr Use Diversion Owner POD Number Source Tws Rng Sec q q q Zone X	Y
No Records found, try again	

					exico Office of the Stat OD Reports and Down				
, ,		-	Township	24N Range	07W Sections:		,		
			NAD27 X:	Y:	Zone.	🖾 Search R	adius:		
		Count	y: 🎎	Basın:		Number:	Suffix:		
		Owner	Name: (First)		(Last)	Non-Dom	estic C Domestic	• All	
			POD / Surface Da	ata Report	Avg Depth to Water	Report	Water Column Report	\supset	
				Clear F	orm WATERS Me	nu Help			
*									
			POD / SURFA	ACE DATA REPOR	RT 09/12/2008	/h	re 1=NW 2=NE 3=SW	4-07)	
	lacre	ft per ann	um)				re biggest to sma		are in Feet
DB File Nbr	Use	Diversion			POD Number	Source			х у
SJ 00681 2	STK	4.839	HOMER C. BERT	RΥ	SJ 00681 2			3 2	
SJ 00681 37	STK	3	HOMER C BERRY	ť	SJ 00681 37		24N 07W 15 1	1 2	
SJ 00681 38	STK	3	HOMER C. BERI	lΥ	SJ 00681 38		24N 07W 17 2	4 1	
SJ 00681 39	STK	86	HOMER C. BERI	RY	SJ 00681 39			2 4	
SJ 00681 5	STK	8	HOMER C. BERI	lY.	SJ 00681 5		24N 07W 22 3	3	
SJ 00681 6	STK	12.9	HOMER C. BERI	RY	SJ 00681 6			2	
SJ 00681 7	STK	12.9	HOMER C. BERI		SJ 00681 7		24N 07W 34 2	-	
SJ 01131	MIN	23	HOMER C. BERI		SJ 01131	Shallow		1	
SJ 01335	DOM	3	MARY Y. LARGO)	SJ 01335		24N 07W 31 1		
Record Count: 5	•								


New Mexico Office of the State Engineer POD Reports and Downloads

Range: 07W	Sections:		·		
Y:	Zone:		Search Radius:		
Basin:		a de la companya de l	Number:	Suffix:	
(Las	st) • All		○Non-Domestic	ODomestic	
			to Water Report	J	
Wate	r Column Re	eport			
Clear Form iWATERS Menu Help					
	Y: Basin: (Las	Y: Zone: Basin: (Last) All All Mater Column Re	Y: Zone: Basin: (Last) All rface Data Report	Y: Zone: Search Radius: Basin: Number: (Last) Non-Domestic Avg Depth to Water Report Water Column Report	

AVERAGE DEPTH OF WATER REPORT 09/12/2008

							(Depth	Water in	Feet)
Bsn	Tws	Rng Sec	Zone	x	Y	Wells	Min	Max	Avg
SJ	24N	07W 18				1	500	500	500
SJ	24N	07W 19				1	400	400	400

Record Count: 2



Robert L. Bayless Producer, San Juan Basin BGT Closure Plan

In accordance with Rule 19.15.17.12 NMAC the following information describes the closure requirements of Below-Grade Tanks on Robert L. Bayless Producer LLC locations. This is Bayless standard procedure for all Below-Grade Tanks. A separate plan will be submitted for any Below-Grade Tank which does not conform to this plan.

All closure activities will include proper documentation and be available for review upon request and will be submitted to OCD within 60 days of BGT closure. Closure report will be filed on C-144 and incorporate the following:

- Details on Capping and Covering, where applicable.
- Plot Plan (Pit Diagram).
- Sampling Results.

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division-approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

2. The preferred method of closure for all Below-Grade Tanks will be Waste Excavation and Removal, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

3. The surface owner (if any) shall be notified of Bayless proposed closure plan using a means that provides proof of notice i.e., certified mail, return receipt requested.

 Within 6 months of the Rig Off status occurring Bayless will ensure that Below-Grade-Tanks are closed, re-contoured, and reseeded.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.
- 6. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

9.15.17.13. E(4) requirements

17.13.11.13.6	- 7 require ments	
Components	Test Method	Limit (mg/kg)
Benzene	EPA SW -846 8021B or 8260B	0.2
BTEX	EPA SW -846 8021B or 8260B	50
TPH	EPA SW -846 418.1	2500 - 100
GRO/DRO	EPA SW 846 8015B	500
Chlorides	EPA 300.1	1 000 250

The Operator shall close a BGT within GO Days from the cessation of use of the tanks operation.

The BLAT after it is removed must be reused, reclaimed, or disposed of in a Division approved manner

- 7. Upon completion of solidification and testing, the pit area will be backfilled with compacted, non-waste containing, earthen material. The cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.
- 8. Re-contouring of location will match fit, shape, line, form and texture of the surrounding Re-shaping will Include drainage control, prevent pounding, and prevent erosion Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.
- 9. Notification will be sent to OCD when the reclaimed area is seeded.
- 10. Bayless shall seed the disturbed areas the first growing season after the operator closes the pit seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods BLM or Forest Service stipulated seed mixes will used on federal lands vegetative cover will equal 70% of the native perennial vegetative cover (un-Impacted) consisting of at least three native plant species, Including at least one grass, but not Including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.
- 11. Once the below-grade tank is close Bayless shall reclaim the below-grade tank location and all areas associated with the below-grade tank including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. Bayless shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, Recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and revegetate according to Subsection I of 19.15.17.13 NMAC.

FEMA MAP - 100 Year Floodplain

The FEMA Map for subject well is unavailable due to its location being in the forest FEMA does not provide floodplain information for Forest Service Land. This well is not include near a wash or watercourse and is not in 100 year floodplain as visible on the attached topographic map.

Sitting Criteria Compliance Demonstration

The subject well is not located in an unstable area. The location is no over a mine and is not on the side of a hill.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

R.L. Bayless	Project #:	92102-0020
John S. Dashko #1	Date Reported:	08-25-08
46816	Date Sampled:	08-19-08
5078	Date Received:	08-19-08
Soil	Date Extracted:	08-21-08
	Date Analyzed:	08-22-08
Intact	Analysis Requested:	8015 TPH
	John S. Dashko #1 46816 5078 Soil	John S. Dashko #1 46816 Date Sampled: 5078 Date Received: Date Extracted: Date Analyzed:

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

John S. Dashko #1

Analyst

Musthern Walter Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505-632-0615 • Fax 505-632-1865



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A		
Sample ID:	08-22-08 QA/	QC	Date Reported:		08-25-08		
Laboratory Number:	46808		Date Sampled:		N/A		
Sample Matrix:	Methylene Chlo	ride	Date Received:		N/A		
Preservative:	N/A		Date Analyzed:		08-22-08		
Condition:	N/A		Analysis Reques	ted:	TPH		
	I-Cal Date	- I-cal RFc	C-Cal RF:	% Difference	Accept Range		
Gasoline Range C5 - C10	05-07-07	1.0023E+003	1.0027E+003	0.04%	0 - 15%		
Diesel Range C10 - C28	05-07-07	9.8825E+002	9.8865E+002	0 - 15%			
www. b. b. Washi with a	St	71 N 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The Room water was the property delications	were and when another o			
Blank Conc. (mg/L - mg/Kg		Concentration		Detection Lim	it		
Gasoline Range C5 - C10		ND		0.2			
Diesel Range C10 - C28		ND		0.1			
Total Petroleum Hydrocarbons		ND		0.2			
Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range			
Gasoline Range C5 - C10	762	757	0.7%	0 - 30%			
Diesel Range C10 - C28	2,770	2,750	0.7%	0 - 30%			
Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range		
Gasoline Range C5 - C10	762	250	1,010	99.8%	75 - 125%		
Diesel Range C10 - C28	2,770	250	3,010	99.7%	75 - 125%		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 46808, 46816, 46819, 46820 and 46859 - 46861.

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	R.L. Bayless	Project #:	92102-0020
Sample ID:	John S. Dashko #1	Date Reported:	08-25-08
Laboratory Number:	46816	Date Sampled:	08-19-08
Chain of Custody:	5078	Date Received:	08-19-08
Sample Matrix:	Soil	Date Analyzed:	08-22-08
Preservative:		Date Extracted:	08-21-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	2.7	0.9
Toluene	8.6	1.0
Ethylbenzene	10.7	1.0
p,m-Xylene	65.3	1.2
o-Xylene	6.5	0.9
Total BTEX	93.8	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

John S. Dashko #1

Analyst

Christin Mucelos
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

ND

ND

0.1

0.1

Client:	N/A		Project #:		N/A		
Sample ID:	08-22-BT QA/QC		Date Reported:		08-25-08		
Laboratory Number:	46808		Date Sampled:		N/A		
Sample Matrix:	Soil		Date Received:		N/A		
Preservative:	N/A		Date Analyzed:		08-22-08		
Condition:	N/A		Analysis:		BTEX		
Calibration and Detection Limits (ug/L)		C-Cal RF: Accept. Ran	%Diff: ge∙0 - 15%	Blank Conc	Detect. ⊄Limit		
Benzene	9 6768E+007	9.6962E+007	0.2%	ND	0.1		
Toluene	7.5334E+007	7.5485E+007	0.2%	ND	0.1		
Ethylbenzene	5.9137E+007	5.9256E+007	0.2%	ND	0.1		

1.2371E+008

5.7836E+007

1.2346E+008

5.7720E+007

0.2%

0.2%

Duplicate Conc. (ug/Kg)	Sample D	uplicate	%Diff,	Accept Range	Detect, Limit
Benzene	38.8	39.1	0.8%	0 - 30%	0.9
Toluene	251	248	1.4%	0 - 30%	1.0
Ethylbenzene	232	232	0.3%	0 - 30%	1.0
p,m-Xylene	2,620	2,610	0.4%	0 - 30%	1.2
o-Xylene	76.3	73.1	4.2%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spl	ked Sample	% Recovery	Accept Range
Benzene	38.8	50.0	88.3	99.4%	39 - 150
Toluene	251	50.0	298	98.8%	46 - 148
Ethylbenzene	232	50.0	281	99.7%	32 - 160
p,m-Xylene	2,620	100	2,710	99.7%	46 - 148
o-Xylene	76.3	50.0	126	99.5%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

p,m-Xylene

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 46808, 46816, 46819 - 46822 and 46824 - 46827.

Analyst



Chloride

Client: Sample ID: Lab ID#:

R. L. Bayless John S Dashko #1 46816 Project #:
Date Reported:
Date Sampled:

92102-0020 08-27-08 08-19-08

Sample Matrix: Preservative:

Soil

Date Received: Date Analyzed:

08-19-08 08-26-08

Condition:

Intact

Chain of Custody:

5078

Parameter

Concentration (mg/Kg)

Total Chloride

34.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

John S. Dashko #1.

Analyst

Review

CHAIN OF CUSTODY RECORD

Client:			Project Name / Location:												YSIS	/ PAR	AME	TERS					
RL. Bayless			John S. I)ash	10 #/	•							•		. 0.0	, , , , , , ,							_
Client Address:			Sampler Name: Dennis Ro		3				8015)	1 8021)	8260)	8			0								
Client Phone No.:	/		Client No.: 92102 - 0020			TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		TPH (418.1)	RIDE	Chloride			Sample Cool	Sample Intact			
Sample No./ Identification	Sample Date	Sample		S	ample Matrix	No./Volume of Containers			TPH ()	BTEX	NOC (I	RCRA	Cation	泛	TCLP	PAH	TPH (CHLORIDE	Chlo			Sampl	Sampl
John S. Dashko	8/19/08	10'. AM	4 6816	Soil Solid	Sludge Aqueous	Containers			100	-								1					
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
	-		Soil Solid		Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		_
				Soil Solid	Sludge Aqueous								,										
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
				Soil Solid	Sludge Aqueous																		
Relinquished by: (Signature Roman	ature)				Date 8/19/08	Time	Received by: (Signature) Date 8/19/					1	Tin 12:	ne 35									
Relinquished by: (Signa							Re	eceive	ed by:	(Sign	ature)				ا								
Relinquished by: (Signa	ature)			·····			Re	eceive	ed by:	(Sign	ature)	l		Auto	·				***				
Albert Avends (505) 486-5006	inter-section .			···	ENVI	ROT		CI			C.					V-16 - 7-2-11 101	4			L			

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505-632-0615