<u>District I</u> 1625 N. French Dt., Hobbs, NM 88240

State of New Mexico
Energy Minerals and Natural Resource

Form C-144 July 21, 2008

District II

1301 W Grand Ave., Artesia, NM 88210

Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aziec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

\circ	$\overline{}$	7	7	
\supset	0	\mathcal{O}^{l}		•

District III

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

environment Nor does approval relieve the operator of its responsibility to comply with any other application. Deperator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	14336
Facility or well name: Cooper 6	
API Number: 30-045-20518 OCD Permit Nu	mber:
Center of Proposed Design: Latitude: 36.757460'N Longitude: urrface Owner: X Federal State Private Tribal Trust or Inc.	11W County: San Juan 108.034680'W NAD: X 1927 1983 dian Allotment NAD: X 1927 1983
String-Reinforced	HDPE PVC Other bbl Dimensions L x W x D
notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	s to activities which require prior approval of a permit or HDPE PVD Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other	OIL CONS DIV DIST
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Env	SI S

6 [*]				
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	munon or cau	rcn)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
0				
8 Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
A Signed in compinance with 124,55,100 Marke				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
There encound one of more of me forcoming is requestion, if not court orante.				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for con	sideration of ar	proval.		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	о о. ар	,		
10				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		İ		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	İ			
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	}	i		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	□Yes	□No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	□Yes	По		
lake (measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Yes	\square_{No}		
application.				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
•		□.·•		
(Applied to permanent pits) - Visual inspection (certification) of the proposed site, Aerial photo; Satellite image	∐ ^{NA}			
	l	l		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
pur poses, or manual appreciations of any office in case where the same of an experience and the case of an experience and the case of the				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	□No		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland. LIS Fish and Wildlife Wetland Identification many Topographic many Visual inspection (contification) of the proposed site.	Yes	∐No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		,		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	∐Yes	No		
·				
Within an unstable area. Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resources: USGS: NM Geological	Yes	\square^{No}		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain	Yes	□No		
- FEMA map	l	LJ		

Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17 12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17 9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC Nusance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System			
Alternative			
Proposed Closure Method: Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
☐ In-place Burial ☐ On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions. Please identify the facility or facilities for the disposal of liquids, drilling			acılıties	
are required	Discoule its basis	NIM 01 0011		
Disposal Facility Name Disposal Facility Name. Basin Disposal Facility	Disposal Facility Permit # Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activiti	- •		ervice and operations?	
Yes (If yes, please provide the information No		in nor or asea for ratare st	or vice and operations.	
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Su	iate requirements of Subsection I of 19.15.17 13 NMAC		c ,	
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions. Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Instifications and/or demonstrations of equivalency are required.	Recommendations of acceptable so or may be considered an exception	which must be submitted to the		
Ground water is less than 50 feet below the bottom of the buried waste.			Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS: Data obt	tained from nearby wells		∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried wast			Yes No	
- NM Office of the State Engineer - tWATERS database search; USGS; Data obtain	ained from nearby wells		∐ ^{N/A}	
Ground water is more than 100 feet below the bottom of the buried waste.			Yes No	
- NM Office of the State Engineer - (WATERS database search, USGS; Data obtained)	ained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark).	icant watercourse or lakebed, sin	khole, or playa lake	Yes No	
 Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in 	existence at the time of initial a	nheation	Yes No	
- Visual inspection (certification) of the proposed site, Aerial photo; satellite imag	•	эрисаноп.	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	stence at the time of the initial ap			
Within incorporated municipal boundaries or within a defined municipal fresh water values to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval ob		ipal ordinance adopted	Yes No	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Visual ins	• •	posed site	Yes No	
Within the area overlying a subsurface mine	r venen (een meanen) ez me prop	SUSS IMS	Yes No	
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & M Topographic map	Ineral Resources, USGS; NM G	eological Society;	YesNo	
Within a 100-year floodplain FEMA map			Yes No	
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must	bee attached to the closur	e plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate	te requirements of 19 15.17 10) NMAC		
Proof of Surface Owner Notice - based upon the appropriate requireme				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

19				l
Operator Applicatio			and of the local data and belief	
I hereby certify that the Name (Print):	information submitted with this application is true, as	ccurate and complete to the t Title:	sest of my knowledge and belief Regulatory Technician	
`	Kelly Jeffery		2-25-09	
Signature:e-mail address.	jeffekr@conocophillips.com	Date Telephone:	505-599-4025	
e-man address.	енекі «сопосорічніражені	receptione.	303-397-4023	
20				
	Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)	
OCD Representative	e Signature:	Toucht.	Approval Date:	
,	Enviro 15pec	U marc		
Title:	Enviro 15pec	OCD Perm	it Number:	
21				
	uired within 60 days of closure completion): s	Subsection K of 19 15 17 13 NMAC		
Instructions: Operators	are required to obtain an approved closure plan price	or to implementing any closu	re activities and submitting the closure report. The closure	
	submitted to the division within 60 days of the compl has been obtained and the closure activities have been		s. Please do not complete this section of the form until an	
.,		· —	Completion Date:	
22 Closure Method:				
	on and Removal On-site Closure Method	Alternative Closure	Method Waste Removal (Closed-loop systems only)	
	a approved plan, please explain.			
	- Francisco - Fran			
23 Closure Report Regard	ding Waste Removal Closure For Closed-loop Syst	tems That Utilize Above Gr	ound Steel Tanks or Haul-off Bins Only:	
			ngs were disposed. Use attachment if more than two facilities	
were utilized.		D 15 to	D. A. J.	
Disposal Facility Na Disposal Facility Na		Disposal Facility		
	p system operations and associated activities perform	Disposal Facility		
	use demonstrate complilane to the items below)	No	to the state to the state openions	
Required for impacte	ed areas which will not be used for future service and	d operations:		
· =	on (Photo Documentation)			
I = -	and Cover Installation			
Re-vegetation A	Application Rates and Seeding Technique			
Clasura Banant A	tto abmont Charliete Later diana East of the	C-11	to to the design and Discovery State to the short and the	
	cuments are attached.	following tiems must be atta	ched to the closure report. Please indicate, by a check mark in	
Proof of Closu	re Notice (surface owner and division)			
Proof of Deed	Notice (required for on-site closure)			
Plot Plan (for o	on-site closures and temporary pits)			
Confirmation S	Sampling Analytical Results (if applicable)			
. =	l Sampling Analytical Results (if applicable)			
!	ity Name and Permit Number			
. =	g and Cover Installation	,		
= -	Application Rates and Seeding Technique ion (Photo Documentation)			1
On-site Closur	· ·	Longitude:	NAD 1927 1983	
On-site Closul	- Leading Landing.		1727 1700	
25				
Operator Closure Co	ertification:			
	·	sure report is ture, accurate (and complete to the best of my knowledge and belief. I also certify the	at
the closure complies wi	th all applicable closure requirements and conditions	s specified in the approved ci	losure plan.	
Name (Print):		Title:		
Cianatiras		Doto		
Signature:		Date:		
e-mail address		Telephone:		

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.