

District I
1625 N French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☒ AMENDED REPORT

"As Drilled"

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30039-30050		*Pool Code 72319	*Pool Name BLANCO MESAVERDE
*Property Code 36210	*Property Name JAECO 26-3 22		*Well Number 1A
*OGRID No 120782	*Operator Name WILLIAMS PRODUCTION COMPANY		*Elevation 7362'

¹⁰ Surface Location

UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	26N	3W		790	SOUTH	1850	EAST	RIO ARriba


¹¹ Bottom Hole Location If Different From Surface

UL or lot no	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	22	26N	3W		982	SOUTH	2049	EAST	RIO ARriba

¹² Dedicated Acres 320.0 Acres - (E/2)	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No ROVD MAR 24 '09 OIL CONS. DIV.
--	-------------------------------	----------------------------------	---

DIST 2

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division

Larry Higgins 3-24-09
Signature Date


LARRY HIGGINS
Printed Name

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief

Date Revised: MARCH 23, 2009
Date of Survey: APRIL 6, 2006

Signature and Seal of Professional Surveyor



JASON C. EDWARDS
Certificate Number 15269



Exploration and Production

February 17, 2009

DEVIATION REPORT

Well Name: JAECO 26-3 22 #1A
Location: 790' FSL AND 1850' FEL, O SEC 22, T26N, R3W NMPM
County, State: Rio Arriba, New Mexico
Formation: Blanco Mesa Verde/Basin Dakota
API#: 30-039-30050

RCVD MAR 2 '09
OIL CONS. DIV.
DIST. 3

DEVIATION (Degrees)	DEPTH (Feet)
1.5	325
1	826
2.5	1289
6.5	1800
6	2053
6	2273
5	2480
4	2677
7	2928
7.5	3179
7	3401
6.5	3590
7	3840
5.5	3963
6.5	4149
6	4400
5	4519
3.25	4775
.75	5219
2	5443
1	5633
1	5919
1.5	6434
2	6710
1	6868
1.75	7089
2.75	7310
1.5	7566
1.5	7878
2	8163

1	8420
1	8606


Heather Riley
Heather Riley
Regulatory Specialist

State of New Mexico)
)
County of San Juan) ss.

Subscribed and sworn to before me this 17 day of Feb,
2009, by Heather Riley.

Lacey Winters
Notary Public

My Commission Expires: 11/30/2011





Scientific Drilling

Gyroscopic Survey Report for WILLIAMS

Well Location	22,T-26-N,R-3-NMPM
Well Name	JAECO 26-3 22#1A
Rig Name	AZTEC 656
Survey Date	2/5/2009
Latitude	36.47 deg
North Reference	True North
Grid Correction	0.00 deg
Depth Reference	RKB 14 FT
Calculation Method	Minimum Curvature
Section (VS) Ref	0.00N (ft), 0.00E (ft), 0.00Azim (deg)
Definitive Survey	Computed from JC.BIN's HighSpeed: OutRun
Operator	MATLOCK STANLEY

Comments

SURVEYED FROM RKB TO 7300 FT

RCVD MAR 2 '09
OIL CONS. DIV.
DIST. 3



Scientific Drilling

Survey Report

Well Name: JAECO 26-3 22#1A
 Survey: Computed from JC.BIN's HighSpeed: OutRun
 Survey Date: 2/5/2009

MD ft	Inc deg	Azim deg	TVD ft	VS ft	Northing ft	Easting ft	DLS deg/100ft	Closure Distance ft	Closure Angle deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	Invalid	0.00	0.00
100.00	0.05	161.94	100.00	-0.04	-0.04	0.01	0.05	0.04	161.94
200.00	0.30	283.48	200.00	-0.02	-0.02	-0.23	0.33	0.23	265.77
300.00	0.61	312.85	300.00	0.41	0.41	-0.88	0.38	0.97	294.98
400.00	0.66	326.92	399.99	1.26	1.26	-1.58	0.16	2.02	308.43
500.00	0.56	11.51	499.99	2.22	2.22	-1.80	0.47	2.86	320.92
600.00	0.38	15.71	599.98	3.02	3.02	-1.61	0.18	3.43	331.88
700.00	0.74	35.03	699.98	3.88	3.88	-1.15	0.40	4.04	343.46
800.00	0.85	31.33	799.97	5.04	5.04	-0.39	0.12	5.06	355.55
900.00	1.12	12.89	899.95	6.63	6.63	0.21	0.41	6.63	1.82
1000.00	1.64	343.88	999.92	8.95	8.95	0.03	0.86	8.95	0.19
1100.00	2.12	338.36	1099.87	12.05	12.05	-1.05	0.51	12.09	355.02
1200.00	2.37	328.53	1199.79	15.53	15.53	-2.81	0.46	15.78	349.74
1300.00	2.40	325.51	1299.71	19.01	19.01	-5.07	0.13	19.68	345.06
1400.00	2.71	335.97	1399.61	22.90	22.90	-7.22	0.56	24.01	342.50
1500.00	3.25	334.15	1499.47	27.61	27.61	-9.42	0.55	29.18	341.16
1600.00	4.44	334.05	1599.25	33.65	33.65	-12.35	1.19	35.85	339.84
1700.00	5.36	333.33	1698.88	41.31	41.31	-16.15	0.93	44.35	338.65
1800.00	5.79	333.04	1798.40	49.99	49.99	-20.53	0.43	54.04	337.67
1900.00	5.19	331.64	1897.95	58.46	58.46	-24.97	0.62	63.57	336.87
2000.00	5.32	333.90	1997.53	66.60	66.60	-29.16	0.25	72.70	336.36
2100.00	5.57	335.52	2097.07	75.18	75.18	-33.21	0.29	82.19	336.17
2200.00	5.46	336.79	2196.61	83.96	83.96	-37.09	0.16	91.79	336.17
2300.00	5.55	337.43	2296.15	92.80	92.80	-40.82	0.12	101.38	336.26
2400.00	4.89	331.86	2395.74	101.03	101.03	-44.69	0.83	110.48	336.14
2500.00	4.61	331.72	2495.39	108.33	108.33	-48.61	0.28	118.74	335.84
2600.00	4.41	333.54	2595.08	115.32	115.32	-52.22	0.24	126.59	335.64
2700.00	5.41	337.99	2694.71	123.13	123.13	-55.70	1.07	135.15	335.66
2800.00	7.12	337.13	2794.11	133.22	133.22	-59.88	1.71	146.05	335.80
2900.00	8.35	335.22	2893.20	145.51	145.51	-65.33	1.26	159.51	335.82
3000.00	8.73	331.26	2992.09	158.76	158.76	-72.02	0.70	174.33	335.60
3100.00	8.76	323.14	3090.94	171.51	171.51	-80.24	1.24	189.35	334.93
3200.00	8.09	317.45	3189.86	182.78	182.78	-89.57	1.07	203.55	333.89
3300.00	7.50	315.60	3288.93	192.63	192.63	-98.89	0.64	216.53	332.82
3400.00	7.33	313.34	3388.10	201.67	201.67	-108.10	0.34	228.81	331.81
3500.00	6.53	311.16	3487.37	209.79	209.79	-117.02	0.84	240.22	330.85
3600.00	5.85	308.64	3586.78	216.72	216.72	-125.26	0.70	250.32	329.97
3700.00	5.88	301.38	3686.26	222.57	222.57	-133.64	0.74	259.61	329.02
3800.00	6.40	295.93	3785.69	227.67	227.67	-143.03	0.75	268.87	327.86



Survey Report

Well Name: JAECO 26-3 22#1A

Survey: Computed from JC.BIN's HighSpeed: OutRun

Survey Date: 2/5/2009

MD ft	Inc deg	Azim deg	TVD ft	VS ft	Northing ft	Easting ft	DLS deg/100ft	Closure Distance ft	Closure Angle deg
3900.00	6.39	294.93	3885.06	232.45	232.45	-153.08	0.11	278.33	326.63
4000.00	5.76	290.75	3984.50	236.58	236.58	-162.82	0.77	287.19	325.46
4100.00	5.17	280.34	4084.05	239.16	239.16	-171.94	1.15	294.55	324.29
4200.00	4.54	264.30	4183.70	239.58	239.58	-180.31	1.49	299.85	323.03
4300.00	4.66	248.41	4283.38	237.69	237.69	-188.02	1.28	303.06	321.66
4400.00	5.00	232.06	4383.03	233.52	233.52	-195.23	1.41	304.38	320.10
4500.00	3.97	232.42	4482.72	228.73	228.73	-201.41	1.03	304.76	318.63
4600.00	3.02	225.91	4582.53	224.78	224.78	-206.04	1.03	304.93	317.49
4700.00	2.38	212.55	4682.42	221.20	221.20	-209.05	0.89	304.36	316.62
4800.00	2.03	205.78	4782.35	217.86	217.86	-210.94	0.44	303.24	315.92
4900.00	1.28	208.34	4882.31	215.28	215.28	-212.24	0.76	302.31	315.41
5000.00	1.23	206.37	4982.28	213.34	213.34	-213.24	0.06	301.64	315.01
5100.00	0.73	213.26	5082.27	211.84	211.84	-214.07	0.51	301.17	314.70
5200.00	0.88	194.15	5182.26	210.56	210.56	-214.61	0.30	300.65	314.45
5300.00	0.53	190.30	5282.25	209.36	209.36	-214.88	0.35	300.01	314.25
5400.00	0.66	113.95	5382.25	208.67	208.67	-214.44	0.74	299.21	314.22
5500.00	0.77	114.59	5482.24	208.16	208.16	-213.30	0.11	298.04	314.30
5600.00	0.61	122.39	5582.23	207.59	207.59	-212.24	0.19	296.88	314.37
5700.00	0.92	70.22	5682.22	207.58	207.58	-211.03	0.73	296.02	314.53
5800.00	0.95	8.90	5782.21	208.68	208.68	-210.15	0.96	296.15	314.80
5900.00	0.28	250.25	5882.21	209.41	209.41	-210.25	1.12	296.75	314.89
6000.00	1.63	180.91	5982.19	207.91	207.91	-210.50	1.55	295.87	314.64
6100.00	1.74	179.27	6082.15	204.96	204.96	-210.51	0.12	293.81	314.24
6200.00	1.07	196.16	6182.12	202.55	202.55	-210.75	0.78	292.30	313.86
6300.00	0.89	190.95	6282.11	200.89	200.89	-211.15	0.20	291.45	313.57
6400.00	0.97	196.34	6382.09	199.32	199.32	-211.54	0.12	290.65	313.30
6500.00	0.93	195.89	6482.08	197.73	197.73	-212.00	0.03	289.90	313.01
6600.00	0.77	152.82	6582.07	196.34	196.34	-211.91	0.64	288.89	312.82
6700.00	1.13	124.30	6682.06	195.19	195.19	-210.79	0.58	287.28	312.80
6800.00	1.19	103.06	6782.04	194.39	194.39	-208.96	0.43	285.40	312.93
6900.00	1.13	90.70	6882.02	194.15	194.15	-206.97	0.26	283.77	313.17
7000.00	0.84	99.85	6982.00	194.01	194.01	-205.26	0.32	282.44	313.39
7100.00	1.09	102.68	7081.99	193.68	193.68	-203.61	0.25	281.01	313.57
7200.00	1.38	114.23	7181.96	192.97	192.97	-201.59	0.38	279.06	313.75
7299.66	1.80	110.68	7281.58	191.93	191.93	-199.03	0.43	276.50	313.96