#### **UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT**

RECEIVED

FEB 17 2009

	APPLICATION FOR PERMIT TO DRILI	L, DEEPEN, OR PLUG BACK Bureau of Land Managem
1a.	Type of Work DRILL	5. Lease Number NMNM 1849 3100 SF-078640 MNM 78413 A Unit Reporting Number
1b.	Type of Well GAS	6. If Indian, All. or Tribe RCVD MAY 8 '09
2.	Operator	7. Unit Agreement Name OIL CONS. DIV.
	ConocoPhillips	DIST. 3
		San Juan 28-7 Unit
3.	Address & Phone No. of Operator PO Box 4289, Farmington, NM 87499	8. Farm or Lease Name
	(505) 326-9700	9. Well Number 184P
4.	Location of Well Unit L (NWSW), <del>1380</del> ' FSL & 575' FWL 14入ら	10. Field, Pool, Wildcat Basin DK/Blanco MV
/ 	Latitude:36.584511 N Longitude:107.586929 W	11. Sec., Twn, Rge, Mer. (NMPM) Sec. 9, T27N, R7W
1	Longitude:107.586929 W	API# 30-039- 30677
14.	Distance in Miles from Nearest Town 30 miles/Bloomfield	12. County 13. State Rio Arriba NM
15.	Distance from Proposed Location to Nearest Property o	or Lease Line
16.	Acres in Lease 2,560.000	17. Acres Assigned to Well 320.00 (W/2)
18.	Distance from Proposed Location to Nearest Well, Drlg, 1102' from the San Juan 28-7 184 (DK/MV)	
19.	Proposed Depth 7703'	20. Rotary or Cable Tools Rotary
21.	Elevations (DF, FT, GR, Etc.) 6720' GL	22. Approx. Date Work will Start BLM'S APPROVAL OR ACCEPTANCE OF THIS ACTION DOES NOT RELIEVE THE LESSEE AND
23.	Proposed Casing and Cementing Program See Operations Plan attached	OPERATOR FROM OBTAINING ANY OTHER AUTHORIZATION REQUIRED FOR OPERATIONS ON FEDERAL AND INDIAN LANDS
24.	Authorized by: Sauch Sauch Gardenhire (Regulatory	2-16-09
PERM	IIT NO. APPI	ROVAL DATE
APPR	OVED BY SIMON COST TITLE	4FM DATE 5/5/09
Archa	neological Report attached  Itened and Endangered Species Report attached  This format is issued in light of U.S. BLM Form 3180-3	OTIFY AZTEC OCU 24 HRS.
Title 18	This format is issued in lieu of U.S. BLM Form 3160-3 V BU.S.C. Section 1001, makes it a crime for any person knowingly and any false, fictitious or fraudulent statements or presentations as to any	willfully to make to any department of agency of the United
	mple Master Plan Type 3 Bond Numb	ers ES-0048 and ES-0085
	NNOCL	MAY 1 4 2009 W
	DRILLING OPERATIONS AUTHORIZED ARE SUBJECT TO COMPLIANCE WITH ATTACHED	This action is subject to technical and

# Submitted in lieu of Form 3160-5 UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

# RECEIVED

APR 03 2009

# Bureau of Land Management

	Sundry Notices and Reports on Wells	ington Field	Office
1.	Type of Well	5.	Lease Number SF- <del>078570-</del> 07864 ( If Indian, All. or
	GAS		Tribe Name
•	Newsof	7.	Unit Agreement Name
2.	Name of Operator  ConocoPhillips Company		San Juan 28-7 Unit
	Address & Phone No. of Operator	8.	Well Name & Number
3.	Address & Phone No. of Operator  PO Box 4289, Farmington, NM 87499 (505) 326-9700	9.	San Juan 28-7 Unit 184P API Well No.
4	Location of Well, Footage, Sec., T, R, M		30-039- 30677
7.	Location of Well, 1 Goldge, Sec., 1, K, W	10.	Field and Pool
	Unit L (NWSW) 1425' FSL & 575' FWL, Sec. 9, T27N, R7W, NMPM		Blanco MV/Basin DK
	Out E (IVWSW) 1423 FSE & 573 FWE, Sec. 3, 1271, R7W, RWIN	11.	County and State Rio Arriba Co., NM
12.	CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT	, OTHER I	DATA
	Type of Submission  X Notice of Intent Abandonment Recompletion Subsequent Report Plugging Casing Repair Change of Plans New Construction Non-Routine Fracturing Water Shut off	_}	Other - Rotate Pad
	Final Abandonment Altering Casing Conversion to Injection	. 40-10-1	
Con	Describe Proposed or Completed Operations  accophillips wishes to rotate the subject wells pad 180° at the request of the BLM. The A footages 1380' FSL & 575' FWL, Sec. 9, T27N, R7W. The rotated footages are 1425' e new plat, cut & fill, pad diagram and pipeline is attached.		
	I hereby certify that the foregoing is true and correct.  ned	n Date	04/02/2009
AP: CO	is space for Federal on State Office use) PROVED BY		Date <u>5/1/09</u>

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Rd, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 7 Copies Fee Lease - 3 Copies

☐ AMMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number				Pool Code		Pool Name				
30-039-30677 71599 / 72319					2319	BASIN DAKOTA / BLANCO MESAVERDE				
<sup>4</sup> Property Cod	1			<sup>6</sup> Well Number						
31739	)			184P						
<sup>7</sup> OGRID No.				<sup>9</sup> Elevation						
217817	7			6723						
			<u> </u>		<sup>10</sup> SURFACE I	OCATION				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
L	9	27-N	7-W		1425   SOUTH   575   WEST   R	RIO ARRIBA				
			<sup>11</sup> E	ottom H	ole Location I	f Different From	m Surface			
UL or lot no. Section		Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
L										
12 Dedicated Acres	13 Joint o	or Infill 14	Consolidation	Code 15	Order No.					
320.00 <b>(</b> 1	1/2)									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16			17 OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order
		·	 heretofore entered by the division.  Signodure  Crystal Tafoya  Printed Name
BLM 1955	USA SF-078570		Regulatory Technician Title and E-mail Address  May 11, 2009 Date  18 SURVEYOR CERTIFICATION
WELL  SAND  SAND	36.584636° N G: 107.586919° W		I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  Date of Survey: 11/4/08 Signature and Seal of Professional Surveyor:
W/2 E W.C. BLM W.C. 1955 19.8' (R) N 2'21' E 19.8' (R) S 88'10' W S 88'01'38" W	DEDICATED ACREAGE USA SF-078640 SECTION 9, T-27-N, R-7-W		Certificate Number: NM 11393



# PROJECT PROPOSAL - New Drill / Sidetrack

## San Juan Business Unit

## **SAN JUAN 28-7 UNIT 184P**

## **DEVELOPMENT**

Lease:				AFE #: WAN.CDR,813			DR,8131 AFE \$:		
			&P Rig 283			County: RIO ARRIBA	API #:		
Geologist: Phone:			:	Geophysicist:			P	hone:	
			+1 505-3	24-6169	Prod.	Engineer:	P	hone:	
Res. Engineer: Pi	: +1-505-3	)	Proi. F	ield Lead:		hone:			
Primary Object									
Zone	Zone N	lame							
FRR	BASIN	DAKOTA (PRORA	TED GAS	5)					
RON	BLANC	O MESAVERDE (P	RORATE	D GAS)					
			TA ISPOSITION	7	and the same of the same				
Location: 5072	HANNE SECTION	Datum Co	· 中的民政策等63.46~至	D 27					
Latitude: 36.5846	527	Longitude: -107.5	86311	X:		Y:		Section: 09	Range: 007W
Footage X: 575 F	WL_	Footage Y: 1425	-SL	Elevation:		(FT)	Township: 027	V	
Tolerance:		1380			<b>6730</b>				
Location Type: Re	estricted	d	Start [	Date (Est.):	1/1/2009	Con	npletion Date:	Date In O	peration:
Formation Data:	Assun	ne KB = 6739	Units =	FT					
Formation Call &		Depth	SS	Depletio		ВНТ		Remarks	
Casing Points		(TVD in Ft		(Yes/No	) (PSIG)		12 1/4 holo - 3		0 CTC cooing Coment
Surface Casing		200	6539	لــا				200' 9 5/8" 32.3 ppf, H-46 Circulate cement to surfa	
OJO ALAMO		2391	4348						
KIRTLAND		2517	4222						
FRUITLAND		2804	3935				Possible Gas		
PICTURED CLIFFS		3259	3480						i
LEWIS		3357	3382					572	
Intermediate Casin	ıg	3507	3232					", 20 ppf, J-55, <del>LTC</del> Casin cement to surface.	g. Cement with 840
HUERFANITO BEN	TONITE	4129	2610				cart. Circulate	cement to surface.	
CHACRA		4178	2561						
MASSIVE CLIFF HO	DUSE	4895	1844		125		Gas		
MENEFEE		4932	1807						
POINT LOOKOUT		5477	1262						
MANCOS		5853	886						,
UPPER GALLUP		6641	98						
GREENHORN		7383	-644						
GRANEROS		7 <del>44</del> 5	-706						
TWO WELLS		7493	-754		2730		Gas		
UPPER CUBERO		7609	-870						
LOWER CUBERO		7637	-898						
Total Depth 7703		-964				6-1/4" hole,	4-1/2" 10.5/11.6 ppf, J-55	, STC/LTC casing.	
				•			Cement w/ 614 the previous ca	4 cuft. Circulate cement a asing string.	minimum of 100' inside
ENCINAL 7703 -9		-964					ncinal with bottom perf al	oout 15' off TD.	
Reference Wells	s:								
Reference Type	Well N	·		Commen					
		6 & 216M		sectino 8					
Production 28-7 184 & 184F		34 & 184F		section 9	27-7				

Printed on: 2/13/2009 11:42:56 AM




## PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 28	3-7 UNII 184P			DEVELOPMEN	
Logging Prog	ram:				
Intermediate Lo	ogs: 🔲 Log only	if show GR/ILD	☐ Triple Con	nbo	
TD Logs:	Triple Co	ombo 🔲 Dipmeter	RFT S	onic VSP TDT 🗹 Oth	er .
<u> </u>	No OH logs	or mud logs needed.			
Additional Infor	mation:				
Log Type	Stage	From (Ft)	To (Ft)	Tool Type/Name	Remarks

Printed on: 2/13/2009 11:42:56 AM



# RECEIVED

## CONOCOPHILLIPS COMPANY

APR 03 2009

SAN JUAN 28-7 UNIT #184P 1425' FSL, 575' FWL SECTION 9, T-27-N, R-7-W, N.M.P.M., Bureau of Land Management Farmington Field Office

RIO ARRIBA COUNTY, NEW MEXICO NAD 83 LAT.: 36.584636°N LONG.: 107.586919°W ELEV.: 6723 NAVD88

NO NEW ACCESS

FROM BLOOMFIELD, NEW MEXICO AT THE INTERSECTION OF HWY. 64 AND HWY 550:

- GO 10.6 MILES EAST ON HWY. 64 THROUGH BLANCO, N.M. AND ACROSS THE SAN JUAN RIVER TO THE INTERSECTION OF HWY. 64 AND C.R. 4450 (LARGO CANYON). TURN RIGHT AND HEAD SOUTHEAST ON C.R. 4450 ALONG THE NORTH SIDE OF LARGO WASH.
- GO 9.5 MILES SOUTHEAST ON C.R. 4450 AND TURN RIGHT TO "9 MILE BRIDGE" WASH CROSSING.
- GO 4.3 MILES SOUTHEAST FROM "9 MILE BRIDGE" ON C.R. 4450 ALONG THE SOUTH SIDE OF CARRIZO WASH. STAY RIGHT ON MAIN ROAD INTO "STOVE CANYON" AND BEGIN CLIMBING UP GOULD PASS.
- GO 3.3 MILES SOUTHERLY WINDING UP GOULD PASS AND TOPPING OUT ON ENCINADA MESA IN THE NORTHEAST PART OF SECTION 7, T-27-N, R-7-W. HEAD EASTERLY ON MAIN ROAD.
- GO 1.9 MILES FROM THE TOP OF GOULD PASS, EAST ON MAIN ROAD. TURN RIGHT (SOUTH) DOWN HILL.
- GO .25 MILE SOUTH THROUGH GATE AND WELL IS STAKED TO THE LEFT (SOUTH) SIDE OF ROAD.