

Submit To Appropriate District Office Two Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008										
		1. WELL API NO. 30-045-34817														
		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN														
		3. State Oil & Gas Lease No. E-3150-11														
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Sinclair Com										
						6. Well Number. 1B <div style="text-align: right; font-weight: bold;">RCVD JUL 16 '09</div> <div style="text-align: right; font-weight: bold;">OIL CONS. DIV.</div>										
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER																
8. Name of Operator Burlington Resource Oil Gas company LP						9. OGRID 14538 DIST. 3										
10. Address of Operator P. O. Box 4289, Farmington, NM 87499-4289						11. Pool name or Wildcat Blanco Mesa Verde										
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County						
Surface:	K	32	32N	11W		1930'	South	2170'	West	San Juan						
BH:																
13. Date Spudded 03/26/2009	14. Date T.D. Reached 04/08/2009	15. Date Rig Released 04/10/2009		16. Date Completed (Ready to Produce) 06/26/2009			17. Elevations (DF and RKB, RT, GR, etc.) GR-6529' KB-6545'									
18. Total Measured Depth of Well 7820'		19. Plug Back Measured Depth 7802'		20. Was Directional Survey Made? No			21. Type Electric and Other Logs Run GR/CCL/CBL									
22. Producing Interval(s), of this completion - Top, Bottom, Name Blanco Mesa Verde 5750' - 4706'																
23. CASING RECORD (Report all strings set in well)																
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED						
9 5/8"		32.3#, H-40		348'		12 1/4"		TOC @ surface 102sx (163 cf)		3 bbls						
7"		20#, J-55		3456'		8 3/4"		TOC @ surface 572sx (1006 cf)		Stage Tool set @ 2257' 60 bbls						
4 1/2"		11.6#/10.5#, J-55		7816'		6 1/4"		TOC @ 2934' 439 sx (637 cf)								
24. LINER RECORD																
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET						
								2 3/8" 4.7# J-55		7718'						
26. Perforation record (interval, size, and number) PTL/LMF .34 diam 1 SPF 5750', 5736', 5716', 5704', 5674', 5656', 5636', 5620', 5590', 5570', 5560', 5548', 5534', 5518', 5508', 5484', 5472', 5464', 5440', 5360', 5348', 5332', 5306', 5290', 5280' = 25 holes UMF/Cliffhouse .34 diam 1 SPF 5230', 5190', 5160', 5152', 5124', 5072', 5062', 5040', 5032', 5024', 4998', 4990', 4982', 4966', 4956', 4948', 4938', 4930', 4856', 4848', 4838', 4828', 4790', 4740', 4706' = 25 holes Total Holes 50						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>5280' - 5750'</td> <td>Acidize w/10 bbls 15% HCL acid. Frac w/120,708 gals 60Q N2 Slickfoam w/100,313# 20/40 Arizona Sand. Total N2 1,043,900 SCF</td> </tr> <tr> <td>4706' - 5230'</td> <td>Acidize w/10 bbls 15% HCL acid. Frac w/116,760 gals 60Q N2 Slickfoam w/106,572# 20/40 Arizona Sand. Total N2 1,113,400 SCF</td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	5280' - 5750'	Acidize w/10 bbls 15% HCL acid. Frac w/120,708 gals 60Q N2 Slickfoam w/100,313# 20/40 Arizona Sand. Total N2 1,043,900 SCF	4706' - 5230'	Acidize w/10 bbls 15% HCL acid. Frac w/116,760 gals 60Q N2 Slickfoam w/106,572# 20/40 Arizona Sand. Total N2 1,113,400 SCF
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED															
5280' - 5750'	Acidize w/10 bbls 15% HCL acid. Frac w/120,708 gals 60Q N2 Slickfoam w/100,313# 20/40 Arizona Sand. Total N2 1,043,900 SCF															
4706' - 5230'	Acidize w/10 bbls 15% HCL acid. Frac w/116,760 gals 60Q N2 Slickfoam w/106,572# 20/40 Arizona Sand. Total N2 1,113,400 SCF															
28. PRODUCTION																
Date First Production SI		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) SI										
Date of Test 06/23/2009	Hours Tested 1	Choke Size 1/2"	Prod'n For Test Period	Oil - Bbl 0 bop/h	Gas - MCF 59 mcf/h	Water - Bbl. .04 bwp/h	Gas - Oil Ratio									
Flow Tubing Press. SI 553#	Casing Pressure SI 468#	Calculated 24-Hour Rate	Oil - Bbl. 0 bop/d	Gas - MCF 1418 mcf/d	Water - Bbl. 1 bwp/d	Oil Gravity - API - (Corr.)										
29. Disposition of Gas (Sold, used for fuel, vented, etc.) To be Sold						30. Test Witnessed By										
31. List Attachments																
This is an MV/DK well being commingled per DHC 3071AZ <div style="text-align: right; font-size: 1.5em;">87/17</div> <div style="text-align: right; font-size: 1.5em;">pc</div>																

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial.

Latitude _____ Longitude _____ NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Jamie Goodwin Printed Name Jamie Goodwin Title Regulatory Technician Date 07/14/2009

E-mail Address Jamie.L.Goodwin@conocophillips.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 1404'	T. Penn A"
T. Salt	T. Strawn	T. Kirtland 1450'	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland 2720'	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs 3213'	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House 4698'	T. Leadville
T. Queen	T. Silurian	T. Menefee 5016'	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout 5461'	T. Elbert
T. San Andres	T. Simpson	T. Mancos 5931'	T. McCracken
T. Glorieta	T. McKee	T. Gallup 6803'	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn 7529'	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota 7642'	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	-------------------	-----------	------	----	-------------------	-----------

pc