District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe. NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method						
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method						
Modification to an existing permit						
Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,						
below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request						
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the						
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances						
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538						
Address: PO Box 4289, Farmington, NM 87499						
Facility or well name: San Juan 30-6 Unit 135						
API Number: 30-039-26448 OCD Permit Number:						
U/L or Qtr/Qtr: O(SWSE) Section: 27 Township: 30 N Range: 6 W County: Rio Arriba Center of Proposed Design: Latitude: 36.778700'N Longitude: 107.446090'W NAD: X 1927 1983						
Center of Proposed Design: Latitude: 36.778700'N Longitude: 107.446090'W NAD: X 1927 1983 Surface Owner: X Federal State Private Tribal Trust or Indian Allotment						
State Council. A receival State Frivate Tribal rust of industry mothem						
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D X Closed-loop System: Subsection H of 19.15.17.11 NMAC						
Type of Operation: X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Liner Seams: Welded Factory Other BECEIVED						
Polovy grade tonic. Subsection Lef 10.15.17.11.NIMAC						
Delow-grade talks: Subsection for 19.15.17.11 NWAC						
Volume: bbl Type of fluid: OIL CONS. DIV. DIS1. B						
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other						
5 Alternative Method:						
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) [Alternate Please specify						
Netting: Subsection E of 19.15 17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)						
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3.103 NMAC						
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐Yes ☐NA	□No				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image						
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	☐Yes ☐NA	No				
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No				
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes	No				
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. 	Yes Yes	□No □No □No				
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 	Yes	No				

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC					
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15.17.9					
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC					
Previously Approved Design (attach copy of design) API of Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC					
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19 15 17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC					
☐ Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17 11 NMAC					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
14					
Proposed Closure: 19 15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15 17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Site Residuation Figure - Dates upon the appropriate requirements of Subsection O of 13.13.17.13 INVINCE					

Form C-144 Oil Conservation Division Page 3 of 5

16							
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions: Please identify the facility or facilities for the disposal of liquids, drilling are required			cilities				
Disposal Facility Name: Envirotech	Disposal Facility Permit #	NM-01-0011					
Disposal Facility Name. Basin Disposal Facility	Disposal Facility Permit #.	NM-01-005					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information No							
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the ap	ction I of 19.15.17.13 NMAC						
12							
Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NMAC Instructions. Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 10 NMAC for guidance.							
Ground water is less than 50 feet below the bottom of the buried waste.	•		Yes No				
- NM Office of the State Engineer - IWATERS database search; USGS Data obta	nined from nearby wells		□N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	:		Yes No				
- NM Office of the State Engineer - ıWATERS database search; USGS; Data obta	ined from nearby wells	•	□N/A				
Ground water is more than 100 feet below the bottom of the buried waste.			Yes No				
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obta	med from nearby wells	j	□N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark)	cant watercourse or lakebed, sin	khole, or playa lake	Yes No				
- Topographic map; Visual inspection (certification) of the proposed site							
 Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site; Aerial photo, satellite image 	•	pplication.	Yes No				
			Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	tence at the time of the initial ap						
Within incorporated municipal boundaries or within a defined municipal fresh water w pursuant to NMSA 1978, Section 3-27-3, as amended.		ipal ordinance adopted	Yes No				
 Written confirmation or verification from the municipality; Written approval obt Within 500 feet of a wetland 	ained from the municipality		□Yes □No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	pection (certification) of the prop	posed site	YesNo				
Within the area overlying a subsurface mine			Yes No				
- Written confirantion or verification or map from the NM EMNRD-Mining and M	Ameral Division						
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & M	enlogical Society	YesNo					
Topographic map	metal resources, OOOS, 14111 C	icological occiety,					
Within a 100-year floodplain FEMA map			Yes No				
18							
On-Site Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must	bee attached to the closure	e plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriat	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirement	nts of Subsection F of 19.15.	17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the							
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC							
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC							
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)							
Disposal Facility Name and Permit Number (for liquids, drilling fluids a Soil Cover Design - based upon the appropriate requirements of Subsec			mot be achieved)				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC							
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC							

Form C-144 Oil Conservation Division

19			
Operator Application Cer	•		
• •	nation submitted with this application is true, ac	-	
Name (Print):	Kelly Jeffery	Title.	Regulatory Technician
Signature.		Date.	505-599-4025
e-mail address:	jeffekr@conocophillips.com	Telephone:	303-399-4023
20 OCD Approval: Perr	nit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)
OCD Representative Sign	ature: Bransh J-	M	Approval Date: 8-13-09
Title:	Enviro Spec	OCD Perm	
Tide.	Environspic	OCD TOTAL	it itulibet.
Instructions: Operators are re report is required to be submi		or to implementing any closus etion of the closure activities in completed.	re activities and submutting the closure report The closure : Please do not complete this section of the form until an Completion Date:
22			
Closure Method: Waste Excavation and If different from appro	Removal On-site Closure Method oved plan, please explain.	Alternative Closure 1	Method Waste Removal (Closed-loop systems only)
23	And the second s		
Closure Report Regarding V	Vaste Removal Closure For Closed-loop Syst		
Instructions: Please identify were utilized.	the facility or facilities for where the liquids, a	Irilling fluids and drill cuttin	ngs were disposed. Use attachment if more than two facilities
Disposal Facility Name		Disposal Facility	Permit Number
Disposal Facility Name:		Disposal Facility	Permit Number.
• •	em operations and associated activities perform	ed on or in areas that will not	t be used for future service and opeartions?
_	monstrate complilane to the items below)	∐No	
	as which will not be used for future service and	l operations [.]	
Site Reclamation (Pho	•		
	ation Rates and Seeding Technique		
24			
	ment Checklist: Instructions: Each of the f	following items must be attac	ched to the closure report. Please indicate, by a check mark in
the box, that the documen			
	otice (surface owner and division)		
	e (required for on-site closure) e closures and temporary pits)		
	• • •		
	ling Analytical Results (if applicable) upling Analytical Results (if applicable)		
	ame and Permit Number		
Soil Backfilling and			
=	cation Rates and Seeding Technique		
	hoto Documentation)		<u>.</u>
On-site Closure Loc	ation: Latitude:	Longitude:	NAD 1927 1983
25			
Operator Closure Certific			, , , , , , , , , , , , , , , , , , , ,
	nation and attachments submitted with this clos applicable closure requirements and conditions	-	and complete to the best of my knowledge and belief. I also certify that losure plan.
•		,	
Name (Print):		Title	
Signature [.]		Date:	
e-mail address:		Telephone:	

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.