

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr, Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-31306
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: LA PLATA 4
8. Well Number #2
9. OGRID Number 5380
10. Pool name or Wildcat BASIN FRUITLAND COAL
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5890' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other
2. Name of Operator XTO ENERGY INC.
3. Address of Operator 382 CR 3100 AZTEC, NM 87410
4. Well Location Unit Letter C : 904 feet from the NORTH line and 2053 feet from the WEST line Section 4 Township 31N Range 13W NMPM NMCM County SAN JUAN
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5890' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: PWOP ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO Energy Inc., proposes to put well on pump per the attached procedure.

RCVD AUG 13 '09
OIL CONS. DIV.

DIST. 3

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Barbara J Conder TITLE REGULATORY CLERK DATE 08/12/09
Type or print name BARBARA J CONDER E-mail address: barbara_conder@xtoenergy.com PHONE 505-333-3100

For State Use Only

APPROVED BY ACCEPTED FOR RECORD TITLE _____ DATE _____

Conditions of Approval (if any): SUBSEQUENT REPORT ONLY REQUIRED

CLJ _____
TWD _____
Approved _____

La Plata 4-2
PWOP
Sec 4, T31N, R13W
San Juan County, New Mexico

AFE# / WELL# 904775 / 68073
Formation: FC
Production Csg: 5-1/2", 15.5#, J-55, STC CSG @ 2,200'.
PBTD: 2,168'
Tubing: STC, TJ, perf sub, SN & 65 jts 2-7/8" tbg. EOT @ 2,105'. SN @ 2,071'.
Perforations: 2,030' – 2,062'
Current Prod: 230 MCFPD & 1 BWPD

1. MI and set cmt base & Lufkin C-50-89-54T ppg unit W/Arrow C-46 gas engine. Set ppg ut in crank hole & sheave mtr (jackshaft if required) so it will pmp @ $\pm 2 \times 54$ " SPM. Chk w/Lufkin if ppg ut will require gear wiper for lub @ slow SPM. Rodstar run attached. Calc counter balance effect 4,009# & max CB moment 97 M in-lb.
2. Check anchors. MIRU PU. MI $\pm 81 - 3/4$ " rods & ± 5 jts 2-3/8" tbg.
3. ND WH. NU BOP.
4. TIH & tag fill (PBTD @ 2,168'). TOH and visually inspect tbg.
5. If necessary, CO fill to PBTD. Circ Clean.
6. TIH w/ 2-3/8" x 30' OEMA w/ 1/4" weep hole & pin, SN and ± 66 jts 2-3/8" tbg. SN @ $\pm 2,100'$, & EOT $\pm 2,130'$. ND WH. NU BOP.
7. TIH w/ 2" x 1-1/2" x 10' RWAC-Z pmp with strainer, 1-1/4" sinker bar, shear tool, 2 - 1-1/4" sinker bars, $\pm 81 - 3/4$ " Norris grade D rods & 1-1/4" x 16' PR w/ 1-1/2" x 8' liner. Note: Confirm pmp & PR liner lengths will work with 54" stoke ppg ut w/Pmp Co.
8. Install Enviro Pax stuffing box.
9. HWO.
10. Load tubing, PT to 500 psig and check pump action. RDMO PU.
11. RWTP.

Regulatory Requirements

None

Materials

2-3/8" x 30' OEMA

2" x 1-1/2" x 10' RWAC-Z-DV pump

Shear tool

3 sinker bars

Various rod subs

±81 -3/4" grade "D" rods w/5 molded guides per rod

Churchill LP 50-89-54T pumping unit

Kohler 18 hp gas engine

Enviro Pax stuffing box & ppg tee