

(SUBMIT IN TRIPLICATE)

Indian Agency Window Rock

		X	
	13		

UNITED STATES
DEPARTMENT OF THE INTERIOR.
GEOLOGICAL SURVEY

Allottee Navajo

Lease No. 14-20-603-735

SUNDRY NOTICES AND REPORTS ON WELLS RECEIVED

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Set Production Csg.</u>	XX

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 30, 1959

Well No. 4 is located 1980 ft. from N line and 1980 ft. from E line of sec. 13

G SW NE Section 13
(¼ Sec. and Sec. No.)

26N
(Twp.)

14W
(Range)

New Mexico PM
(Meridian)

Bisti-Gallup
(Field)

San Juan
(County or Subdivision)


New Mexico
(State or Territory)

The elevation of the ~~derrick floor~~ above sea level is 6357 ft.
Ground Level

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled to 5300' KB TD. Conditioned hole and ran 164 joints 5½", 14#, J-55 csg.-5297', equipped with centralizers, scratchers and Baker float equipment. Casing landed at 5295' KB and cemented with 100 sx 50/50 pozmix cement with 2% gel. Displaced cement to 5227' KB - max pressure 1500 psi. Ran temperature survey, found top of cement at 4860' KB.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The British-American Oil Producing Company

Address P. O. Box 180
Denver 1, Colorado

Original Signed by

By George W. Murphy

Title Assistant General Superintendent