

DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

☐ AMENDED REPORT

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

"AS DRILLED PLAT"

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-30633	² Pool Code 71599 / 72319	³ Pool Name BASIN DAKOTA/BLANCO MESAVERDE
⁴ Property Code 7462	⁵ Property Name SAN JUAN 28-6 UNIT	⁶ Well Number 206 P
⁷ GRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 6535'

¹⁰ Surface Location


UL or lot no. A	Section 10	Township 27N	Range 6W	Lot Idn	Feet from the 846'	North/South line NORTH	Feet from the 57'	East/West line EAST	County RIO ARRIBA
---------------------------	----------------------	------------------------	--------------------	---------	------------------------------	----------------------------------	-----------------------------	-------------------------------	-----------------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. B	Section 10	Township 27N	Range 6W	Lot Idn	Feet from the 570'	North/South line NORTH	Feet from the 1452'	East/West line EAST	County RIO ARRIBA
¹² Dedicated Acres 320.0 Acres - (E/2)		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No. RCVD SEP 16 '09 OIL CONS. DIV.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION **DIST. 3**

16



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.

Crystal Tafoya 9/10/09
Signature Date

Crystal Tafoya 9-10-09
Printed Name

¹⁸ SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 15, 2008

Date of Survey

Signature and Seal of Professional Surveyor

David R. Russell



DAVID RUSSELL

Certificate Number

10201

P.A.

to


ET

ConocoPhillips**COP Deviation Report**
SAN JUAN 28-6 UNIT #206PRCM SEP 15 '09
OIL CONG DIV


Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 28-6 UNIT #206P	API / UWI 3003930633	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 010-027N-006W-A	N/S Dist (ft) 846.00	N/S Ref FNL	E/W Dist (ft) 57.00	E/W Ref FEL

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
6/10/2009	272.00	0.27	MWD	Scientific Drilling	
6/10/2009	303.00	0.76	MWD	Scientific Drilling	
6/10/2009	334.00	1.95	MWD	Scientific Drilling	
6/10/2009	364.00	3.07	MWD	Scientific Drilling	
6/10/2009	395.00	3.91	MWD	Scientific Drilling	
6/10/2009	426.00	4.28	MWD	Scientific Drilling	
6/10/2009	457.00	5.41	MWD	Scientific Drilling	
6/10/2009	487.00	6.27	MWD	Scientific Drilling	
6/10/2009	517.00	6.98	MWD	Scientific Drilling	
6/10/2009	547.00	7.74	MWD	Scientific Drilling	
6/10/2009	578.00	8.41	MWD	Scientific Drilling	
6/10/2009	608.00	8.96	MWD	Scientific Drilling	
6/10/2009	639.00	9.90	MWD	Scientific Drilling	
6/10/2009	669.00	10.59	MWD	Scientific Drilling	
6/10/2009	700.00	11.72	MWD	Scientific Drilling	
6/10/2009	730.00	12.65	MWD	Scientific Drilling	
6/10/2009	760.00	13.44	MWD	Scientific Drilling	
6/10/2009	791.00	14.08	MWD	Scientific Drilling	
6/10/2009	822.00	14.74	MWD	Scientific Drilling	
6/11/2009	871.00	15.91	MWD	Scientific Drilling	
6/11/2009	916.00	16.75	MWD	Scientific Drilling	
6/11/2009	961.00	17.03	MWD	Scientific Drilling	
6/11/2009	1,006.00	17.50	MWD	Scientific Drilling	
6/11/2009	1,050.00	18.92	MWD	Scientific Drilling	
6/11/2009	1,096.00	19.80	MWD	Scientific Drilling	
6/11/2009	1,141.00	20.37	MWD	Scientific Drilling	
6/11/2009	1,186.00	19.08	MWD	Scientific Drilling	
6/11/2009	1,231.00	17.50	MWD	Scientific Drilling	
6/11/2009	1,276.00	16.65	MWD	Scientific Drilling	
6/11/2009	1,321.00	16.97	MWD	Scientific Drilling	
6/11/2009	1,366.00	16.97	MWD	Scientific Drilling	
6/11/2009	1,411.00	17.51	MWD	Scientific Drilling	
6/11/2009	1,456.00	18.00	MWD	Scientific Drilling	
6/11/2009	1,501.00	18.32	MWD	Scientific Drilling	
6/11/2009	1,545.00	19.40	MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report, and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this Sept 4, 2009


Notary Public in and for San Juan County, New Mexico

My Commission expires 10/12/2010

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
6/11/2009	1,590.00	20.41	MWD	Scientific Drilling
6/11/2009	1,635.00	21.11	MWD	Scientific Drilling
6/11/2009	1,680.00	21.90	MWD	Scientific Drilling
6/11/2009	1,725.00	21.82	MWD	Scientific Drilling
6/11/2009	1,770.00	22.28	MWD	Scientific Drilling
6/11/2009	1,816.00	22.90	MWD	Scientific Drilling
6/11/2009	1,861.00	23.05	MWD	Scientific Drilling
6/11/2009	1,906.00	23.65	MWD	Scientific Drilling
6/11/2009	1,951.00	24.37	MWD	Scientific Drilling
6/11/2009	2,040.00	24.65	MWD	Scientific Drilling
6/11/2009	2,130.00	24.77	MWD	Scientific Drilling
6/11/2009	2,220.00	24.07	MWD	Scientific Drilling
6/11/2009	2,310.00	23.33	MWD	Scientific Drilling
6/11/2009	2,400.00	24.07	MWD	Scientific Drilling
6/11/2009	2,490.00	23.86	MWD	Scientific Drilling
6/11/2009	2,580.00	23.67	MWD	Scientific Drilling
6/11/2009	2,670.00	25.03	MWD	Scientific Drilling
6/11/2009	2,760.00	26.29	MWD	Scientific Drilling
6/11/2009	2,850.00	26.08	MWD	Scientific Drilling
6/11/2009	2,940.00	24.94	MWD	Scientific Drilling
6/11/2009	3,030.00	25.55	MWD	Scientific Drilling
6/11/2009	3,075.00	25.53	MWD	Scientific Drilling
6/11/2009	3,120.00	24.63	MWD	Scientific Drilling
6/11/2009	3,165.00	23.90	MWD	Scientific Drilling
6/11/2009	3,210.00	23.45	MWD	Scientific Drilling
6/11/2009	3,255.00	22.65	MWD	Scientific Drilling
6/11/2009	3,345.00	20.55	MWD	Scientific Drilling
6/11/2009	3,390.00	20.01	MWD	Scientific Drilling
6/11/2009	3,435.00	18.84	MWD	Scientific Drilling
6/11/2009	3,480.00	17.54	MWD	Scientific Drilling
6/11/2009	3,525.00	17.96	MWD	Scientific Drilling
6/12/2009	3,570.00	18.69	MWD	Scientific Drilling
6/12/2009	3,615.00	18.98	MWD	Scientific Drilling
6/12/2009	3,660.00	19.11	MWD	Scientific Drilling
6/12/2009	3,705.00	18.47	MWD	Scientific Drilling
6/12/2009	3,750.00	18.41	MWD	Scientific Drilling
6/12/2009	3,795.00	18.13	MWD	Scientific Drilling
6/12/2009	3,840.00	18.87	MWD	Scientific Drilling
6/12/2009	3,885.00	18.53	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this Sept 4, 2009




Notary Public in and for San Juan County, New Mexico

My Commission expires 10/12/2010

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
6/12/2009	3,930.00	17.37	MWD	Scientific Drilling
6/12/2009	3,974.00	17.57	MWD	Scientific Drilling
6/12/2009	4,019.00	17.83	MWD	Scientific Drilling
6/12/2009	4,065.00	18.10	MWD	Scientific Drilling
6/12/2009	4,109.00	16.73	MWD	Scientific Drilling
6/12/2009	4,154.00	15.90	MWD	Scientific Drilling
6/12/2009	4,199.00	16.87	MWD	Scientific Drilling
6/12/2009	4,244.00	18.19	MWD	Scientific Drilling
6/12/2009	4,289.00	17.31	MWD	Scientific Drilling
6/12/2009	4,334.00	15.64	MWD	Scientific Drilling
6/12/2009	4,379.00	13.79	MWD	Scientific Drilling
6/12/2009	4,424.00	12.54	MWD	Scientific Drilling
6/12/2009	4,469.00	11.37	MWD	Scientific Drilling
6/12/2009	4,514.00	10.91	MWD	Scientific Drilling
6/12/2009	4,559.00	10.40	MWD	Scientific Drilling
6/12/2009	4,604.00	9.64	MWD	Scientific Drilling
6/12/2009	4,649.00	9.31	MWD	Scientific Drilling
6/12/2009	4,694.00	9.25	MWD	Scientific Drilling
6/14/2009	4,738.00	8.94	MWD	Scientific Drilling
6/14/2009	4,783.00	8.29	MWD	Scientific Drilling
6/14/2009	4,828.00	6.35	MWD	Scientific Drilling
6/14/2009	4,874.00	5.01	MWD	Scientific Drilling
6/14/2009	4,926.00	2.66	Extrap.	Scientific Drilling
6/24/2009	7,952.00	0.75	FINAL BHS	PHOENIX

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.




Subscribed and sworn to me this Sept 4, 2009



Notary Public in and for San Juan County, New Mexico

My Commission expires 10/12/2010



Scientific Drilling

BURLINGTON RESOURCES

Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-6 #206P
Wellpath: DH - Job #33D0609108
Survey: 06/09/09-06/14/09

API # 30.039.30633

Burlington Resources Oil & Gas Company, LP

RCVD SEP 16 '09

OIL CONS. DIV.


DIST. 3

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*Luhan*..... Company Representative

Notorized this date 7th of July, 2009.

Carrie Reed
Notary Signature
County of Midland
State of Texas





Scientific Drilling International Survey Report

Company: BURLINGTON RESOURCES	Date: 07/07/2009	Time: 10:22:57	Page: 1
Field: San Juan	Co-ordinate(NE) Reference:	Site: Rio Arriba County, NM, True North	
Site: Rio Arriba County, NM	Vertical (TVD) Reference:	SITE: 0.0	
Well: San Juan 28-6 #206P	Section (VS) Reference:	Well: (0.00N,0.00E,281.84Azi)	
Wellpath: DH - Job #33D0609108	Survey Calculation Method:	Minimum Curvature	
		Db:	Sybase

Survey: 06/09/09-06/14/09	Start Date: 06/09/2009
E-field 0'-4874'	
Company: Scientific Drilling Internatio	Engineer: Burrus/Webb/Clifton/Wagner/Ros
Tool: E-field,E-field	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
272.00	0.27	247.42	272.00	0.53	-0.25	-0.59	0.10	0.64	247.42
303.00	0.76	295.85	303.00	0.79	-0.18	-0.84	1.98	0.86	257.67
334.00	1.95	283.23	333.99	1.52	0.03	-1.54	3.93	1.54	270.96
364.00	3.07	290.24	363.96	2.82	0.42	-2.79	3.86	2.82	278.56
395.00	3.91	287.37	394.90	4.69	1.02	-4.58	2.77	4.69	282.59
426.00	4.28	291.25	425.82	6.89	1.76	-6.67	1.49	6.90	284.77
457.00	5.41	288.21	456.71	9.48	2.63	-9.13	3.74	9.51	286.09
487.00	6.27	286.39	486.56	12.52	3.54	-12.05	2.93	12.56	286.37
517.00	6.98	286.33	516.35	15.97	4.51	-15.37	2.37	16.02	286.36
547.00	7.74	284.36	546.11	19.80	5.53	-19.08	2.67	19.86	286.16
578.00	8.41	284.77	576.80	24.15	6.62	-23.29	2.17	24.21	285.87
608.00	8.96	284.08	606.46	28.68	7.75	-27.68	1.87	28.74	285.64
639.00	9.90	283.35	637.04	33.76	8.95	-32.61	3.06	33.82	285.35
669.00	10.59	283.92	666.56	39.09	10.21	-37.80	2.32	39.15	285.12
700.00	11.72	283.86	696.97	45.08	11.65	-43.62	3.65	45.15	284.95
730.00	12.65	282.75	726.30	51.41	13.11	-49.78	3.20	51.48	284.75
760.00	13.44	283.16	755.52	58.18	14.62	-56.38	2.65	58.25	284.54
791.00	14.08	283.23	785.63	65.55	16.31	-63.56	2.07	65.62	284.39
822.00	14.74	282.91	815.66	73.27	18.05	-71.07	2.14	73.33	284.25
871.00	15.91	280.09	862.91	86.21	20.62	-83.76	2.83	86.26	283.83
916.00	16.75	279.12	906.10	98.85	22.73	-96.24	1.96	98.89	283.29
961.00	17.03	279.74	949.16	111.92	24.87	-109.14	0.74	111.93	282.84
1006.00	17.50	278.98	992.13	125.26	27.04	-122.31	1.16	125.27	282.47
1050.00	18.92	277.97	1033.92	138.99	29.07	-135.91	3.31	138.99	282.07
1096.00	19.80	277.98	1077.32	154.20	31.18	-151.01	1.91	154.20	281.67
1141.00	20.37	278.98	1119.59	169.63	33.46	-166.30	1.48	169.63	281.38
1186.00	19.08	280.09	1161.95	184.80	35.97	-181.28	2.98	184.81	281.22
1231.00	17.50	279.49	1204.67	198.91	38.38	-195.19	3.54	198.93	281.12
1276.00	16.65	280.33	1247.69	212.12	40.65	-208.21	1.97	212.14	281.05
1321.00	16.97	279.91	1290.76	225.13	42.93	-221.02	0.76	225.15	280.99
1366.00	16.97	279.34	1333.80	238.25	45.13	-233.97	0.37	238.28	280.92
1411.00	17.51	279.55	1376.78	251.58	47.32	-247.12	1.21	251.61	280.84
1456.00	18.00	279.88	1419.64	265.29	49.64	-260.65	1.11	265.33	280.78
1501.00	18.32	278.97	1462.40	279.30	51.93	-274.49	0.95	279.35	280.71
1545.00	19.40	281.20	1504.03	293.52	54.43	-288.49	2.95	293.57	280.68
1590.00	20.41	282.08	1546.35	308.84	57.52	-303.49	2.34	308.89	280.73
1635.00	21.11	282.29	1588.42	324.79	60.89	-319.08	1.56	324.84	280.80
1680.00	21.90	282.09	1630.29	341.28	64.37	-335.20	1.76	341.33	280.87
1725.00	21.82	281.77	1672.06	358.04	67.84	-351.60	0.32	358.08	280.92
1770.00	22.28	281.62	1713.76	374.93	71.26	-368.14	1.03	374.97	280.96
1816.00	22.90	281.65	1756.23	392.60	74.82	-385.45	1.35	392.64	280.99
1861.00	23.05	281.42	1797.66	410.16	78.34	-402.66	0.39	410.21	281.01
1906.00	23.65	281.08	1838.98	428.00	81.82	-420.15	1.37	428.04	281.02
1951.00	24.37	281.03	1880.09	446.31	85.33	-438.12	1.60	446.35	281.02
2040.00	24.65	281.76	1961.07	483.23	92.62	-474.31	0.46	483.27	281.05
2130.00	24.77	281.34	2042.82	520.85	100.15	-511.17	0.24	520.89	281.09
2220.00	24.07	281.62	2124.77	558.06	107.56	-547.64	0.79	558.10	281.11
2310.00	23.33	281.16	2207.18	594.23	114.70	-583.10	0.85	594.28	281.13




Scientific Drilling International Survey Report

Company: BURLINGTON RESOURCES	Date: 07/07/2009	Time: 10:22:57	Page: 2
Field: San Juan	Co-ordinate(NE) Reference: Site: Rio Arriba County, NM, True North		
Site: Rio Arriba County, NM	Vertical (TVD) Reference: SITE 0.0		
Well: San Juan 28-6 #206P	Section (VS) Reference: Well (0.00N,0.00E,281.84Azi)		
Wellpath: DH - Job #33D0609108	Survey Calculation Method: Minimum Curvature	Db: Sybase	

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
2400.00	24.07	281.62	2289.59	630.40	121.85	-618.56	0.85	630.45	281.14
2490.00	23.86	280.48	2371.83	666.95	128.86	-654.44	0.56	667.00	281.14
2580.00	23.67	279.85	2454.20	703.21	135.26	-690.14	0.35	703.27	281.09
2670.00	25.03	280.76	2536.19	740.30	141.91	-726.64	1.57	740.37	281.05
2760.00	26.29	281.06	2617.32	779.27	149.28	-764.91	1.41	779.34	281.04
2850.00	26.08	281.16	2698.08	818.98	156.94	-803.88	0.24	819.06	281.05
2940.00	24.94	282.60	2779.31	857.73	164.91	-841.81	1.44	857.81	281.08
3030.00	25.55	282.47	2860.71	896.12	173.24	-879.28	0.68	896.18	281.15
3075.00	25.53	283.28	2901.31	915.51	177.56	-898.19	0.78	915.57	281.18
3120.00	24.63	284.63	2942.07	934.57	182.15	-916.70	2.37	934.63	281.24
3165.00	23.90	283.44	2983.09	953.05	186.64	-934.64	1.95	953.10	281.29
3210.00	23.45	282.42	3024.31	971.12	190.69	-952.25	1.35	971.16	281.32
3255.00	22.65	281.21	3065.71	988.74	194.30	-969.50	2.07	988.77	281.33
3345.00	20.55	278.96	3149.39	1021.84	200.13	-1002.10	2.51	1021.89	281.29
3390.00	20.01	277.83	3191.60	1037.41	202.41	-1017.53	1.48	1037.47	281.25
3435.00	18.84	277.33	3234.04	1052.34	204.38	-1032.37	2.63	1052.40	281.20
3480.00	17.54	275.73	3276.79	1066.32	205.99	-1046.32	3.09	1066.40	281.14
3525.00	17.96	275.85	3319.65	1079.97	207.37	-1059.97	0.94	1080.06	281.07
3570.00	18.69	275.85	3362.36	1094.04	208.81	-1074.04	1.62	1094.15	281.00
3615.00	18.98	279.94	3404.96	1108.52	210.81	-1088.43	3.00	1108.65	280.96
3660.00	19.11	282.03	3447.49	1123.20	213.61	-1102.84	1.54	1123.33	280.96
3705.00	18.47	284.80	3490.10	1137.69	216.96	-1116.93	2.44	1137.81	280.99
3750.00	18.41	285.56	3532.79	1151.90	220.69	-1130.67	0.55	1152.01	281.04
3795.00	18.13	286.16	3575.52	1165.97	224.55	-1144.24	0.75	1166.07	281.10
3840.00	18.87	285.04	3618.19	1180.22	228.38	-1157.99	1.82	1180.30	281.16
3885.00	18.53	286.73	3660.82	1194.61	232.33	-1171.87	1.42	1194.68	281.21
3930.00	17.37	286.86	3703.63	1208.42	236.34	-1185.15	2.58	1208.48	281.28
3974.00	17.57	287.99	3745.60	1221.57	240.29	-1197.75	0.89	1221.62	281.34
4019.00	17.83	289.60	3788.47	1235.15	244.70	-1210.70	1.23	1235.18	281.43
4065.00	18.10	287.20	3832.22	1249.24	249.18	-1224.16	1.71	1249.26	281.51
4109.00	16.73	283.88	3874.21	1262.38	252.72	-1236.84	3.85	1262.39	281.55
4154.00	15.90	281.25	3917.40	1275.01	255.47	-1249.17	2.47	1275.03	281.56
4199.00	16.87	278.75	3960.57	1287.70	257.67	-1261.67	2.66	1287.71	281.54
4244.00	18.19	279.99	4003.48	1301.24	259.88	-1275.04	3.05	1301.26	281.52
4289.00	17.31	280.40	4046.33	1314.95	262.31	-1288.55	1.98	1314.97	281.51
4334.00	15.64	279.11	4089.49	1327.70	264.48	-1301.12	3.80	1327.73	281.49
4379.00	13.79	278.19	4133.01	1339.12	266.20	-1312.42	4.14	1339.14	281.47
4424.00	12.54	278.99	4176.82	1349.35	267.73	-1322.55	2.81	1349.38	281.44
4469.00	11.37	278.89	4220.85	1358.66	269.18	-1331.76	2.60	1358.69	281.43
4514.00	10.91	278.38	4265.00	1367.34	270.48	-1340.36	1.05	1367.38	281.41
4559.00	10.40	278.41	4309.22	1375.64	271.70	-1348.59	1.13	1375.69	281.39
4604.00	9.64	277.10	4353.54	1383.45	272.76	-1356.35	1.76	1383.50	281.37
4649.00	9.31	277.02	4397.92	1390.83	273.67	-1363.70	0.73	1390.89	281.35
4694.00	9.25	276.04	4442.33	1398.06	274.50	-1370.91	0.38	1398.12	281.32
4738.00	8.94	271.76	4485.78	1404.94	274.97	-1377.84	1.69	1405.01	281.29
4783.00	8.29	273.00	4530.27	1411.59	275.25	-1384.57	1.50	1411.67	281.24
4828.00	6.35	274.76	4574.90	1417.27	275.63	-1390.29	4.34	1417.35	281.21
4874.00	5.01	276.36	4620.68	1421.79	276.06	-1394.83	2.93	1421.88	281.20



Scientific
Drilling

Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-6 #206P
Wellpath: DH - Job #33D0609108
Survey: 06/09/09-06/14/09



Azimuths to True North
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 07/07/2009
Model: igrf2000

