District 1 1625 N. Frênci, Dr., Mobbs, NM 88240 Distract II 1301 W Grand Ave , Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

<u>District III</u>	1220 South St. Franc	is Dr.		
1000 Rio Brazos Rd , Aztec, NM 87410	Santa Fe, NM 875	O5 For permanent pits and exceptions submit to the Santa Fe		
<u>District IV</u>		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office		
1220 S St Francis Dr , Santa Fe, NM 87505	ni ci ii c			
10/01	Pit, Closed-Loop System, Be			
Prop	osed Alternative Method Perm	it or Closure Plan Application		
Type of action:	Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method			
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method			
•	Modification to an existing permit			
	Closure plan only submitted for an ex below-grade tank, or proposed alternative control of the c	isting permitted or non-permitted pit, closed-loop system, itive method		
Instructions: Please submit one a	pplication (Form C-144) per individual p	it, closed-loop system, below-grade tank or alternative request		
Please be advised that approval of	of this request does not relieve the operator of liability sh	ould operations result in pollution of surface water, ground water or the		
environment Nor does approval reli	ieve the operator of its responsibility to comply with any	other applicable governmental authority's rules, regulations or ordinances		
Operator: ConocoPhillips Company	,	OGRID#: 21781 7		
Address: PO Box 4289, Farmington				
Facility or well name: San Juan 29-	6 Unit 20			
API Number: 36	0-039-07652 OCD	Permit Number:		
U/L or Qtr/Qtr: K(NE/SW) Section	on: 8 Township: 29N	Range: 6W County: Rio Arriba		
Center of Proposed Design: Latitude:		ngitude: 107.488403 °W NAD: x 1927 1983		
Surface Owner:		rust or Indian Allotment		
Tederal		Table of Middle		
Pit: Subsection F or G of 19.15.17	7.11 NMAC			
Temporary: Drilling Wor	kover	,		
Permanent Emergency C	Cavitation P&A			
Lined Unlined Li	iner type: Thickness mil	LLDPE HDPE PVC Other		
String-Reinforced				
	actory Other Vol	ume. bbl Dimensions L x W x D		
Emer scams. Welded Fr	totory	unie. 001 Dimensions L x w x D		
X Closed-loop System: Subsect Type of Operation. X P&A		ing (Applies to activities which require prior approval of a permit or		
	notice of intent)			
	and Steel Tanks Haul-off Bins Of			
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other				
Liner Seams: Welded Fa	actory Other			
4				
Below-grade tank: Subsection	I of 19.15.17.11 NMAC			
Volume: b	obl Type of fluid:			
Tank Construction material:		İ		
Secondary containment with leak de	tection Visible sidewalls, liner. 6-in	ch lift and automatic overflow shut-off		
Visible sidewalls and liner Visible sidewalls only Other				
Liner Type: Thickness mil HDPE PVC Other				
Zana Type. Thickness		L 5		
5 Alternative Method:				

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify				
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
 NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No			
Within a 100-year floodplain - FEMA map	Yes No			

Hydrogeologic Report (Below operate Touls) - Insect algore the requirements of Faragraph (2) of Saluscation B of 19.15.17 9 MMAC	Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydropoologic Data Cremporary and Emispecys Pits) - based upon the requirements of Pasagaph (20 of Subsection B of 39 15.17.9	4 <u> </u>				
Swing Cutern Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC					
Design Plan - Jased upon the appropriate requirements of 19 15 17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17:12 NMAC					
Course Plan (Pease complete Boses 14 through 18, if applicable) - based upon the appropriate regularments of Subsection C of 19.15.17.9 NMAC and 19.15.17.3 NMAC and 1					
19.15.17.9 NNAC and 19.15.17.18 NNAC					
Closed-loop Systems Pernit Application Attachment Checklists: Subsection N of 1915,179 NMAC					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NNAC Goologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	Previously Approved Design (attach copy of design) API or Permit				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9				
Solution of Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NAMC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design)					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC attach copy of design)					
NAMC and 19.15.7/13 NMAC Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan	1 				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC	Previously Approved Design (attach copy of design) API				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 MMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.19 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC Climatological Factors Assessment Certificed Engineering Design Phans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Emergency Cavitation XP&A Permanent Pit Below-grade Tank XClosed-loop System Alternative Proposed Closure: 19.15.17.13 NMAC Maste Removal (Closed-loop systems only) One-site Closure Method (only for temporary pits and closed-loop systems) One-site Closure Method (Closed-loop systems only) One-site Closure Method (Only for temporary pits and closed-loop systems) One-site Closure dethod (Closed-loop systems only) One-site Closure dethod (Closed-loop pos	Previously Approved Operating and Maintenance Plan API				
Hydrogeologic Report - based upon the requirements of Patagraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compfiance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Critified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Lieak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Lieak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control(Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Precedent and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Golffield Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Closure Method (only for temporary pits and closed-loop systems) In-place Burnal On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burnal On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burnal On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burnal On-site Closure Metho	Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Cimitatological Factors Assessment Certifice Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freboard and Overtoping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Proposed Closure: 19.15 17.13 NMAC Proposed Closure plan.					
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Stuctural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Precboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Enosion Control Plan Enosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Tenoseed Closure: 19.15 17.13 NMAC Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) Implace Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Waste Excavation and Removal Closed-loop systems must be submitted to the Santa Fe Environmental Bureau for consideration Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.					
Dike Protection and Structural Integrity Design based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.12 NMAC Prevantion and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Prevantion Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation X]P&A Permanent Pit Below-grade Tank X]Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X]Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) Im-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Distructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection					
Leak Detection Design - based upon the appropriate requirements of 19.15 17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation XIP&A Permanent Pit Below-grade Tank XIClosed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal XIP&A Permanent Pit Below-grade Tank XIClosed-loop System Alternative On-site Closure Method (only for temporary pits and closed-loop systems) On-site Closure Method (only for temporary pits and closed-loop systems) Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Maste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subse	Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Baxes 14 through 18, in regards to the proposed closure plan. Type:					
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Errosion Control Plan Errosion E					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Proposed Closure: 19.15 17.13 NMAC Proposed Closure: 19.15 17.13 NMAC Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Excavation Maintenative Proposed Closure Method: Maste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Bural On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the	-				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC 14					
Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC					
Gil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC 14					
Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	Emergency Response Plan				
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Proposed Closure: 19.15 17.13 NMAC	Oil Field Waste Stream Characterization				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15.17 13 NMAC Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type:					
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation X P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative					
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type:	Closure Fian - based upon the appropriate requirements of Subsection C of 17.13 17.9 NMAC and 19.13.17 13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Alternative					
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)					
S Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burnal	,				
In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) 15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	·				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration) Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	In-place Burial On-site Trench				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC 					
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 3 of 5

16					
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste Instructions. Please identify the facility or facilities for the disposal of liquids, drilling are required	el <u>Tanks or Haul-off Bins Only:</u> (19 15.17 13 D NMAC) of fluids and drill cuttings. Use attachment if more than two fa	c dities			
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit # NM-01-0011 / NM-01-00	10B			
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	es occur on or in areas that will not be used for future se	rvice and operations?			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Sania Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19.15 17 10 NMAC for guidance					
Ground water is less than 50 feet below the bottom of the buried waste.	,	Yes No			
- NM Office of the State Engineer - 1WATERS database search; USGS: Data obt	ained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	е	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obta	nined from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search, USGS; Data obta	nined from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significance (measured from the ordinary high-water mark).	Yes No				
- Topographic map, Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site; Aerial photo; satellite image		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended					
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site 		Yes No			
Within the area overlying a subsurface mine.	proposed site	□Yes □No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division				
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & N	Ineral Resources; USGS; NM Geological Society;	Yes No			
Topographic map Within a 100-year floodplain FEMA map		Yes No			
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closur	e plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropria	te requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Soil Cover Design - based upon the appropriate requirements of Subse Re-vegetation Plan - based upon the appropriate requirements of Subse					
Site Reclamation Plan - based upon the appropriate requirements of Su					

Form C-144 Oil Conservation Division Page 4 of 5

19	
Operator Application Certification:	
I Hereby certify that the information submitted with this application is true, acc	curate and complete to the best of my knowledge and belief
Name (Print): Jamie Goodwin	Title: Regulatory Technician
Signature () 0 m le (700 dw cw	Date9//(p/09
e-mail address: Jamie L.Goodwin@conocophillips.com	Telephone 505-326-9784
20	
OCD Approval: Permit Application (including closure plan)	Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: 18-5-09
Och Representative Signature.	Approval Date: (02)-01
Title: Eurico/spec	OCD Permit Number:
21	
Closure Report (required within 60 days of closure completion): Su	
	to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the complet approved closure plan has been obtained and the closure activities have been	tion of the closure activities. Please do not complete this section of the form until an completed.
THE COURSE PROFESSION OF THE CONTINUE WITH THE COURT OF THE COURT	Closure Completion Date:
	Closure Completion Date.
22 ~	,
Closure Method:	
Waste Excavation and Removal On-site Closure Method	Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain	
23	
Closure Report Regarding Waste Removal Closure For Closed-loop System	ms That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
	illing fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.	
Disposal Facility Name	Disposal Facility Permit Number.
Disposal Facility Name:	Disposal Facility Permit Number.
Were the closed-loop system operations and associated activities performed	d on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	∐No
Required for impacted areas which will not be used for future service and	operations:
Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
	llowing items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude:	Longitude: NAD 1927 1983
	1.00
25	
Operator Closure Certification:	
	ire report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions	specified in the approved closure plan.
Name (Print):	Title:
Signature.	Date:
7-11	Talambana
e-mail address:	Telephone:

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

, 10 mg

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.