

District I
1625 N. French Dr., Hobbs, NM 88240

District II
1301 W Grand Avenue, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

"AS DRILLED PLAT"

RCVD NOV 25 '08

WELL LOCATION AND ACREAGE DEDICATION PLAT OIL CONS. DIV.

*API Number 30-039-30446	*Pool Code 72319 / 71599	*Pool Name DIST. 3 BLANCO MESAVERDE / BASIN DAKOTA
*Property Code 7460	*Property Name SAN JUAN 28-5 UNIT	*Well Number 91N
*GRID No 14538	*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY, LP	*Elevation 6982'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	14	28N	5W		1425	NORTH	910	WEST	RIO ARriba

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	14	28N	5W		1182	NORTH	2186	WEST	RIO ARriba


¹² Dedicated Acres
320.0 Acres - N/2 (MV)
320.0 Acres - W/2 (DK)

¹³ Joint or Infill

¹⁴ Consolidation Code

¹⁵ Order No

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.


Crystal Tafoya 11/20/09
Signature Date
Crystal Tafoya 11/20/09
Printed Name

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Survey Date: AUGUST 29, 2007

Signature and Seal of Professional Surveyor



Jason C. Edwards
Certificate Number 15269

HOLD OVER FOR REVISION TO T.D.

Legal WellName : SAN JUAN 28-5 UNIT #91N	API / UWI: 3003930446
Operator: BURLINGTON RESOURCES OIL & GAS COMPANY	Surf Loc: 014-028N-005W-E
St/Prov: NEW MEXICO	N/S Dist (ft): 1,425.00 - FNL
County: RIO ARRIBA	E/W Dist (ft): 910.00 - FWL

Wellbore Name : Original Hole

Description	Date	MD Tie In (ft)	Inclination Tie In (°)	Azimuth Tie In (°)
INCLINATION SURVEYS	08/11/2008	.00	.00	.00

Date	MD (ft)	Incl (°)	Azm (°)	Method	Survey Company
08/11/2008	145.00	1.50	.00	Inc-Drop	MOTE
08/11/2008	270.00	2.00	.00	Inc-Drop	MOTE

Description	Date	MD Tie In (ft)	Inclination Tie In (°)	Azimuth Tie In (°)
MWD SURVEYS	07/28/2009	.00	.00	.00

Date	MD (ft)	Incl (°)	Azm (°)	Method	Survey Company
07/28/2009	305.00	2.43	265.40	MWD	Scientific Drilling
07/28/2009	335.00	1.84	256.64	MWD	Scientific Drilling
07/28/2009	366.00	1.18	247.88	MWD	Scientific Drilling
07/28/2009	397.00	.42	232.86	MWD	Scientific Drilling
07/28/2009	428.00	.94	90.36	MWD	Scientific Drilling
07/28/2009	459.00	1.92	91.91	MWD	Scientific Drilling
07/28/2009	489.00	2.83	84.53	MWD	Scientific Drilling
07/28/2009	520.00	3.64	81.54	MWD	Scientific Drilling
07/28/2009	550.00	4.28	79.12	MWD	Scientific Drilling
07/28/2009	580.00	5.31	75.49	MWD	Scientific Drilling
07/28/2009	611.00	6.23	76.95	MWD	Scientific Drilling
07/28/2009	641.00	7.52	74.82	MWD	Scientific Drilling
07/28/2009	672.00	8.26	73.98	MWD	Scientific Drilling
07/28/2009	703.00	8.98	75.27	MWD	Scientific Drilling
07/28/2009	734.00	10.13	74.61	MWD	Scientific Drilling
07/28/2009	765.00	11.12	73.63	MWD	Scientific Drilling
07/28/2009	796.00	12.03	74.37	MWD	Scientific Drilling
07/28/2009	827.00	13.11	74.06	MWD	Scientific Drilling
07/28/2009	857.00	14.09	74.20	MWD	Scientific Drilling
07/28/2009	888.00	15.52	74.38	MWD	Scientific Drilling
07/28/2009	919.00	16.07	75.52	MWD	Scientific Drilling
07/28/2009	950.00	17.24	74.84	MWD	Scientific Drilling
07/28/2009	981.00	18.23	76.13	MWD	Scientific Drilling
07/28/2009	1,012.00	19.44	77.04	MWD	Scientific Drilling
07/28/2009	1,045.00	20.29	78.22	MWD	Scientific Drilling
07/28/2009	1,077.00	20.84	80.07	MWD	Scientific Drilling
07/28/2009	1,108.00	21.64	80.61	MWD	Scientific Drilling

07/29/2009	1,171.00	22.14	80.89	MWD	Scientific Drilling
07/29/2009	1,234.00	22.33	80.62	MWD	Scientific Drilling
07/29/2009	1,297.00	22.91	80.20	MWD	Scientific Drilling
07/29/2009	1,360.00	23.72	79.72	MWD	Scientific Drilling
07/29/2009	1,423.00	24.45	79.25	MWD	Scientific Drilling
07/29/2009	1,486.00	24.49	80.26	MWD	Scientific Drilling
07/29/2009	1,549.00	24.71	79.73	MWD	Scientific Drilling
07/29/2009	1,612.00	25.43	78.76	MWD	Scientific Drilling
07/29/2009	1,675.00	25.40	79.43	MWD	Scientific Drilling
07/29/2009	1,738.00	24.69	81.38	MWD	Scientific Drilling
07/29/2009	1,801.00	22.89	80.70	MWD	Scientific Drilling
07/29/2009	1,864.00	23.24	80.24	MWD	Scientific Drilling
07/29/2009	1,927.00	23.57	80.76	MWD	Scientific Drilling
07/29/2009	1,989.00	23.90	81.52	MWD	Scientific Drilling
07/29/2009	2,052.00	24.65	81.61	MWD	Scientific Drilling
07/29/2009	2,115.00	24.92	81.53	MWD	Scientific Drilling
07/29/2009	2,179.00	24.79	80.99	MWD	Scientific Drilling
07/29/2009	2,242.00	24.71	79.98	MWD	Scientific Drilling
07/29/2009	2,305.00	25.19	80.30	MWD	Scientific Drilling
07/29/2009	2,368.00	24.85	80.08	MWD	Scientific Drilling
07/29/2009	2,431.00	25.10	80.06	MWD	Scientific Drilling
07/29/2009	2,493.00	24.67	79.01	MWD	Scientific Drilling
07/29/2009	2,556.00	23.49	77.70	MWD	Scientific Drilling
07/29/2009	2,619.00	23.19	76.80	MWD	Scientific Drilling
07/29/2009	2,682.00	23.00	76.85	MWD	Scientific Drilling
07/29/2009	2,746.00	22.60	76.62	MWD	Scientific Drilling
07/29/2009	2,809.00	22.63	76.14	MWD	Scientific Drilling
07/30/2009	2,872.00	22.69	76.92	MWD	Scientific Drilling
07/30/2009	2,935.00	22.47	78.36	MWD	Scientific Drilling
07/30/2009	2,998.00	22.43	79.47	MWD	Scientific Drilling
07/30/2009	3,060.00	22.65	79.71	MWD	Scientific Drilling
07/30/2009	3,124.00	22.40	80.16	MWD	Scientific Drilling
07/30/2009	3,186.00	22.18	80.40	MWD	Scientific Drilling
07/30/2009	3,250.00	22.09	79.77	MWD	Scientific Drilling
07/30/2009	3,313.00	22.10	79.86	MWD	Scientific Drilling
07/30/2009	3,376.00	21.82	79.94	MWD	Scientific Drilling
07/30/2009	3,439.00	22.15	79.71	MWD	Scientific Drilling
07/30/2009	3,502.00	22.52	79.70	MWD	Scientific Drilling
07/30/2009	3,565.00	22.80	79.91	MWD	Scientific Drilling
07/30/2009	3,596.00	23.27	79.69	MWD	Scientific Drilling
07/30/2009	3,628.00	22.86	79.87	MWD	Scientific Drilling
07/30/2009	3,660.00	21.50	80.78	MWD	Scientific Drilling
07/30/2009	3,692.00	20.69	80.70	MWD	Scientific Drilling
07/30/2009	3,723.00	19.76	80.53	MWD	Scientific Drilling
07/30/2009	3,755.00	19.59	80.53	MWD	Scientific Drilling
07/30/2009	3,786.00	18.90	78.93	MWD	Scientific Drilling
07/30/2009	3,818.00	18.22	79.71	MWD	Scientific Drilling
07/30/2009	3,849.00	17.98	79.31	MWD	Scientific Drilling
07/30/2009	3,880.00	16.79	78.79	MWD	Scientific Drilling

07/30/2009	3,912.00	16.09	78.02	MWD	Scientific Drilling
07/30/2009	3,943.00	14.98	78.13	MWD	Scientific Drilling
07/30/2009	3,974.00	13.39	77.18	MWD	Scientific Drilling
07/30/2009	4,006.00	11.96	77.35	MWD	Scientific Drilling
07/30/2009	4,037.00	11.22	76.60	MWD	Scientific Drilling
07/30/2009	4,069.00	10.74	77.31	MWD	Scientific Drilling
07/31/2009	4,101.00	9.72	76.33	MWD	Scientific Drilling
07/31/2009	4,132.00	8.73	78.16	MWD	Scientific Drilling
07/31/2009	4,164.00	7.96	77.71	MWD	Scientific Drilling
07/31/2009	4,194.00	7.31	77.56	MWD	Scientific Drilling
07/31/2009	4,227.00	7.32	77.08	MWD	Scientific Drilling
07/31/2009	4,259.00	7.16	77.59	MWD	Scientific Drilling
07/31/2009	4,290.00	6.89	76.43	MWD	Scientific Drilling
07/31/2009	4,321.00	6.35	79.91	MWD	Scientific Drilling
07/31/2009	4,353.00	5.72	82.36	MWD	Scientific Drilling
07/31/2009	4,384.00	5.26	84.95	MWD	Scientific Drilling
07/31/2009	4,412.00	4.40	87.93	MWD	Scientific Drilling
Description	Date	MD Tie In (ft)	Inclination Tie In (°)	Azimuth Tie In (°)	
FINAL BH SURVEY	08/17/2009	.00	.00	.00	
Date	MD (ft)	Incl (°)	Azm (°)	Method	Survey Company
08/17/2009	8,505.00	1.00	.00	Inc-WL	PHOENIX

I, the undersigned, certify that I, acting in my capacity as Drilling Engineer for ConocoPhillips Company am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.


Al Galt

Subscribed and sworn to me this November 20, 2009

Crystal L. Tafaya

Notary Public in and for San Juan County, New Mexico

My Commission expires 10/12/2010



Scientific Drilling

BURLINGTON RESOURCES

Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-5 #91N
Wellpath: DH - Job #33D0709128
Survey: 07/26/09-08/02/09
API # 30.039.30446


This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*Fluhart*..... Company Representative

Notorized this date 12th of August, 2009.

Carrie Reed

Notary Signature
County of Midland
State of Texas





Scientific Drilling International

Survey Report

Company: BURLINGTON RESOURCES
 Field: San Juan
 Site: Rio Arriba County, NM
 Well: San Juan 28-5 #91N
 Wellpath: DH - Job #33D0709128

Date: 08/12/2009 Time: 09:53:22 Page: 1
 Co-ordinate(NE) Reference: Site: Rio Arriba County, NM, True North
 Vertical (TVD) Reference: SITE 0.0
 Section (VS) Reference: Well (0.00N,0.00E,79.87Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: 07/26/09-08/02/09

Start Date: 07/26/2009

E-field 0'-4412'

Company: Scientific Drilling Internatio

Engineer:

Burrus/Webb/Lockard/Blosser/Wa

Tool: E-field;E-field

Tied-to:

From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
305.00	2.43	265.40	304.91	-6.44	-0.52	-6.45	0.80	6.47	265.40
335.00	1.84	256.64	334.89	-7.55	-0.68	-7.55	2.24	7.58	264.85
366.00	1.18	247.88	365.88	-8.36	-0.92	-8.33	2.25	8.38	263.72
397.00	0.42	232.86	396.87	-8.77	-1.10	-8.71	2.52	8.78	262.77
428.00	0.94	90.36	427.87	-8.62	-1.18	-8.55	4.19	8.63	262.18
459.00	1.92	91.91	458.86	-7.87	-1.19	-7.78	3.16	7.87	261.27
489.00	2.83	84.53	488.84	-6.64	-1.14	-6.54	3.19	6.64	260.11
520.00	3.64	81.54	519.79	-4.89	-0.92	-4.80	2.67	4.89	259.13
550.00	4.28	79.12	549.71	-2.82	-0.57	-2.76	2.20	2.82	258.32
580.00	5.31	75.49	579.61	-0.32	-0.01	-0.32	3.58	0.32	267.86
611.00	6.23	76.95	610.45	2.79	0.73	2.71	3.01	2.80	74.97
641.00	7.52	74.82	640.24	6.38	1.61	6.19	4.38	6.40	75.43
672.00	8.26	73.98	670.94	10.61	2.75	10.29	2.42	10.65	75.01
703.00	8.98	75.27	701.59	15.24	3.98	14.77	2.40	15.30	74.90
734.00	10.13	74.61	732.16	20.36	5.32	19.74	3.73	20.44	74.91
765.00	11.12	73.63	762.63	26.05	6.89	25.23	3.25	26.16	74.73
796.00	12.03	74.37	793.00	32.24	8.60	31.21	2.97	32.38	74.59
827.00	13.11	74.06	823.26	38.95	10.44	37.70	3.49	39.12	74.53
857.00	14.09	74.20	852.41	45.97	12.37	44.49	3.27	46.18	74.47
888.00	15.52	74.38	882.38	53.86	14.51	52.12	4.62	54.10	74.44
919.00	16.07	75.52	912.21	62.26	16.70	60.26	2.04	62.54	74.51
950.00	17.24	74.84	941.91	71.12	18.97	68.85	3.83	71.42	74.59
981.00	18.23	76.13	971.44	80.53	21.34	77.99	3.44	80.86	74.70
1012.00	19.44	77.04	1000.78	90.52	23.66	87.73	4.02	90.86	74.91
1045.00	20.29	78.22	1031.81	101.73	26.06	98.68	2.85	102.06	75.21
1077.00	20.84	80.07	1061.78	112.97	28.17	109.72	2.66	113.28	75.60
1108.00	21.64	80.61	1090.67	124.20	30.06	120.79	2.66	124.48	76.03
1171.00	22.14	80.89	1149.13	147.68	33.83	143.97	0.81	147.90	76.78
1234.00	22.33	80.62	1207.44	171.52	37.66	167.50	0.34	171.69	77.33
1297.00	22.91	80.20	1265.60	195.75	41.70	191.40	0.96	195.89	77.71
1360.00	23.72	79.72	1323.45	220.68	46.05	215.95	1.32	220.80	77.96
1423.00	24.45	79.25	1380.97	246.39	50.74	241.23	1.20	246.50	78.12
1486.00	24.49	80.26	1438.31	272.48	55.38	266.90	0.67	272.59	78.28
1549.00	24.71	79.73	1495.59	298.71	59.94	292.73	0.49	298.80	78.43
1612.00	25.43	78.76	1552.65	325.40	64.92	318.96	1.32	325.50	78.49
1675.00	25.40	79.43	1609.56	352.44	70.04	345.50	0.46	352.53	78.54
1738.00	24.69	81.38	1666.63	379.10	74.49	371.80	1.73	379.19	78.67
1801.00	22.89	80.70	1724.28	404.51	78.44	396.90	2.89	404.58	78.82
1864.00	23.24	80.24	1782.24	429.19	82.53	421.24	0.62	429.25	78.92
1927.00	23.57	80.76	1840.06	454.21	86.66	445.92	0.62	454.26	79.00
1989.00	23.90	81.52	1896.82	479.16	90.50	470.58	0.73	479.20	79.11
2052.00	24.65	81.61	1954.24	505.05	94.30	496.20	1.19	505.08	79.24
2115.00	24.92	81.53	2011.44	531.45	98.17	522.32	0.43	531.47	79.36
2179.00	24.79	80.99	2069.51	558.34	102.26	548.91	0.41	558.36	79.45
2242.00	24.71	79.98	2126.73	584.71	106.62	574.92	0.68	584.73	79.49
2305.00	25.19	80.30	2183.85	611.29	111.17	601.11	0.79	611.30	79.52
2368.00	24.85	80.08	2240.94	637.93	115.71	627.36	0.56	637.94	79.55
2431.00	25.10	80.06	2298.04	664.53	120.29	653.56	0.40	664.54	79.57




Scientific Drilling International Survey Report

Company: BURLINGTON RESOURCES
Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-5 #91N
Wellpath: DH - Job #33D0709128

Date: 08/12/2009 Time: 09:53:22 Page: 2
Co-ordinate(NE) Reference: Site: Rio Arriba County, NM, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,79.87Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
2493.00	24.67	79.01	2354.29	690.62	125.03	679.22	0.99	690.63	79.57
2556.00	23.49	77.70	2411.80	716.32	130.21	704.39	2.06	716.33	79.53
2619.00	23.19	76.80	2469.65	741.25	135.72	728.74	0.74	741.27	79.45
2682.00	23.00	76.85	2527.60	765.93	141.35	752.80	0.30	765.96	79.37
2746.00	22.60	76.62	2586.60	790.69	147.04	776.94	0.64	790.73	79.28
2809.00	22.63	76.14	2644.76	814.87	152.75	800.48	0.30	814.93	79.20
2872.00	22.69	76.92	2702.89	839.10	158.40	824.09	0.49	839.17	79.12
2935.00	22.47	78.36	2761.06	863.27	163.58	847.71	0.94	863.35	79.08
2998.00	22.43	79.47	2819.29	887.32	168.20	871.32	0.68	887.41	79.07
3060.00	22.65	79.71	2876.55	911.09	172.50	894.70	0.38	911.17	79.09
3124.00	22.40	80.16	2935.67	935.61	176.78	918.84	0.47	935.69	79.11
3186.00	22.18	80.40	2993.04	959.12	180.75	942.02	0.38	959.20	79.14
3250.00	22.09	79.77	3052.32	983.24	184.91	965.77	0.40	983.31	79.16
3313.00	22.10	79.86	3110.69	1006.93	189.10	989.09	0.06	1007.01	79.18
3376.00	21.82	79.94	3169.12	1030.49	193.23	1012.29	0.45	1030.57	79.19
3439.00	22.15	79.71	3227.54	1054.08	197.40	1035.50	0.54	1054.15	79.21
3502.00	22.52	79.70	3285.82	1078.02	201.67	1059.06	0.59	1078.09	79.22
3565.00	22.80	79.91	3343.95	1102.29	205.97	1082.95	0.46	1102.36	79.23
3596.00	23.27	79.69	3372.48	1114.42	208.12	1094.88	1.54	1114.49	79.24
3628.00	22.86	79.87	3401.92	1126.96	210.34	1107.22	1.30	1127.02	79.24
3660.00	21.50	80.78	3431.55	1139.04	212.38	1119.13	4.38	1139.10	79.25
3692.00	20.69	80.70	3461.41	1150.55	214.23	1130.50	2.53	1150.62	79.27
3723.00	19.76	80.53	3490.50	1161.27	215.98	1141.07	3.01	1161.33	79.28
3755.00	19.59	80.53	3520.63	1172.04	217.75	1151.70	0.53	1172.10	79.29
3786.00	18.90	78.93	3549.90	1182.26	219.57	1161.75	2.80	1182.32	79.30
3818.00	18.22	79.71	3580.23	1192.44	221.46	1171.76	2.26	1192.50	79.30
3849.00	17.98	79.31	3609.70	1202.07	223.21	1181.23	0.87	1202.13	79.30
3880.00	16.79	78.79	3639.28	1211.34	224.97	1190.32	3.87	1211.40	79.30
3912.00	16.09	78.02	3669.97	1220.39	226.79	1199.20	2.29	1220.45	79.29
3943.00	14.98	78.13	3699.84	1228.69	228.50	1207.32	3.58	1228.75	79.28
3974.00	13.39	77.18	3729.89	1236.28	230.12	1214.74	5.18	1236.35	79.27
4006.00	11.96	77.35	3761.11	1243.29	231.67	1221.59	4.47	1243.36	79.26
4037.00	11.22	76.60	3791.48	1249.51	233.07	1227.66	2.44	1249.59	79.25
4069.00	10.74	77.31	3822.90	1255.60	234.45	1233.59	1.56	1255.68	79.24
4101.00	9.72	76.33	3854.39	1261.27	235.74	1239.13	3.23	1261.35	79.23
4132.00	8.73	78.16	3884.99	1266.24	236.85	1243.97	3.33	1266.32	79.22
4164.00	7.96	77.71	3916.65	1270.88	237.82	1248.51	2.41	1270.96	79.22
4196.00	7.31	77.56	3948.36	1275.13	238.73	1252.67	2.03	1275.21	79.21
4227.00	7.32	77.08	3979.11	1279.07	239.59	1256.52	0.20	1279.16	79.20
4259.00	7.16	77.59	4010.85	1283.10	240.48	1260.45	0.54	1283.19	79.20
4290.00	6.89	76.43	4041.62	1286.89	241.33	1264.15	0.98	1286.98	79.19
4321.00	6.35	79.91	4072.42	1290.46	242.06	1267.64	2.17	1290.55	79.19
4353.00	5.72	82.36	4104.24	1293.82	242.59	1270.97	2.13	1293.91	79.19
4384.00	5.26	84.95	4135.10	1296.78	242.92	1273.91	1.69	1296.87	79.20
4412.00	4.40	87.93	4163.00	1299.12	243.07	1276.26	3.20	1299.20	79.22



Scientific
Drilling


Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 28-5 #91N
Wellpath: DH - Job #33D0709128
Survey: 07/26/09-08/02/09



Azimuths to True North
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 08/12/2009
Model: igrf2000

South(-)/North(+) [200ft/in]



West(-)/East(+) [200ft/in]

SAN JUAN 28-5 UNIT #91N

Burlington Resources Oil & Gas Company, LP

Most Recent Job

Jobs

Job Category	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
COMPLETIONS	INITIAL COMPLETION	INITIAL COMPLETION	8/24/2009	11/11/2009

Well Config: DEVIATED - Original Hole, 11/20/2009 7:33:49 AM

