1625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave, Artesia, NM 88210 District III

1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** 

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

	$\gamma$	1
H	21	$\dashv$

## appropriate NMOCD District Office Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method X Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the anyironment. Nor doe, approved relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance or ordinance.

perator: Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
ddress: PO Box 4289, Farmington, NM 87499	
acility or well name: CULPEPPER MARTIN 113	
API Number: 30-045-34880	OCD Permit Number:
/L or Qtr/Qtr: I(NE/SE) Section: 28 Township: 32N	Range: 12W County: San Juan
enter of Proposed Design: Latitude: 36.9539 °N	Longitude: 108.09432 °W NAD: 1927 X 1983
urface Owner: X Federal State Private T	rıbal Trust or Indian Allotment
_	
X Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary X Drilling Workover	
Permanent Emergency Cavitation P&A	
X Lined Unlined Liner type: Thickness 12 mil	X LLDPE HDPE PVC Other
X String-Reinforced	
Liner Seams: X Welded X Factory Other	Volume: 4400 bbl Dimensions L 65' x W 45' x D 10'
Closed-loop System: Subsection H of 19 15.17.11 NMAC  Type of Operation P&A Drilling a new well Workover of notice of int  Drying Pad Above Ground Steel Tanks Haul-off Bins  Lined Unlined Liner type. Thickness mil  Liner Seams. Welded Factory Other	or Drilling (Applies to activities which require prior approval of a permit or tent)  Other  LLDPE HDPE PVD Other
Below-grade tank: Subsection I of 19 15 17.11 NMAC	/ RECEIVED
Volume bbl Type of fluid:	% NOV 2009
Tank Construction material:	\\ \tag{2} OIL CONS. DIV. DIST. 3
	er, 6-inch lift and automatic overflow shut-off ther  Other
	ther 32 37 17 076
Liner Type: Thickness mil HDPE PVC	Other
□ 11	
Alternative Method:	

Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.				
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site		□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐Yes ☐NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		_		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	∐No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No		
Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15.17 13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.11 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API  Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC

Form C-144 Oil Conservation Division

Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.	15 17 13 D NMAC)				
Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attaching are required	nent if more than two facilities				
Disposal Facility Name: Disposal Facility Permit #					
Disposal Facility Name. Disposal Facility Permit #					
	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?				
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions Each siting criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source m certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for	must be submitted to the Santa Fe Environmental Bureau office				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - IWATERS database search; USGS Data obtained from nearby wells	∫ LJN/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - tWATERS database search, USGS; Data obtained from nearby wells	N/A				
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, (measured from the ordinary high-water mark).	or playa lake Yes No				
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial applicat - Visual inspection (certification) of the proposed site; Aerial photo; satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or	Yes No				
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	*				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal or pursuant to NMSA 1978, Section 3-27-3, as amended.	dinance adopted Yes No				
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed</li> </ul>	Yes No				
Within the area overlying a subsurface mine.	☐Yes ☐No				
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area.	Yes No				
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources, USGS; NM Geologi</li> <li>Topographic map</li> </ul>	cal Society;				
Wıthin a 100-year floodplain. - FEMA map	Yes No				
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must bee a by a check mark in the box, that the documents are attached.	ttached to the closure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NM	AC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection Tol 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Operator Application Configuration	
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print) Tamra Sessions Title: Staff Regulatory Technician	1
Signature. Datc. //-yv?	
e-mail address: sessitd@conocophillips.com Telephone: 505-326-9834	
20	
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)	1
OCD B	
OCD Representative Signature:  Approval Date: //- 24-09	
Title: Ewirolspec OCD Permit Number:	
The DWG TO TOPE OF THE TURBET.	
21	
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC	
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure	
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an	
approved closure plan has been obtained and the closure activities have been completed	ľ
Closure Completion Date:	
22	
Closure Method:	
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)	
If different from approved plan, please explain.	
22	=
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:	
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities	
were utilized.	
Disposal Facility Name Disposal Facility Permit Number.	
Disposal Facility Name: Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?	
Yes (If yes, please demonstrate complitane to the items below)	
Required for impacted areas which will not be used for future service and operations  Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	)
The-vegetation Application Rates and Securing Technique	
24	
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in	ļ
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division)	l
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	1
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude: Longitude NAD 1927 1983	
·	
25	
Operator Closure Certification:	
Thereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that	1
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan	
Name (Print): Title.	
Signature Date:	
e-mail address: Telephone.	

Form C-144

## Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

## Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- \_\_(Revised Closure Date of 01/31/10)\_ is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sampling results from Envirotech.

BR realizes this does not relieve any of the requirements of Part 17.