

Submit To Appropriate District Office Two Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> July 17, 2008  <b>"Amended"</b> 1. WELL API NO. 30-045-35021 2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN 3. State Oil & Gas Lease No. E6513																														
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>																																
4. Reason for filing:  <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19 15.17 13 K NMAC)		5. Lease Name or Unit Agreement Name Aggie State 32  6. Well Number: 1B <div style="text-align: right; font-weight: bold;">RCVD DEC 23 '09</div>																														
OIL CONS. DIV.																																
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER																																
8. Name of Operator Koch Exploration Company, LLC		9. OGRID 12807 <b>DIST. 3</b>																														
10. Address of Operator PO Box 489, Aztec, NM 87410		11. Pool name or Wildcat Basin Fruitland Coal																														
12. Location <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Unit Ltr</th> <th>Section</th> <th>Township</th> <th>Range</th> <th>Lot</th> <th>Feet from the</th> <th>N/S Line</th> <th>Feet from the</th> <th>E/W Line</th> <th>County</th> </tr> <tr> <td><b>Surface:</b></td> <td>B</td> <td>32</td> <td>29N</td> <td>09W</td> <td>1073</td> <td>North</td> <td>1916</td> <td>East</td> <td>San Juan</td> </tr> <tr> <td><b>BH:</b></td> <td>B</td> <td>32</td> <td>29N</td> <td>09W</td> <td>1073</td> <td>North</td> <td>1916</td> <td>East</td> <td>San Juan</td> </tr> </table>	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County	<b>Surface:</b>	B	32	29N	09W	1073	North	1916	East	San Juan	<b>BH:</b>	B	32	29N	09W	1073	North	1916	East	San Juan		
Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County																							
<b>Surface:</b>	B	32	29N	09W	1073	North	1916	East	San Juan																							
<b>BH:</b>	B	32	29N	09W	1073	North	1916	East	San Juan																							
13. Date Spudded 10/29/09	14. Date T.D. Reached 11/14/2009	15. Date Rig Released 11/17/2009																														
16. Date Completed (Ready to Produce) 12/09/2009		17. Elevations (DF and RKB, RT, GR, etc.) 6090 GR																														
18. Total Measured Depth of Well 2515' KB		19. Plug Back Measured Depth 2480' KB																														
20. Was Directional Survey Made? No		21. Type Electric and Other Logs Run Mud, OH Density & Gamma Ray																														
22. Producing Interval(s), of this completion - Top, Bottom, Name 2130' - 2441' Basin Fruitland Coal																																
23. CASING RECORD (Report all strings set in well)																																
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>CASING SIZE</th> <th>WEIGHT LB./FT.</th> <th>DEPTH SET</th> <th>HOLE SIZE</th> <th>CEMENTING RECORD</th> <th>AMOUNT PULLED</th> </tr> <tr> <td>8 5/8"</td> <td>24# J-55</td> <td>173.37 (5' KB)</td> <td>12 1/4"</td> <td>121.5 cf</td> <td>3 bbls</td> </tr> <tr> <td>4 1/2"</td> <td>10.5# J-55</td> <td>2496.18 (11' KB)</td> <td>6 3/4"</td> <td>660.24 cf Ld/76.8 cf TI</td> <td>20 bbls</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>	CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED	8 5/8"	24# J-55	173.37 (5' KB)	12 1/4"	121.5 cf	3 bbls	4 1/2"	10.5# J-55	2496.18 (11' KB)	6 3/4"	660.24 cf Ld/76.8 cf TI	20 bbls														
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED																											
8 5/8"	24# J-55	173.37 (5' KB)	12 1/4"	121.5 cf	3 bbls																											
4 1/2"	10.5# J-55	2496.18 (11' KB)	6 3/4"	660.24 cf Ld/76.8 cf TI	20 bbls																											
24. LINER RECORD																																
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SIZE</th> <th>TOP</th> <th>BOTTOM</th> <th>SACKS CEMENT</th> <th>SCREEN</th> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>	SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN											25. TUBING RECORD																
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN																												
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>SIZE</th> <th>DEPTH SET</th> <th>PACKER SET</th> </tr> <tr> <td>2 3/8" 4.5# J-55</td> <td>2408.59'</td> <td> </td> </tr> <tr><td> </td><td> </td><td> </td></tr> </table>	SIZE	DEPTH SET	PACKER SET	2 3/8" 4.5# J-55	2408.59'																											
SIZE	DEPTH SET	PACKER SET																														
2 3/8" 4.5# J-55	2408.59'																															
26. Perforation record (interval, size, and number) 2398'-2411' 34" 4 spf 56 holes, 2325,2326,2328,2330,2331,2332,2335,2336,2337,2340,2341 34", 4 spf 44 holes, 2283', 2284,2286,2288,2289,2290,2292,2293,2294,2295,2297,2298,2299,2300, 2301,2302,2304 34", 4 spf 68 holes; 2422'-24' 34" 2spf 6 holes, 2437'-39' 34" 2 spf 6 holes																																
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>2283'-2439'</td> <td>1250 gal 7.5% HCL; 302,200# 20/40 Arizona Sand@ 70Q Foam w/ 2,736,658 scf N2</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </table>			DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	2283'-2439'	1250 gal 7.5% HCL; 302,200# 20/40 Arizona Sand@ 70Q Foam w/ 2,736,658 scf N2																										
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																															
2283'-2439'	1250 gal 7.5% HCL; 302,200# 20/40 Arizona Sand@ 70Q Foam w/ 2,736,658 scf N2																															
28. PRODUCTION																																
Date First Production 11/23/2009		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing																														
Well Status (Prod or Shut-in) Shut-in waiting on approved C-104																																
Date of Test 12/7-8/2009	Hours Tested 24	Choke Size 3/4"																														
Flow Tubing Press Not Tested	Casing Pressure 320 psi	Calculated 24-Hour Rate NA																														
Oil - Bbl NA		Gas - MCF 896																														
Water - Bbl 12		Oil Gravity - API - (Corr) NA																														
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Vented																																
30. Test Witnessed By Don Johnson																																
31. List Attachments Mud Log, OH Density Log, & Gamma Ray Log																																
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																																
33. If an on-site burial was used at the well, report the exact location of the on-site burial																																
Latitude _____ Longitude _____ NAD 1927-1983																																
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																																
Signature	Printed Name John Clark	Title District Superintendent																														
E-mail Address clark23j@kochind.com		Date 12-22-09																														

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 1345'	T. Penn A"
T. Salt	T. Strawn	T. Kirtland 1450'	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland 2130'	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs 2441'	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T.Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology