

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

"AS DRILLED PLAT"

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-35005		² Pool Code 71599 / 72319		³ Pool Name BASIN DAKOTA/BLANCO MESAVERDE	
⁴ Property Code 7624		⁵ Property Name WALKER			⁶ Well Number 1 M
⁷ GRID No. 14538		⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			⁹ Elevation 6347'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	31	31N	9W	20	49'	SOUTH	349'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	31	31N	9W	20	756	SOUTH	734	EAST	SAN JUAN

¹² Dedicated Acres 312.80 Acres - (E/2)	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. RCVD JAN 28 '10 OIL CONS. DIV.
---	-------------------------------	----------------------------------	--

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION DIST. 3



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.

Crystal Tafoya 1/25/10
Signature Date

Crystal Tafoya 1/25/2010
Printed Name

¹⁸ SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

SEPTEMBER 10, 2008

Date of Survey

Signature and Seal of Professional Surveyor:

David R. Russell



DAVID RUSSELL

Certificate Number

10201



COP Deviation Report

WALKER #1M

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName WALKER #1M	API / UWI 3004535005	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 031-031N-009W-P	N/S Dist (ft) 49.00	N/S Ref FSL	E/W Dist (ft) 349.00	E/W Ref FEL

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
10/31/2009	100.00	1.00	Inc-Drop	AZTEC
10/31/2009	241.00	1.00	Inc-Drop	AZTEC
11/2/2009	306.00	0.41	MWD	Scientific Drilling
11/2/2009	337.00	0.67	MWD	Scientific Drilling
11/2/2009	368.00	1.17	MWD	Scientific Drilling
11/2/2009	398.00	1.71	MWD	Scientific Drilling
11/2/2009	429.00	2.46	MWD	Scientific Drilling
11/2/2009	460.00	3.10	MWD	Scientific Drilling
11/2/2009	490.00	3.67	MWD	Scientific Drilling
11/2/2009	521.00	4.49	MWD	Scientific Drilling
11/2/2009	551.00	5.06	MWD	Scientific Drilling
11/2/2009	582.00	5.93	MWD	Scientific Drilling
11/2/2009	613.00	6.67	MWD	Scientific Drilling
11/2/2009	643.00	7.68	MWD	Scientific Drilling
11/2/2009	674.00	8.74	MWD	Scientific Drilling
11/2/2009	705.00	9.71	MWD	Scientific Drilling
11/2/2009	735.00	10.69	MWD	Scientific Drilling
11/2/2009	766.00	11.69	MWD	Scientific Drilling
11/2/2009	797.00	12.85	MWD	Scientific Drilling
11/2/2009	828.00	13.70	MWD	Scientific Drilling
11/2/2009	859.00	14.91	MWD	Scientific Drilling
11/2/2009	890.00	15.56	MWD	Scientific Drilling
11/2/2009	921.00	16.32	MWD	Scientific Drilling
11/2/2009	955.00	17.14	MWD	Scientific Drilling
11/2/2009	987.00	17.74	MWD	Scientific Drilling
11/2/2009	1,018.00	18.58	MWD	Scientific Drilling
11/2/2009	1,050.00	19.68	MWD	Scientific Drilling
11/2/2009	1,081.00	20.65	MWD	Scientific Drilling
11/2/2009	1,113.00	21.85	MWD	Scientific Drilling
11/2/2009	1,144.00	22.84	MWD	Scientific Drilling
11/2/2009	1,176.00	23.73	MWD	Scientific Drilling
11/2/2009	1,207.00	24.45	MWD	Scientific Drilling
11/2/2009	1,239.00	25.22	MWD	Scientific Drilling
11/2/2009	1,271.00	26.01	MWD	Scientific Drilling
11/2/2009	1,303.00	26.50	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report
WALKER #1M

Survey Data

Date	MD (ftKB)	Incl. (°)	Method	Survey Company
11/2/2009	1,334.00	26.56	MWD	Scientific Drilling
11/2/2009	1,366.00	26.77	MWD	Scientific Drilling
11/2/2009	1,397.00	27.17	MWD	Scientific Drilling
11/2/2009	1,429.00	27.07	MWD	Scientific Drilling
11/2/2009	1,461.00	26.85	MWD	Scientific Drilling
11/2/2009	1,492.00	26.79	MWD	Scientific Drilling
11/2/2009	1,524.00	27.09	MWD	Scientific Drilling
11/2/2009	1,556.00	27.27	MWD	Scientific Drilling
11/2/2009	1,588.00	27.60	MWD	Scientific Drilling
11/2/2009	1,620.00	27.88	MWD	Scientific Drilling
11/2/2009	1,651.00	28.04	MWD	Scientific Drilling
11/2/2009	1,683.00	27.94	MWD	Scientific Drilling
11/2/2009	1,715.00	28.14	MWD	Scientific Drilling
11/2/2009	1,747.00	28.23	MWD	Scientific Drilling
11/2/2009	1,778.00	27.88	MWD	Scientific Drilling
11/2/2009	1,810.00	27.38	MWD	Scientific Drilling
11/2/2009	1,841.00	27.05	MWD	Scientific Drilling
11/2/2009	1,874.00	26.78	MWD	Scientific Drilling
11/2/2009	1,906.00	27.09	MWD	Scientific Drilling
11/2/2009	1,937.00	27.37	MWD	Scientific Drilling
11/2/2009	1,969.00	27.66	MWD	Scientific Drilling
11/2/2009	2,000.00	27.76	MWD	Scientific Drilling
11/2/2009	2,032.00	27.47	MWD	Scientific Drilling
11/2/2009	2,063.00	27.44	MWD	Scientific Drilling
11/2/2009	2,095.00	27.32	MWD	Scientific Drilling
11/2/2009	2,127.00	26.53	MWD	Scientific Drilling
11/2/2009	2,159.00	25.27	MWD	Scientific Drilling
11/2/2009	2,191.00	23.88	MWD	Scientific Drilling
11/2/2009	2,222.00	22.87	MWD	Scientific Drilling
11/3/2009	2,254.00	22.28	MWD	Scientific Drilling
11/3/2009	2,285.00	21.60	MWD	Scientific Drilling
11/3/2009	2,316.00	20.66	MWD	Scientific Drilling
11/3/2009	2,348.00	19.64	MWD	Scientific Drilling
11/3/2009	2,380.00	18.49	MWD	Scientific Drilling
11/3/2009	2,411.00	17.35	MWD	Scientific Drilling
11/3/2009	2,443.00	16.65	MWD	Scientific Drilling
11/3/2009	2,474.00	15.72	MWD	Scientific Drilling
11/3/2009	2,506.00	15.11	MWD	Scientific Drilling
11/3/2009	2,538.00	14.10	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
11/3/2009	2,569.00	13.08	MWD	Scientific Drilling
11/3/2009	2,601.00	12.47	MWD	Scientific Drilling
11/3/2009	2,632.00	11.37	MWD	Scientific Drilling
11/3/2009	2,664.00	10.72	MWD	Scientific Drilling
11/3/2009	2,696.00	9.98	MWD	Scientific Drilling
11/3/2009	2,728.00	9.21	MWD	Scientific Drilling
11/3/2009	2,759.00	8.02	MWD	Scientific Drilling
11/3/2009	2,791.00	7.05	MWD	Scientific Drilling
11/3/2009	2,823.00	6.72	MWD	Scientific Drilling
11/3/2009	2,854.00	5.80	MWD	Scientific Drilling
11/3/2009	2,886.00	5.13	MWD	Scientific Drilling
11/3/2009	2,917.00	4.21	MWD	Scientific Drilling
11/3/2009	2,949.00	3.47	MWD	Scientific Drilling
11/3/2009	2,980.00	2.93	MWD	Scientific Drilling
11/3/2009	3,012.00	1.67	MWD	Scientific Drilling
11/3/2009	3,043.00	0.96	MWD	Scientific Drilling
11/3/2009	3,075.00	0.53	MWD	Scientific Drilling
11/3/2009	3,106.00	0.60	MWD	Scientific Drilling
11/3/2009	3,200.00	0.57	MWD	Scientific Drilling
11/3/2009	3,295.00	0.50	MWD	Scientific Drilling
11/3/2009	3,390.00	0.57	MWD	Scientific Drilling
11/3/2009	3,484.00	0.57	MWD	Scientific Drilling
11/19/2009	7,779.00	0.75	Inc-WL	PHOENIX

RCVD JAN 28 '10

OIL CONS. DIV.

DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report, and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.


[Signature]

Subscribed and sworn to me this Jan 26, 2010

[Signature]

Notary Public in and for San Juan County, New Mexico

My Commission expires 10/2/2010



Scientific Drilling

RCVD JAN 28 '10

OIL CONS. DIV.

BURLINGTON RESOURCES

DIST. 3


Field: San Juan
Site: SEC 31-T31N-R9W
Well: Walker #1M
Wellpath: DH - Job #33D1109194
Survey: 11/01/09-11/04/09
API # 30.045.35009

This survey is correct to the best of my knowledge
and is supported by actual field data.

L. Wharton.....Company Representative

Notorized this date 10th of November, 2009.

Carrie Reed
Notary Signature
County of Midland
State of Texas





Scientific Drilling International

COP Survey Report

Company: BURLINGTON RESOURCES	Date: 11/09/2009	Time: 16:51:00	Page: 1
Field: San Juan	Co-ordinate(NE) Reference:	Well: Walker #1M: True North	
Site: SEC 31-T31N-R9W	Vertical (TVD) Reference:	SITE 0.0	
Well: Walker #1M	Section (VS) Reference:	Well (0.00N,0.00E 332.01Azi)	
Wellpath: DH- Job #33D1109194	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey: 11/01/09-11/04/09	Start Date: 11/01/2009
E-field 0'-3484'	
Company: Scientific Drilling Internatio	Engineer: Lowe/Burrus/Orozco/Ratliff/Flo
Tool: E-field;E-field	Tied-to: From Surface

Site: SEC 31-T31N-R9W

Site Position:	Northing: 2127895.95 ft	Latitude: 36 50 52.425 N
From: Map	Easting: 505779.21 ft	Longitude: 107 48 48.895 W
Position Uncertainty: 0.00 ft	North Reference: True	
Ground Level: 6347.00 ft	Grid Convergence: 0.01 deg	

Well: Walker #1M	Slot Name:
804' Slant @ N27.99W	
Well Position: +N/-S 0.00 ft	Latitude: 36 50 52.425 N
+E/-W 0.00 ft	Longitude: 107 48 48.895 W
Position Uncertainty: 0.00 ft	

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClSD ft	ClSA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
306.00	0.41	237.66	306.00	-0.08	-0.59	-0.93	0.13	1.09	237.66
337.00	0.67	290.63	337.00	0.04	-0.58	-1.19	1.73	1.32	243.94
368.00	1.17	312.32	367.99	0.48	-0.30	-1.59	1.94	1.62	259.18
398.00	1.71	317.59	397.98	1.20	0.23	-2.12	1.85	2.13	276.26
429.00	2.46	324.50	428.96	2.31	1.12	-2.82	2.55	3.03	291.59
460.00	3.10	328.60	459.93	3.80	2.37	-3.64	2.16	4.35	303.09
490.00	3.67	331.34	489.87	5.57	3.91	-4.52	1.97	5.98	310.81
521.00	4.49	336.14	520.79	7.78	5.89	-5.49	2.86	8.05	317.00
551.00	5.06	339.09	550.69	10.26	8.20	-6.44	2.07	10.42	321.85
582.00	5.93	337.63	581.55	13.21	10.96	-7.54	2.84	13.30	325.48
613.00	6.67	337.45	612.36	16.60	14.10	-8.84	2.39	16.64	327.92
643.00	7.68	334.66	642.12	20.33	17.52	-10.36	3.56	20.36	329.40
674.00	8.74	331.32	672.81	24.76	21.46	-12.38	3.75	24.77	330.02
705.00	9.71	329.82	703.41	29.73	25.79	-14.82	3.22	29.74	330.11
735.00	10.69	330.10	732.93	35.04	30.38	-17.48	3.27	35.05	330.08
766.00	11.69	329.62	763.34	41.05	35.59	-20.50	3.24	41.07	330.05
797.00	12.85	328.98	793.63	47.63	41.25	-23.87	3.77	47.66	329.94
828.00	13.70	328.55	823.80	54.73	47.34	-27.56	2.76	54.77	329.79
859.00	14.91	328.19	853.84	62.38	53.86	-31.58	3.91	62.43	329.62
890.00	15.56	329.31	883.75	70.51	60.82	-35.80	2.30	70.58	329.52
921.00	16.32	329.77	913.56	79.02	68.16	-40.12	2.49	79.09	329.52
955.00	17.14	330.50	946.12	88.80	76.65	-44.99	2.49	88.88	329.59
987.00	17.74	330.66	976.65	98.39	85.00	-49.70	1.88	98.47	329.69
1018.00	18.58	330.94	1006.11	108.04	93.44	-54.41	2.72	108.13	329.79
1050.00	19.68	331.16	1036.34	118.53	102.61	-59.49	3.44	118.61	329.90
1081.00	20.65	331.12	1065.44	129.22	111.97	-64.65	3.13	129.29	330.00
1113.00	21.85	330.60	1095.26	140.81	122.10	-70.30	3.80	140.89	330.07
1144.00	22.84	331.38	1123.93	152.59	132.41	-76.01	3.33	152.68	330.14
1176.00	23.73	331.55	1153.33	165.24	143.52	-82.05	2.79	165.32	330.24
1207.00	24.45	332.26	1181.63	177.90	154.68	-88.01	2.50	177.97	330.36
1239.00	25.22	332.85	1210.67	191.34	166.61	-94.20	2.53	191.40	330.52
1271.00	26.01	333.06	1239.52	205.17	178.93	-100.49	2.48	205.22	330.68
1303.00	26.50	332.71	1268.22	219.32	191.53	-106.95	1.61	219.37	330.82
1334.00	26.56	332.52	1295.96	233.17	203.83	-113.32	0.34	233.21	330.93
1366.00	26.77	332.33	1324.55	247.53	216.56	-119.96	0.71	247.57	331.02
1397.00	27.17	332.55	1352.18	261.59	229.02	-126.47	1.33	261.62	331.09



Scientific
Drilling

Scientific Drilling International COP Survey Report

Company: BURLINGTON RESOURCES	Date: 11/09/2009	Time: 16:51:00	Page: 2
Field: San Juan	Co-ordinate(NE) Reference: Well: Walker #1M, True North		
Site: SEC 31-T31N-R9W	Vertical (TVD) Reference: SITE 0:0		
Well: Walker #1M	Vertical (VS) Reference: Well (0.00N;0.00E;332.01Azi)		
Wellpath: DH Job #33D1109194	Survey Calculation Method: Minimum Curvature	Db: Sybase	

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
1429.00	27.07	332.43	1380.66	276.17	241.96	-133.21	0.36	276.20	331.17
1461.00	26.85	332.20	1409.19	290.68	254.81	-139.95	0.76	290.71	331.22
1492.00	26.79	331.52	1436.85	304.67	267.14	-146.54	1.01	304.69	331.25
1524.00	27.09	331.84	1465.38	319.17	279.90	-153.42	1.04	319.19	331.27
1556.00	27.27	331.65	1493.84	333.78	292.78	-160.34	0.62	333.81	331.29
1588.00	27.60	331.49	1522.25	348.53	305.74	-167.36	1.06	348.55	331.30
1620.00	27.88	331.71	1550.57	363.42	318.85	-174.44	0.93	363.45	331.32
1651.00	28.04	331.49	1577.95	377.95	331.63	-181.36	0.61	377.98	331.33
1683.00	27.94	331.33	1606.21	392.97	344.82	-188.54	0.39	393.00	331.33
1715.00	28.14	331.54	1634.45	408.01	358.03	-195.74	0.70	408.04	331.33
1747.00	28.23	331.51	1662.66	423.13	371.32	-202.94	0.28	423.16	331.34
1778.00	27.88	331.06	1690.01	437.71	384.10	-209.95	1.32	437.74	331.34
1810.00	27.38	330.62	1718.36	452.54	397.06	-217.18	1.69	452.58	331.32
1841.00	27.05	330.10	1745.93	466.71	409.38	-224.19	1.31	466.75	331.29
1874.00	26.78	329.59	1775.36	481.64	422.30	-231.69	1.08	481.68	331.25
1906.00	27.09	329.35	1803.89	496.12	434.79	-239.06	1.03	496.17	331.20
1937.00	27.37	329.19	1831.45	510.29	446.98	-246.30	0.93	510.35	331.14
1969.00	27.66	328.68	1859.83	525.05	459.64	-253.93	1.17	525.12	331.08
2000.00	27.76	329.07	1887.28	539.45	471.98	-261.38	0.67	539.53	331.02
2032.00	27.47	327.22	1915.63	554.24	484.58	-269.21	2.83	554.34	330.95
2063.00	27.44	328.02	1943.14	568.49	496.65	-276.86	1.19	568.61	330.86
2095.00	27.32	327.82	1971.55	583.17	509.12	-284.68	0.47	583.31	330.79
2127.00	26.53	329.02	2000.09	597.63	521.46	-292.27	3.00	597.78	330.73
2159.00	25.27	329.84	2028.87	611.60	533.50	-299.38	4.09	611.76	330.70
2191.00	23.88	330.14	2057.97	624.90	545.02	-306.04	4.36	625.06	330.69
2222.00	22.87	331.57	2086.43	637.19	555.76	-312.03	3.74	637.36	330.69
2254.00	22.28	332.86	2115.98	649.48	566.62	-317.76	2.41	649.64	330.72
2285.00	21.60	333.59	2144.73	661.06	576.97	-322.98	2.36	661.21	330.76
2316.00	20.66	334.13	2173.65	672.22	587.00	-327.90	3.10	672.37	330.81
2348.00	19.64	333.84	2203.69	683.24	596.90	-332.73	3.20	683.38	330.86
2380.00	18.49	333.43	2233.93	693.69	606.27	-337.37	3.62	693.82	330.91
2411.00	17.35	333.29	2263.43	703.22	614.79	-341.65	3.68	703.35	330.94
2443.00	16.65	333.58	2294.03	712.58	623.16	-345.84	2.20	712.69	330.97
2474.00	15.72	334.35	2323.80	721.21	630.93	-349.63	3.08	721.32	331.01
2506.00	15.11	336.37	2354.65	729.70	638.65	-353.18	2.54	729.80	331.06
2538.00	14.10	337.75	2385.61	737.74	646.08	-356.33	3.34	737.83	331.12
2569.00	13.08	338.73	2415.75	744.98	652.85	-359.03	3.37	745.06	331.19
2601.00	12.47	338.63	2446.95	752.01	659.44	-361.60	1.91	752.07	331.26
2632.00	11.37	338.55	2477.28	758.37	665.40	-363.94	3.55	758.42	331.32
2664.00	10.72	337.33	2508.69	764.47	671.08	-366.24	2.16	764.51	331.38
2696.00	9.98	336.68	2540.17	770.19	676.37	-368.48	2.34	770.24	331.42
2728.00	9.21	334.98	2571.72	775.52	681.24	-370.66	2.56	775.55	331.45
2759.00	8.02	335.87	2602.37	780.15	685.46	-372.60	3.86	780.18	331.47
2791.00	7.05	336.53	2634.10	784.34	689.30	-374.29	3.04	784.37	331.50
2823.00	6.72	338.87	2665.86	788.15	692.85	-375.75	1.35	788.18	331.53
2854.00	5.80	338.15	2696.68	791.51	696.00	-376.99	2.98	791.54	331.56
2886.00	5.13	332.85	2728.53	794.55	698.77	-378.24	2.62	794.57	331.57
2917.00	4.21	340.90	2759.43	797.06	701.08	-379.24	3.64	797.08	331.59
2949.00	3.47	346.00	2791.36	799.16	703.13	-379.86	2.54	799.18	331.62
2980.00	2.93	344.91	2822.31	800.84	704.80	-380.30	1.75	800.86	331.65
3012.00	1.67	339.90	2854.28	802.10	706.03	-380.67	3.98	802.11	331.67
3043.00	0.96	330.44	2885.28	802.81	706.68	-380.95	2.39	802.82	331.67
3075.00	0.53	337.74	2917.27	803.22	707.05	-381.14	1.37	803.24	331.67



Scientific
Drilling

Scientific Drilling International

COP Survey Report

Company: BURLINGTON RESOURCES

Field: San Juan

Site: SEC 31-T31N-R9W

Well: Walker #1M

Wellpath: DH - Job #33D1109194

Date: 11/09/2009

Time: 16:51:00

Page: 3

Co-ordinate(NE) Reference:

Well: Walker #1M, True North

Vertical (TVD) Reference:

SITE 0.0

Section (VS) Reference:

Well: (0.00N,0.00E,332.01Azi)

Survey Calculation Method:

Minimum Curvature

Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
3106.00	0.60	307.85	2948.27	803.51	707.28	-381.32	0.97	803.53	331.67
3200.00	0.57	292.51	3042.27	804.32	707.76	-382.14	0.17	804.34	331.63
3295.00	0.50	244.28	3137.26	804.70	707.76	-382.95	0.47	804.73	331.58
3390.00	0.57	261.98	3232.26	804.88	707.52	-383.80	0.19	804.91	331.52
3484.00	0.57	226.39	3326.26	804.92	707.13	-384.60	0.37	804.95	331.46

WALKER #1M

Burlington Resources Oil & Gas Company, LP

Most Recent Job

Jobs	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
Job Category	INITIAL COMPLETION	INITIAL COMPLETION	11/25/2009	1/19/2010
COMPLETIONS				

Well Config: DEVIATED - Original Hole - 1/25/2010 12:42:08 PM

