

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

4479

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

- Type of action: ☐ Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
☒ Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
☐ Modification to an existing permit
☐ Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.


1.
Operator: WILLIAMS PRODUCTION COMPANY, LLC OGRID #: 120782
Address: PO Box 640 Aztec, NM 87410
Facility or well name: ROSA UNIT #154A
API Number: 3003926274 OCD Permit Number: _____
Section 7P Township 31N Range 05W County RIO ARRIJA
Latitude: 36.909399999999998 Longitude 107.398120000000001 NAD: 1983 Surface Owner: FEDERAL

2.
☐ **Pit:** Subsection F or G of 19.15.17.11 NMAC
Temporary: ☐ Drilling ☐ Workover
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
☐ String-Reinforced
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____ Volume: _____ bbl Dimensions: L _____ x W _____ x D _____

3.
☐ **Closed-loop System:** Subsection H of 19.15.17.11 NMAC
Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other _____
☐ Lined ☐ Unlined Liner type: Thickness _____ mil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other _____
Liner Seams: ☐ Welded ☐ Factory ☐ Other _____

4.
☒ **Below-grade tank:** Subsection I of 19.15.17.11 NMAC
Volume: 120 bbl Type of fluid: PRODUCED WATER
Tank Construction material: FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER
☒ Secondary containment with leak detection ☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other _____
Liner type: Thickness _____ mil ☐ HDPE ☐ PVC ☐ Other _____

5.
☐ **Alternative Method:**
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



6.
Fencing: Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)
☐ Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
☐ Alternate. Please specify _____

7.
Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)
☐ Screen ☐ Netting ☐ Other _____
☐ Monthly inspections (If netting or screening is not physically feasible)

8.
Signs: Subsection C of 19.15.17.11 NMAC
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
☒ Signed in compliance with 19.15.3.103 NMAC

9.
Administrative Approvals and Exceptions:
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
Please check a box if one or more of the following is requested, if not leave blank:
☒ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.
☐ Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.
Siting Criteria (regarding permitting): 19.15.17.10 NMAC
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

| | |
|--|---|
| Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to temporary, emergency, or cavitation pits and below-grade tanks</i>) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA |
| Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Within a 100-year floodplain. - FEMA map | <input type="checkbox"/> Yes <input type="checkbox"/> No |

11.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☒ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12.

Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
☐ Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

☐ Previously Approved Design (attach copy of design) API Number: _____

☐ Previously Approved Operating and Maintenance Plan API Number: _____ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC**Instructions:** Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- ☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan
☐ Emergency Response Plan
☐ Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan
☐ Erosion Control Plan
☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.

Proposed Closure: 19.15.17.13 NMAC**Instructions:** Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

Type: ☐ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ P&A ☐ Permanent Pit ☒ Below-grade Tank ☐ Closed-loop System
☐ Alternative

Proposed Closure Method: ☒ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial
☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- ☒ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
☒ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
☒ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
☒ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
☒ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
☒ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)

Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Disposal Facility Name: _____ Disposal Facility Permit Number: _____

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please provide the information below) ☐ No

Required for impacted areas which will not be used for future service and operations:

☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17.

Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No

☐ NA

Ground water is between 50 and 100 feet below the bottom of the buried waste

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No

☐ NA

Ground water is more than 100 feet below the bottom of the buried waste.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No

☐ NA

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

☐ Yes ☐ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

☐ Yes ☐ No

Within a 100-year floodplain.

- FEMA map

☐ Yes ☐ No

18.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

☐ Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

☐ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): _____

Title: _____

Signature: _____

Date: _____

e-mail address: _____

Telephone: _____

20.

OCD Approval: ☐ Permit Application (including closure plan) ☒ Closure Plan (only) ☐ OCD Conditions (see attachment)

OCD Representative Signature: _____ **Approval Date:** _____

Title: _____

OCD Permit Number: _____

21.

Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

☐ Closure Completion Date: _____

22.

Closure Method:

☒ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
☐ If different from approved plan, please explain.

23.

Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:

Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.

Disposal Facility Name: _____

Disposal Facility Permit Number: _____

Disposal Facility Name: _____

Disposal Facility Permit Number: _____

Were the closed-loop system operations and associated activities performed on or in areas that *will not* be used for future service and operations?

☐ Yes (If yes, please demonstrate compliance to the items below) ☐ No

Required for impacted areas which will not be used for future service and operations:

- ☐ Site Reclamation (Photo Documentation)
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique

24.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- ☐ Proof of Closure Notice (surface owner and division)
☐ Proof of Deed Notice (required for on-site closure)
☐ Plot Plan (for on-site closures and temporary pits)
☐ Confirmation Sampling Analytical Results (if applicable)
☐ Waste Material Sampling Analytical Results (required for on-site closure)
☐ Disposal Facility Name and Permit Number
☐ Soil Backfilling and Cover Installation
☐ Re-vegetation Application Rates and Seeding Technique
☐ Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude _____ Longitude _____ NAD: ☐ 1927 ☐ 1983

25.

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): MICHAEL K. LANETitle: EH&S SPECIALISTSignature: [Signature]Date: 11/5/09e-mail address: myke.lane@williams.comTelephone: 505-330-3198

Approved Brandon Bell NMOC 1-16-10

Williams Production Co., LLC
San Juan Basin: New Mexico Assets
Below-Grade Tank Removal
Closure Report

Well: (Rosa Unit #154A)
API No: 30-039-26274
Location: P-S7-T31N-R05W, NMPM

In accordance with Rule 19.15.17.13 NMAC, the following report describes the general closure of the referenced below-grade tanks (BGT) on Williams Production Co, LLC (WPX) location in the San Juan Basin of New Mexico. The closure follows this WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to the standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Closure Conditions and Timing:

Pursuant to 19.15.17.13 (A) NMAC, WPX will initiate closure of any BGT should any one of these conditions occur:

- The Division requires closure because of imminent danger to fresh water, public health or the environment.
- The integrity of the BGT fails. Notification will be within 48 hours to the Division and closure will be schedule as specified in 19.15.17.12 (A)(5) NMAC.
- WPX chooses to take the BGT out-of-service due to operational needs. Closure under these conditions will be initiated within 60 days of cessation of the BGT's operation.
- BGTs installed prior to June 16, 2008 that do not meet the requirements under 19.15.17.11.1(6) NMAC and WPX chooses not to retrofit or upgrade. Closure under these conditions will be completed within five years (by June 16, 2013).

General Plan Requirements:

1. Prior to initiating any BGT Closure except in the case of an emergency, WPX will review County Tax Records for the current landowner of record. The landowner of record will be notified of the intent to closure the BGT by certified mail and a copy of this notification will be included in the closure report. In the case of an emergency, the landowner of record will be notified as soon as practical.

Williams notified the SMA of its intent to clean close the BGT via Certified Mail on March 10, 2009 see attached. No return receipt required per BLM:FFO/NMOCD MOU dated 5/4/09.

2. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)

Aztec District office was notified of Williams E&P intent to close on (8/6/2009). Email attached.

3. All piping will be rerouted to an alternative produced water storage/disposal location (e.g. surface tanks, temporary frac tank, ...). The well will be temporarily shutin until the rerouting is completed.

Williams closed the BGT used by the Rosa 154A separator due to anticipated drilling of a new collocated well, and we would like to close this existing BGT.

4. All produced water will be removed from the BGT following discharge-pipe rerouting. Produced water will be disposed at one of the following NMOCD approved facilities depending on the proximity of the BGT site: Rosa Unit SWD #1 (Order: SWD-916, API:

30-039-27055), Rosa Unit #94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD #001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD #001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005). Produced water in the BGT prior to closures was removed by vacuum truck and hauled to the Rosa Unit disposal wells listed.

5. Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011).

No solids or sludge required removal prior to excavation and removal of the tank.

6. Williams will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liners materials will be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of paragraph 1 subsection D or 19.15.9.712 NMAC. Disposal will be at a licensed disposal facility, presently San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426.

The fiberglass tank and plastic liner was disposed of at the San Juan Regional Landfill copy of the disposal ticket is attached.

7. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.

The fiberglass tank and plastic liner were removed offsite. All equipment removed in anticipation of collocated well.

8. Following removal of the tank and any liner material, a five-point composite sample will be taken of the excavation and tested per 19.15.17.13(E)(4) NMAC as identified in Table 1. Grab samples will be collected from any area that is wet, discolored or showing other evidence of a release. Results will be report to the Division following receipt from the lab on Form C-141.

Table 1: Closure Criteria for BGTs

| Components | Testing Methods | Closure Limits (mg/Kg) | Sample Results (mg/Kg) |
|------------|--|------------------------|------------------------|
| Benzene | EPA SW-846 Method 8021B or 8260B | 0.2 | ND |
| BTEX | EPA SW-846 Method 8021B or 8260B | 50 | ND |
| TPH | EPA SW-846 Method 418.1 ⁽¹⁾ | 100 | 13.3 |
| Chlorides | EPA SW-846 Method 300.1 ⁽¹⁾ | 250 ⁽²⁾ | 5 |

⁽¹⁾ Method modified for solid waste.

⁽²⁾ If background concentration of Chlorides greater than 250 mg/Kg, then higher concentration will be used for closure.

9. If the Division and/or Williams determine there is a release, Williams will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC.

No release detected.

10. Upon completion of the tank removal, and any necessary soil remediation, the excavation will be backfilled with non-waste earthen material compacted to native and covered with a minimum of one foot of top soil or background thickness. The surface will be recontoured to match the native grade.

Pit area backfilled with clean earthen material following sample results. No contaminated soil taken off site. Backfill compacted to avoid settling and pit area remains in use for production operations.

11. For those portions of the former pit area no longer required for production activities, WPX will seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native

perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. Note: WPX assumes the seeding stipulations including mix and seeding methods specified by the Surface Management Agency (BLM, BOR, USFS, Tribal, etc.) APD are Division-approved methods unless notified by the Division of their unacceptability. If a landowner agreement requires reseeding or other surface restoration that do not meet the revegetation requirements of 19.15.17.13, then WPX will submit the proposed alternative with written documentation that the landowner agrees to the alternative, for Division approval.

Pit area along with unused portions of well pad interim reclaimed and following P&A entire location to be reclaimed and recontoured in accordance with Surface Management Agency requirements in APD-COAs and per BLM:FFO/NMOCD MOU dated 5/4/09.

12. For those portions of the former pit area required for production activities, reseeding will be done at well abandonment, and following the procedure noted above.
See above notes.

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. The Report will include the following:

- Proof of Closure Notice (surface owner & NMOCD)
- Backfilling & Cover Installation
- Site Diagram with coordinates
- Available Inspection reports
- Confirmation Sampling Analytical Results
- Disposal Facility Name(s) and Permit Number(s)
- Re-vegetation Application Rate & Seeding techniques
- Photo Documentation of Reclamation



**EPA METHOD 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons**

| | | | |
|----------------------|-----------|---------------------|------------|
| Client: | WPX | Project #: | 04108-0003 |
| Sample ID: | Rosa 154A | Date Reported: | 10-02-09 |
| Laboratory Number: | 51870 | Date Sampled: | 09-25-09 |
| Chain of Custody No: | 8080 | Date Received: | 09-29-09 |
| Sample Matrix: | Soil | Date Extracted: | 09-30-09 |
| Preservative: | | Date Analyzed: | 10-01-09 |
| Condition: | Intact | Analysis Requested: | 8015 TPH |


| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | ND | 0.2 |
| Diesel Range (C10 - C28) | ND | 0.1 |
| Total Petroleum Hydrocarbons | ND | 0.2 |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Rosa Unit #154A**


Analyst


Review



EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

| | | | |
|--------------------|--------------------|---------------------|----------|
| Client: | QA/QC | Project #: | N/A |
| Sample ID: | 10-01-09 QA/QC | Date Reported: | 10-02-09 |
| Laboratory Number: | 51867 | Date Sampled: | N/A |
| Sample Matrix: | Methylene Chloride | Date Received: | N/A |
| Preservative: | N/A | Date Analyzed: | 10-01-09 |
| Condition: | N/A | Analysis Requested: | TPH |

| | I-Cal Date | I-Cal RF | C-Cal RF | % Difference | Accept Range |
|-------------------------|------------|-------------|-------------|--------------|--------------|
| Gasoline Range C5 - C10 | 05-07-07 | 8.3114E+002 | 8.3147E+002 | 0.04% | 0 - 15% |
| Diesel Range C10 - C28 | 05-07-07 | 8.5117E+002 | 8.5151E+002 | 0.04% | 0 - 15% |

| Blank Conc. (mg/L - mg/Kg) | Concentration | Detection Limit |
|------------------------------|---------------|-----------------|
| Gasoline Range C5 - C10 | ND | 0.2 |
| Diesel Range C10 - C28 | ND | 0.1 |
| Total Petroleum Hydrocarbons | ND | 0.2 |

| Duplicate Conc. (mg/L - g) | Sample | Duplicate | % Difference | Accept Range |
|----------------------------|--------|-----------|--------------|--------------|
| Gasoline Range C5 - C10 | ND | ND | 0.0% | 0 - 30% |
| Diesel Range C10 - C28 | ND | ND | 0.0% | 0 - 30% |

| Spike Conc. (mg/Kg) | Sample | Spike Added | Spike Result | % Recovery | Accept Range |
|-------------------------|--------|-------------|--------------|------------|--------------|
| Gasoline Range C5 - C10 | ND | 250 | 249 | 99.6% | 75 - 125% |
| Diesel Range C10 - C28 | ND | 250 | 235 | 94.0% | 75 - 125% |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 51867 - 51870, 51893, 51894, and 51902 - 51905.

Analyst

Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|-----------|---------------------|------------|
| Client: | WPX | Project #: | 04108-0003 |
| Sample ID: | Rosa 154A | Date Reported: | 10-02-09 |
| Laboratory Number: | 51870 | Date Sampled: | 09-25-09 |
| Chain of Custody: | 8080 | Date Received: | 09-29-09 |
| Sample Matrix: | Soil | Date Analyzed: | 10-01-09 |
| Preservative: | | Date Extracted: | 09-30-09 |
| Condition: | Intact | Analysis Requested: | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|--------------|--------------------------|--------------------------|
| Benzene | ND | 0.9 |
| Toluene | ND | 1.0 |
| Ethylbenzene | ND | 1.0 |
| p,m-Xylene | ND | 1.2 |
| o-Xylene | ND | 0.9 |
| Total BTEX | ND | |


ND - Parameter not detected at the stated detection limit.


| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 96.0 % |
| | 1,4-difluorobenzene | 96.0 % |
| | Bromochlorobenzene | 96.0 % |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Rosa Unit #154A


Analyst


Review



EPA METHOD 8021
AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|----------------|----------------|----------|
| Client: | N/A | Project #: | N/A |
| Sample ID: | 10-01-BT QA/QC | Date Reported: | 10-02-09 |
| Laboratory Number: | 51867 | Date Sampled: | N/A |
| Sample Matrix: | Soil | Date Received: | N/A |
| Preservative: | N/A | Date Analyzed: | 10-01-09 |
| Condition: | N/A | Analysis: | BTEX |

| Calibration and Detection Limits (ug/L) | I-Cal RF | C-Cal RF | %Diff | Blank Conc | Detect. Limit |
|--|-------------|--------------|---------|---------------|------------------|
| | | Accept Range | 0 - 16% | | |
| Benzene | 9.3342E+005 | 9.3530E+005 | 0.2% | ND | 0.1 |
| Toluene | 8.5450E+005 | 8.5621E+005 | 0.2% | ND | 0.1 |
| Ethylbenzene | 7.5248E+005 | 7.5398E+005 | 0.2% | ND | 0.1 |
| p,m-Xylene | 1.8678E+006 | 1.8716E+006 | 0.2% | ND | 0.1 |
| o-Xylene | 7.0561E+005 | 7.0702E+005 | 0.2% | ND | 0.1 |

| Duplicate Conc. (ug/Kg) | Sample | Duplicate | %Diff | Accept Range | Detect. Limit |
|-------------------------|--------|-----------|-------|--------------|---------------|
| Benzene | ND | ND | 0.0% | 0 - 30% | 0.9 |
| Toluene | ND | ND | 0.0% | 0 - 30% | 1.0 |
| Ethylbenzene | ND | ND | 0.0% | 0 - 30% | 1.0 |
| p,m-Xylene | ND | ND | 0.0% | 0 - 30% | 1.2 |
| o-Xylene | ND | ND | 0.0% | 0 - 30% | 0.9 |

| Spike Conc. (ug/Kg) | Sample | Amount Spiked | Spiked Sample | % Recovery | Accept Range |
|---------------------|--------|---------------|---------------|------------|--------------|
| Benzene | ND | 50.0 | 47.9 | 95.8% | 39 - 150 |
| Toluene | ND | 50.0 | 48.7 | 97.4% | 46 - 148 |
| Ethylbenzene | ND | 50.0 | 47.6 | 95.2% | 32 - 160 |
| p,m-Xylene | ND | 100 | 98.9 | 98.9% | 46 - 148 |
| o-Xylene | ND | 50.0 | 47.3 | 94.6% | 46 - 148 |

ND - Parameter not detected at the stated detection limit.

References. Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 51867 - 51870, 51893, 51894, and 51902 - 51905.

Analyst

Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS

| | | | |
|----------------------|-----------|------------------|-----------|
| Client: | WPX | Project #: | 04108-003 |
| Sample ID: | Rosa 154A | Date Reported: | 10-05-09 |
| Laboratory Number: | 51870 | Date Sampled: | 09-25-09 |
| Chain of Custody No: | 8080 | Date Received: | 09-29-09 |
| Sample Matrix: | Soil | Date Extracted: | 09-30-09 |
| Preservative: | | Date Analyzed: | 09-30-09 |
| Condition: | Intact | Analysis Needed: | TPH-418.1 |

| Parameter | Concentration (mg/kg) | Det. Limit (mg/kg) |
|------------------------------|--------------------------|--------------------------|
| Total Petroleum Hydrocarbons | 13.3 | 12.1 |

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Rosa Unit #154A.

Analyst

Review



EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT

| | | | |
|--------------------|-----------------------|------------------|----------|
| Client: | QA/QC | Project #: | N/A |
| Sample ID: | QA/QC | Date Reported: | 10-01-09 |
| Laboratory Number: | 09-30-TPH.QA/QC 51866 | Date Sampled: | N/A |
| Sample Matrix: | Freon-113 | Date Analyzed: | 09-30-09 |
| Preservative: | N/A | Date Extracted: | 09-30-09 |
| Condition: | N/A | Analysis Needed: | TPH |

| Calibration | I-Cal Date | C-Cal Date | I-Cal RF: | C-Cal RF: | % Difference | Accept. Range |
|-------------|------------|------------|-----------|-----------|--------------|---------------|
| | 08-25-09 | 09-30-09 | 1,440 | 1,520 | 5.6% | +/- 10% |

| Blank Conc. (mg/Kg) | Concentration | Detection Limit |
|---------------------|---------------|-----------------|
| TPH | ND | 12.1 |

| Duplicate Conc. (mg/Kg) | Sample | Duplicate | % Difference | Accept. Range |
|-------------------------|--------|-----------|--------------|---------------|
| TPH | 35.2 | 41.0 | 16.5% | +/- 30% |


| Spike Conc. (mg/Kg) | Sample | Spike Added | Spike Result | % Recovery | Accept Range |
|---------------------|--------|-------------|--------------|------------|--------------|
| TPH | 35.2 | 2,000 | 1,670 | 82.1% | 80 - 120% |

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 51866 - 51870, 51882 and 51893 - 51894.

Analyst 

Review 



Chloride

| | | | |
|----------------|-----------|-------------------|------------|
| Client: | WPX | Project #: | 04108-0003 |
| Sample ID: | Rosa 154A | Date Reported: | 10-05-09 |
| Lab ID#: | 51870 | Date Sampled: | 09-25-09 |
| Sample Matrix: | Soil | Date Received: | 09-29-09 |
| Preservative: | | Date Analyzed: | 09-30-09 |
| Condition: | Intact | Chain of Custody: | 8080 |

Parameter

Concentration (mg/Kg)

Total Chloride

5

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.
Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Rosa #154A.

Analyst

Review

CHAIN OF CUSTODY RECORD

8080

| Client: WPX | | | Project Name / Location: Rosa unit #154A | | | ANALYSIS / PARAMETERS | | | | | | | | | | | | | | |
|--|----------------|--------------|--|------------------------|--------------------------|--|--------------------|-------------------|---------------|------------------------|----------------------|---------------|-----|-------------|----------|--|--|--|-------------|---------------|
| Client Address: 731 S. Main | | | Sampler Name: Matt Basye | | | TPH (Method 8015) | BTEX (Method 8021) | VOC (Method 8260) | RCRA 8 Metals | Cation / Anion | RCI | TCLP with H/P | PAH | TPH (418.1) | CHLORIDE | | | | Sample Cool | Sample Intact |
| Client Phone No.: 634-4219 | | | Client No.: 04108-0003 | | | | | | | | | | | | | | | | | |
| Sample No./ Identification | Sample Date | Sample Time | Lab No. | Sample Matrix | No./Volume of Containers | Preservative HgCl ₂ HCl | | | | | | | | | | | | | | |
| Rosa 154A | 9/25/09 | 12:00 | 51870 | Soil Solid | 1403 | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| | | | | Soil Solid | Sludge Aqueous | | | | | | | | | | | | | | | |
| Relinquished by: (Signature) [Signature] | | | | Date 9/29/09 | Time 10:45 | Received by: (Signature) [Signature] | | | | Date 9/29/09 | Time 10:45 | | | | | | | | | |
| Relinquished by: (Signature) | | | | | | Received by: (Signature) | | | | | | | | | | | | | | |
| Relinquished by: (Signature) | | | | | | Received by: (Signature) | | | | | | | | | | | | | | |



District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR

☒ Initial Report ☐ Final Report

| | | | |
|-----------------|-------------------------------|---------------|----------------|
| Name of Company | WILLIAMS PRODUCTION, LLC | Contact | Tasha Meador |
| Address | P.O. BOX 640, AZTEC, NM 87410 | Telephone No. | (505) 634-4241 |
| Facility Name | Rosa Unit 154A | Facility Type | Well Site |
| Surface Owner | BLM | Mineral Owner | |
| | | Lease No. | |

LOCATION OF RELEASE

| | | | | | | | | |
|-------------|---------|----------|-------|---------------|------------------|---------------|----------------|------------|
| Unit Letter | Section | Township | Range | Feet from the | North/South Line | Feet from the | East/West Line | County |
| P | 7 | 31 N | 05W | | | | | Rio Arriba |

Latitude 36.90939 Longitude -107.398120

NATURE OF RELEASE

| | | | |
|-----------------------------|---|---|----------------------------|
| Type of Release | No Release Occurred | Volume of Release | Volume Recovered |
| Source of Release | | Date and Hour of Occurrence | Date and Hour of Discovery |
| Was Immediate Notice Given? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required | If YES, To Whom? | |
| By Whom? | | Date and Hour | |
| Was a Watercourse Reached? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | If YES, Volume Impacting the Watercourse. | |

If a Watercourse was Impacted, Describe Fully.* N/A

Describe Cause of Problem and Remedial Action Taken.*
No action required

Describe Area Affected and Cleanup Action Taken.*

N/A

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature:

Tasha Meador

Printed Name: Tasha Meador

Approved by District Supervisor:

Title: EH&S Coordinator

Approval Date:

Expiration Date:

E-mail Address: Tasha.meador@williams.com

Conditions of Approval:

Attached ☐

Date:

11-4-09

Phone: (505) 634-4241

* Attach Additional Sheets If Necessary

To: Jones, Brad A., EMNRD
Cc: Powell, Brandon, EMNRD; Meador, Tasha ; Basye, Matt
Subject: Request for Review of Pit Closure Plan - Rosa 154A

Brad:

We need to take the following below grade tank out of service due to anticipated drilling of a new collocated well, and we would like to close this existing BGT. We request your review to allow closure.

| WELLSITE | API | FMT | SEC | TWN | RNG |
|------------|------------|-----------|-------|-----|-----|
| Rosa #154A | 3003926274 | BLANCO MV | 7 (P) | 31N | 05W |

Please contact me if there are any problems or you request additional information. Thanks for your consideration.

Michael K. (Myke) Lane, PE
 EH&S Team Leader - San Juan Basin Operations
 721 S. Main/PO Box 640, Aztec, NM 87410
 (505) 634-4219(off); -4205(fax); 330-3198(cell)

*"The problems we face cannot be resolved at the same level of thinking as that which gave rise to them!"---
 shared with me by Brent Hale*

This inbound email has been scanned by the MessageLabs Email Security System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient (s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

Confidentiality Notice: This e-mail,including all attachments is for the sole use of the intended recipient (s) and may contain confidential and privileged information. Any unauthorized review,use,disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the MessageLabs Email Security System.

11/5/2009



Exploration & Production
PO Box 640
Aztec NM 81137
505/634-4219
505/634-4214 Fax

March 10, 2009

Mr. Mark Kelly
Bureau of Land Management
Farmington Field Office
1235 La Plata Hwy.
Farmington, NM 87401

Sent via Certified Mail

RE: Notification of Production Pit Closure
Rule 19.15.17.13 NMAC
Production Pits associated Natural Gas Development
Operated by Williams Production Co, LLC

Pursuant to Rule 19.15.17.13 NMAC, this correspondence is to notify the Bureau of Land Management, Farmington Field Office, of Williams Production LLC's (Williams') intent to clean close all production pits on the attached list of wells operated with the District in San Juan County and Rio Arriba County, New Mexico. Closure will follow the plan included with this correspondence.

Thank you for your consideration. If there are any questions or additional information is requested, please contact me at (505) 634-4209.

Respectfully submitted,

A handwritten signature in cursive script that reads "Holly C. Perkins".

Holly C. Perkins
EH&S Specialist

Encl: Williams Production Pit Inventory List (Federal wells)
San Juan Basin - New Mexico Assets: Below-Grade Tank Closure Plan

cc: Environmental File

Williams Production Co., LLC
San Juan Basin: New Mexico Assets
Below-Grade Tank Removal
Closure Plan

In accordance with Rule 19.15.17.13 NMAC, the following plan describes the general closure requirements of below-grade tanks (BGT) on Williams Production Co. LLC (WPX) locations in the San Juan Basin of New Mexico. This is WPX's standard closure procedure for all BGTs regulated under Rule 19.15.17 NMAC and operated by WPX. For those closures which do not conform to this standard closure plan, a separate well/pit specific closure plan will be developed and utilized.

Closure Conditions and Timing:

Pursuant to 19.15.17.13 (A) NMAC, WPX will initiate closure of any BGT should any one of these conditions occur:

- The Division requires closure because of imminent danger to fresh water, public health or the environment.
- The integrity of the BGT fails. Notification will be within 48 hours to the Division and closure will be schedule as specified in 19.15.17.12 (A)(5) NMAC
- WPX chooses to take the BGT out-of-service due to operational needs. Closure under these conditions will be closed within 60 days of cessation of the BGT's operation.
- BGTs installed prior to June 16, 2008 that do not meet the requirements under 19.15.17.11.1(6) NMAC and WPX chooses not to retrofit or upgrade. Closure under these conditions will be completed within five years (by June 16, 2013).

General Plan Requirements:

1. Prior to initiating any BGT Closure except in the case of an emergency, WPX will review County Tax Records for the current surface owner of record. The surface owner of record will be notified of the intent to close the BGT by certified mail and a copy of this notification will be included in the closure report. In the case of an emergency, the surface owner of record will be notified as soon as practical.
2. Notice of Closure will be given to the Aztec District office between 72 hours and one week of the scheduled closure via email or phone. The notification of closure will include the following:
 - a. Operators Name (WPX)
 - b. Well Name and API Number
 - c. Location (USTR)
3. All piping will be rerouted to an alternative produced water storage/disposal location (e.g. surface tanks, temporary frac tank, ...). The well will be temporarily shut in until the rerouting is completed.
4. All produced water will be removed from the BGT following discharge-pipe rerouting. Produced water will be disposed at one of the following NMOCD approved facilities depending on the proximity of the BGT site: Rosa Unit SWD # 1 (Order: SWD-916, API: 30-039-27055), Rosa Unit # 94 (Order: SWD-3RP-1003-0, API: 30-039-23035), Jillson Fed. SWD # 001 (Order: R10168/R10168A, API: 30-039-25465), Middle Mesa SWD # 001 (Order: SWD-350-0, API: 30-045-27004) and/or Basin Disposal (Permit: NM-01-0005).
5. Solids and sludges will be shoveled and /or vacuumed out for disposal at Envirotech (Permit Number NM-01-0011).
6. WPX will obtain prior approval from NMOCD to dispose, recycle, reuse, or reclaim the BGT and provide documentation of the disposition of the BGT in the closure report. Steel materials will be recycled or reused as approved by the Division. Fiberglass tanks will be empty, cut up or shredded, and EPA cleaned for disposal as solid waste. Liner materials will

be cleaned without soils or contaminated material for disposal as solid waste. Fiberglass tanks and liner materials will meet the conditions of paragraph 1 subsection D of 19.15.9.712 NMAC. Disposal will be at a licensed disposal facility, presently San Juan Regional Landfill operated by Waste Management under NMED Permit SWM-052426

7. Any equipment associated with the BGT that is no longer required for some other purpose, following the closure will be removed from the location.
8. Following removal of the tank and any liner material, a five-point composite sample will be taken of the excavation and tested per 19.15.17.13(E)(4) NMAC as identified in Table 1. Grab samples will be collected from any area that is wet, discolored or showing other evidence of a release. Results will be report to the Division following receipt from the lab on Form C-141.

Table 1: Closure Criteria for BGIs

| Components | Testing Methods | Closure Limits (mg/Kg) |
|------------|--|------------------------|
| Benzene | EPA SW-846 Method 8021B or 8260B | 0.2 |
| BTEX | EPA SW-846 Method 8021B or 8260B | 50 |
| TPH | EPA SW-846 Method 418.1 ⁽¹⁾ | 100 |
| Chlorides | EPA SW-846 Method 300.1 ⁽¹⁾ | 250 ⁽²⁾ |

⁽¹⁾ Method modified for solid waste

⁽²⁾ If background concentration of Chlorides greater than 250 mg/Kg, then higher concentration will be used for closure

9. If the Division and/or WPX determine there is a release, WPX will comply with 19.15.3.116 NMAC and 19.15.1.19 NMAC.
10. Upon completion of the tank removal, the excavation will be backfilled with non-waste earthen material compacted and covered with a minimum of one foot of top soil or background thickness whichever is greater and to existing grade. The surface will be re contoured to match the native grade and prevent ponding.
11. For those portions of the former pit area no longer required for production activities, WPX will seed the disturbed areas the first growing season after the pit is covered. Seeding will be accomplished via drilling on the contour whenever practical, or by other Division-approved methods. Vegetative cover will equal 70% of the native perennial vegetative cover (un impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintained that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. *Note: If a surface owner agreement requires reseedling or other surface restoration that do not meet re-vegetation requirements of 19.15.17.13.1 NMAC then WPX will submit the proposed alternative with written documentation that the surface owner agrees to the alternative, for Division approval.*
12. For those portions of the former pit area required for production activities, reseedling will be done at well abandonment, and following the procedure noted above

Closure Report:

All closure activities will include proper documentation and will be submitted to OCD within 60 days of the BGT closure on a Closure Report using Division Form C-144. The Report will include the following

- Proof of Closure Notice (surface owner & NMOCC)
- Backfilling & Cover Installation
- Site Diagram with coordinates
- Available Inspection report
- Confirmation Sampling Analytical results
- Disposal Facility Name(s) and Permit Number(s)
- Application Rate & Seeding technique.
- Photo Documentation of Reclamation

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|------------------------------|------------|-------------------------|-----|-----|-----|----------|---|
| COX CANYON UNIT #001 | 3004511397 | BLANCO MV | 16N | 32N | 11W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| COX CANYON UNIT #001A | 3004522086 | BLANCO MV | 16C | 32N | 11W | BGT | HDPE SECONDARY LINER |
| COX CANYON UNIT #001B | 3004530791 | BLANCO MV | 16L | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #001C | 3004532023 | BLANCO MV | 16E | 32N | 11W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| COX CANYON UNIT #003 | 3004511495 | BLANCO MV | 9L | 32N | 11W | BGT | HDPE SECONDARY LINER |
| COX CANYON UNIT #003A | 3004522088 | BLANCO MV | 9P | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #003B | 3004530871 | BLANCO MV | 9J | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #004 | 3004511368 | BLANCO MV | 21A | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #004A | 3004522093 | BLANCO MV | 21P | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #004B | 3004532186 | BLANCO MV | 21F | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #005 | 3004511326 | BLANCO MV | 21K | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #005A | 3004522094 | BLANCO MV | 21D | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #005B | 3004532142 | BASIN DK / BLANCO MV | 21N | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #005C | 3004533493 | BLANCO MV | 21F | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #006 | 3004511463 | BLANCO MV | 16A | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #006A | 3004522095 | BLANCO MV | 16I | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #006B | 3004532693 | BLANCO MV | 16B | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #006C | 3004532733 | BLANCO MV | 16O | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #007 | 3004511455 | BLANCO MV | 17G | 32N | 11W | FGP | DBL WALL STEEL |
| COX CANYON UNIT #007A | 3004522091 | BLANCO MV | 17O | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #007C | 3004533018 | BASIN DK | 17K | 32N | 11W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| COX CANYON UNIT #008 | 3004511492 | BLANCO MV | 8I | 32N | 11W | BGT | HDPE SECONDARY LINER |
| COX CANYON UNIT #008A | 3004522096 | BLANCO MV | 17H | 32N | 11W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| COX CANYON UNIT #008B | 3004532080 | BLANCO MV | 8P | 32N | 11W | BGT | HDPE SECONDARY LINER |
| COX CANYON UNIT #008C | 3004531187 | BLANCO MV | 17P | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #009A COM | 3004522092 | BLANCO MV | 20D | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #009B COM | 3004533926 | BASIN DK / BLANCO MV | 20B | 32N | 11W | BGT | DBL WALL STEEL |
| COX CANYON UNIT #009C | 3003933851 | BASIN DK / BLANCO MV | 20F | 32N | 11W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| COX CANYON UNIT #013 | 3004521489 | BLANCO PC | 20A | 32N | 11W | BGT | HDPE SECONDARY LINER |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|-------------------------|-----|-----|-----|----------|---|
| COX CANYON UNIT #023 COM | 3004522537 | BLANCO PC | 17C | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #025 | 3004522572 | BLANCO PC | 9O | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #200 | 3004527878 | BASIN FTC | 9L | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #200A | 3004532126 | BASIN FTC | 9O | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| COX CANYON UNIT #203 | 3004527872 | BASIN FTC | 17A | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| MADDOX #001 | 3004511487 | BLANCO MV | 10N | 32N | 11W | BGT | DBL WALL STEEL |
| MADDOX #001A | 3004523539 | BLANCO MV | 10P | 32N | 11W | BGT | DBL WALL STEEL |
| NM 32-11 #001 | 3004511309 | BLANCO MV | 20O | 32N | 11W | BGT | DBL WALL STEEL |
| NM 32-11 #001B COM | 3004532024 | BASIN DK / BLANCO MV | 20J | 32N | 11W | BGT | DBL WALL STEEL |
| NM 32-11 #001C COM | 3004532804 | BASIN DK / BLANCO MV | 20L | 32N | 11W | BGT | DBL WALL STEEL |
| NM 32-11 #002 COM | 3004511380 | BLANCO MV | 19A | 32N | 11W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| NM 32-11 #002A COM | 3004529017 | BLANCO MV | 19O | 32N | 11W | BGT | DBL WALL STEEL |
| NM 32-11 #002B COM | 3004532670 | BLANCO MV | 19I | 32N | 11W | BGT | DBL WALL STEEL |
| NM 32-11 #002C COM | 3004533077 | BLANCO MV | 19G | 32N | 11W | BGT | DBL WALL STEEL |
| ROSA UNIT #001 SWD | 3003927055 | SWD | 23I | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #001E | 3003925411 | BASIN DK / BLANCO MV | 11P | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #005A | 3003925407 | BLANCO MV / ROSA PC | 26P | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #005B | 3003926927 | BASIN DK / BLANCO MV | 26B | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #005Y | 3003926078 | BLANCO MV | 26H | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #008 | 3003907944 | BLANCO MV / ROSA PC | 26M | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #008 | 3003907944 | BLANCO MV / ROSA PC | 26M | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #008A | 3003925430 | BLANCO MV / ROSA PC | 26D | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #008C | 3003926944 | BLANCO MV | 26N | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #009 | 3003907975 | BLANCO MV | 11K | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #009A | 3003925584 | BASIN DK / BLANCO MV | 11C | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #009B | 3003927042 | BLANCO MV | 11E | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #010B | 3003926556 | BLANCO MV | 13N | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #010C | 3003926918 | BLANCO MV | 13N | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #010C | 3003926556 | BLANCO MV | 13N | 31N | 06W | BGT | DBL WALL STEEL |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|--------------------------|-----|-----|-----|----------|---|
| ROSA UNIT #012A | 3003925900 | BLANCO MV / ROSA PC | 15J | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #012B | 3003926555 | BASIN DK / BLANCO MV | 15P | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #012C | 3003929486 | BLANCO MV | 15A | 31N | 06W | SGT | SINGLE WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #013 | 3003907936 | BLANCO MV | 31G | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #013A | 3003926298 | BLANCO MV BASIN DK / | 31F | 31N | 05W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #013B COM | 3003929834 | BLANCO MV | 31A | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #014 | 3003907958 | BLANCO MV | 23B | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #014A | 3003926280 | BLANCO MV BASIN DK / | 23P | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #014C | 3003930132 | BLANCO MV | 23H | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #015 | 3003907946 | BLANCO MV | 29H | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #016 | 3003907963 | BLANCO MV | 14N | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #016A | 3003925496 | BLANCO MV | 14C | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #016B | 3003926218 | BLANCO MV | 14M | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #017A | 3003926272 | BLANCO MV BASIN DK / | 20O | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #017B | 3003926971 | BLANCO MV BLANCO MV / | 20J | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #018 | 3003907960 | ROSA PC BLANCO MV / | 22H | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #018A | 3003925436 | ROSA PC | 22P | 31N | 06W | SGT | DBL WALL STEEL |
| ROSA UNIT #018B | 3003927052 | BLANCO MV | 22O | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #019 | 3003907955 | BLANCO MV | 24K | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #019B | 3003926560 | BLANCO MV | 24L | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #019C | 3003929625 | BLANCO MV | 24D | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #019C | 3003929625 | BLANCO MV | 24D | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #020 | 3003907969 | BLANCO MV | 14G | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #020A | 3003925495 | BLANCO MV | 14O | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #020B | 3003926220 | BLANCO MV | 14A | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #020C | 3003926221 | BLANCO MV | 14J | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #021A | 3003926121 | BLANCO MV | 23C | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #021B | 3003926554 | BLANCO MV | 23K | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #022 | 3003907971 | BLANCO MV | 18A | 31N | 05W | BGT | HDPE SECONDARY LINER |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|-------------------------|-----|-----|-----|----------|---|
| ROSA UNIT #022A | 3003926390 | BLANCO MV | 18C | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #023 | 3003907942 | BLANCO MV | 29M | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #023B | 3003926553 | BLANCO MV | 29E | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #023C | 3003927609 | BLANCO MV | 29L | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #024 | 3003907933 | BLANCO MV | 32M | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #024A | 3003925568 | BASIN DK / BLANCO MV | 32E | 31N | 05W | SGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #024B | 3003926630 | BASIN DK / BLANCO MV | 32N | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #024C | 3003926968 | BASIN DK / BLANCO MV | 32C | 31N | 05W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #026A | 3003925580 | BLANCO MV | 32O | 31N | 05W | SGT | DBL WALL STEEL |
| ROSA UNIT #026B | 3003926788 | BASIN DK | 32G | 31N | 05W | SGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #029 | 3004511136 | BASIN DK / BLANCO MV | 32H | 32N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #029B | 3004530709 | BASIN DK / BLANCO MV | 32B | 32N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #029M | 3004529584 | BASIN DK / BLANCO MV | 32I | 32N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #030 COM | 3003925570 | BLANCO MV | 12O | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #030A | 3003926068 | BLANCO MV | 12M | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #030B | 3003926601 | BLANCO MV | 12N | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #030C | 3003929842 | BLANCO MV | 12P | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #031 | 3003926279 | BLANCO MV | 17C | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #031A | 3003926346 | BASIN DK / BLANCO MV | 17I | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #031B | 3003926579 | BLANCO MV | 17D | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #031C | 3003926578 | BLANCO MV | 17N | 31N | 05W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #032 | 3003925389 | ROSA PC BLANCO MV / | 21H | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #032A | 3003925417 | ROSA PC BASIN DK / | 21F | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #032B | 3003926771 | BASIN DK / BLANCO MV | 21G | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #032C | 3003927240 | BLANCO MV | 21F | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #034 | 3003907984 | BLANCO MV | 36B | 32N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #034A | 3003926119 | BLANCO MV | 36I | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #034A | 3003926119 | BLANCO MV | 36I | 32N | 06W | SGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #034B | 3003926629 | BLANCO MV | 36J | 32N | 06W | BGT | HDPE SECONDARY LINER |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|-------------------------|-----|-----|-----|----------|---|
| ROSA UNIT #034C | 3003926969 | BLANCO MV | 36H | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #035X | 3004510996 | BLANCO MV | 5K | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #036 | 3003907977 | BLANCO MV | 11H | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #036C | 3003930182 | BLANCO MV | 11G | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #041 | 3003907981 | BLANCO MV | 5K | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #041B | 3003927014 | BASIN DK / BLANCO MV | 6P | 31N | 05W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #044 | 3003925873 | BLANCO MV | 35K | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #044A | 3003926161 | BLANCO MV | 35E | 32N | 06W | SGT | SINGLE WALL STEEL |
| ROSA UNIT #044A | 3003926161 | BLANCO MV | 35E | 32N | 06W | SGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #044B | 3003926685 | BLANCO MV | 35C | 32N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #045 | 3003923013 | BLANCO MV | 9M | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #046A | 3003926986 | BASIN DK / BLANCO MV | 8O | 31N | 05W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #051 | 3003920289 | BASIN DK | 23C | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #053 | 3003920293 | BASIN DK | 8B | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #055 | 3003920923 | BASIN DK | 34I | 31N | 05W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #059 DK | 3003923270 | BASIN DK | 25N | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #059 GL | 3003923270 | UNDES GL | 25N | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #060 | 3004529798 | BLANCO MV | 4L | 31N | 06W | BGT | HDPE SECONDARY LINER |
| ROSA UNIT #064 | 3003921703 | BASIN DK | 29A | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #064 | 3003921703 | BASIN DK | 29A | 31N | 05W | SGT | DBL WALL STEEL |
| ROSA UNIT #064M | 3003925563 | BASIN DK / BLANCO MV | 29F | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #065 | 3003921702 | BASIN DK | 17A | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #066 | 3003921758 | BASIN DK | 13L | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #066M | 3003925747 | BASIN DK / BLANCO MV | 13F | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #072 | 3003925509 | BLANCO MV | 6I | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #072A | 3003925795 | BLANCO MV | 6K | 31N | 05W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #075 | 3004529895 | BLANCO MV | 10L | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #075A | 3004529854 | BLANCO MV | 4O | 31N | 06W | BGT | HDPE SECONDARY LINER FIBERGLASS TANK w/BANDED 20-mil |
| ROSA UNIT #077 | 3003922538 | DK/UNDES GL/BLANCO | 33L | 31N | 05W | BGT | HDPE SECONDARY LINER |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|-------------------------|-----|-----|-----|----------|---|
| ROSA UNIT #079 | 3003922539 | BASIN DK / BLANCO MV | 22K | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #079 | 3003922539 | BASIN DK / BLANCO MV | 22K | 31N | 06W | SGT | DBL WALL STEEL |
| ROSA UNIT #079A | 3003925412 | BLANCO MV / ROSA PC | 22E | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #079B | 3003926920 | BASIN DK / BLANCO MV | 22C | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #079C | 3003929902 | BLANCO MV | 31P | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #080 | 3003922537 | BASIN DK / BLANCO MV | 8K | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #080A | 3003926413 | BLANCO MV | 8F | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #085 | 3003922778 | BASIN DK | 20A | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #085 | 3003922778 | BLANCO MV | 20A | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #085A | 3003926314 | BLANCO MV | 20C | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #085B | 3003930130 | BLANCO MV | 20D | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #086 | 3003922766 | UNDES GL | 12W | 31N | 04W | SGT | SINGLE WALL STEEL |
| ROSA UNIT #088 | 3004525140 | BLANCO MV / ROSA PC | 8E | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #089 | 3003922782 | BLANCO MV | 34A | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #089A | 3003925512 | BLANCO MV | 34O | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #089B | 3003926851 | BLANCO MV | 34I | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #089C | 3003926674 | BLANCO MV | 34G | 32N | 06W | SGT | SINGLE WALL STEEL |
| ROSA UNIT #090 COM | 3004525370 | BLANCO MV | 33G | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #090A COM | 3004529259 | BLANCO MV | 33G | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #091 | 3003922780 | BLANCO MV | 35H | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #091A | 3003925790 | BLANCO MV | 35O | 32N | 06W | SGT | DBL WALL STEEL |
| ROSA UNIT #091B | 3003926684 | BLANCO MV | 35P | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #091C | 3003926991 | BLANCO MV | 35G | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #098 | 3003923265 | BASIN DK / GL | 23L | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #100B | 3003929547 | BASIN DK / BLANCO MV | 21O | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #100C | 3003929851 | BLANCO MV | 21K | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #100E | 3003925135 | BLANCO MV / ROSA PC | 21I | 31N | 06W | SGT | SINGLE WALL STEEL |
| ROSA UNIT #101M | 3003925577 | BLANCO MV | 24F | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #10L | 3003923506 | BASIN DK / GL | 7G | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|--------------------------|-----|-----|-----|----------|---|
| ROSA UNIT #119 | 3003925143 | BASIN DK | 18N | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #125 | 3003925144 | BLANCO MV | 13B | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #125C | 3003929843 | BLANCO MV BASIN DK / | 13G | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #125E | 3003925526 | BLANCO MV | 13J | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #129 | 3003926304 | BLANCO MV | 34E | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #129A | 3003926297 | BLANCO MV | 34K | 32N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #137 | 3003925410 | BLANCO MV BLANCO MV / | 31K | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #137A | 3003926129 | ROSA PC | 31I | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #137B | 3003927002 | BLANCO MV BLANCO MV / | 31P | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #138 | 3004529147 | ROSA PC BLANCO MV / | 17I | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #138A | 3004529134 | ROSA PC | 17H | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #138B | 3004532168 | BLANCO MV | 17H | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #139A | 3004529600 | BLANCO MV | 17M | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #140 | 3003925435 | ROSA PC | 22K | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #144 | 3003925421 | ROSA PC | 26A | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #145C | 3004533086 | BLANCO MV | 16F | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #146A | 3003925513 | BLANCO MV | 28N | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #146C | 3003930187 | BLANCO MV | 28B | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #148 | 3003925493 | BASIN DK | 2O | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #148A | 3003925776 | BLANCO MV | 2N | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #148B | 3003926985 | BLANCO MV | 2P | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #149 | 3003925501 | BLANCO MV | 12G | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #149A | 3003925807 | BLANCO MV BASIN DK / | 12F | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #149B | 3003926599 | BLANCO MV | 12E | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #150 | 3004529229 | BLANCO MV | 32F | 32N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #150A | 3004529592 | BLANCO MV BASIN DK / | 32M | 32N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #150B | 3004530874 | BLANCO MV | 32D | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #150C | 3004532157 | BLANCO MV | 32K | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #151 | 3004529267 | BLANCO MV | 33C | 32N | 06W | BGT | DBL WALL STEEL |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|--------------------------|-----|-----|-----|----------|---|
| ROSA UNIT #151A | 3004529631 | BLANCO MV | 33L | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #151C | 3004532196 | BLANCO MV | 33N | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #152 | 3003925494 | BLANCO MV | 36E | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #152A | 3003925695 | BLANCO MV | 36N | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #152B | 3003926631 | BLANCO MV | 36C | 32N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #152C | 3003927635 | BLANCO MV | 36L | 32N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #153 | 3003925524 | BLANCO MV | 17O | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #153A | 3003926329 | BLANCO MV BASIN DK / | 17A | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #153B | 3003927603 | BLANCO MV | 17I | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #154 | 3003925893 | BLANCO MV | 7N | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #154A | 3003926274 | BLANCO MV | 7P | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #156 | 3004529661 | BLANCO MV | 9A | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #156A | 3004529640 | BLANCO MV BASIN DK / | 9I | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #159 COM | 3003925583 | BLANCO MV | 19O | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #159A | 3003926273 | BLANCO MV | 19N | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #15C | 3003930111 | BLANCO MV BLANCO MV / | 29G | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #160 | 3003925890 | ROSA PC | 25O | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #160A | 3003925818 | BLANCO MV BASIN DK / | 25N | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #160B | 3003926962 | BLANCO MV | 25L | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #160C | 3003929778 | BLANCO MV | 25J | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #162 | 3003926069 | BLANCO MV | 30K | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #162B | 3003929845 | BLANCO MV | 30P | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #163 | 3003926345 | BLANCO MV | 24G | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #163A | 3003926336 | BLANCO MV | 24O | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #163B | 3003929921 | BLANCO MV | 24B | 31N | 06W | SGT | DBL WALL STEEL |
| ROSA UNIT #163C | 3003929611 | BLANCO MV BASIN DK / | 24J | 31N | 06W | SGT | SINGLE WALL STEEL |
| ROSA UNIT #164 | 3003926151 | BLANCO MV | 1J | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #164A | 3003926080 | BLANCO MV BASIN DK / | 1J | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #164E | 3003927242 | BLANCO MV | 1J | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |

| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|------------------------------------|------------|-------------------------|-----|-----|-----|----------|--|
| ROSA UNIT #165 | 3003926070 | BLANCO MV / ROSA PC | 25F | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #165A | 3003926150 | BLANCO MV BASIN DK / | 25B | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #165B | 3003926557 | BLANCO MV BASIN DK / | 25E | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #165C | 3003926961 | BLANCO MV | 25G | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #166 | 3003926275 | BLANCO MV | 30A | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #166A | 3003926282 | BLANCO MV | 30F | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #167A | 3004529886 | BLANCO MV | 8A | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #169 | 3003926130 | BLANCO MV | 3J | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #169A | 3003926149 | BLANCO MV | 3J | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #169C | 3003927717 | BLANCO MV | 2M | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #170 | 3003925851 | BLANCO MV | 21N | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #171 | 3003926286 | BLANCO MV | 7G | 31N | 05W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #171A | 3003926389 | BLANCO MV | 7G | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #171B | 3003927013 | BLANCO MV | 6P | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #180 | 3004529898 | BLANCO MV | 9N | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #180B | 3004533134 | BLANCO MV | 9L | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #180C | 3004533191 | BLANCO MV | 9E | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #181 | 3003926463 | BLANCO MV | 11K | 31N | 06W | BGT | DBL WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #181A | 3003926312 | BLANCO MV | 15A | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #181C (shared w/169C) | 3003927714 | BLANCO MV | 2M | 31N | 06W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #182 | 3003926283 | BLANCO MV | 18N | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #182A | 3003926285 | BLANCO MV | 18P | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #182C | 3003930180 | BLANCO MV | 18P | 31N | 05W | SGT | SINGLE WALL STEEL FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #183 | 3003926387 | BLANCO MV | 19G | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #183A | 3003926386 | BLANCO MV | 19F | 31N | 05W | BGT | FIBERGLASS TANK w/BANDED 20-mil HDPE SECONDARY LINER |
| ROSA UNIT #183B | 3003930087 | BLANCO MV BASIN DK / | 19B | 31N | 05W | BGT | DBL WALL STEEL |
| ROSA UNIT #185B | 3004532734 | BLANCO MV | 16F | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #185C | 3004534484 | BLANCO MV | 16F | 31N | 06W | BGT | DBL WALL STEEL |
| ROSA UNIT #185E | 3003930186 | BLANCO MV | 21G | 31N | 05W | BGT | DBL WALL STEEL |


| WELLS w/FEDERAL SURF MGT | API | FMT | SEC | TWN | RNG | PIT TYPE | CONSTRUCTION MATERIAL |
|-----------------------------|------------|-----------|-----|-----|-----|----------|-----------------------|
| ROSA UNIT #231 | 3003924444 | BASIN FTC | 31N | 31N | 05W | SG1 | SINGLE WALL STEEL |
| ROSA UNIT #335A | 3003930222 | BASIN FTC | 05J | 31N | 05W | SG1 | SINGLE WALL STEEL |

williams production
Rosa 154 A Mesaverde
Sec 7 T 31 N R 5 W

north



well head




rectifier



production unit/meter

road





005A 154A



WM of NM - San Juan County
78 County Road T140
Aztec, NM, 87410
Ph: (505) 334-1121

Original
Ticket# 1222440

Customer Name WILLIAMS PRO WILLIAMS PRODUCTIONS Carrier VAUGHN OILFIELD SERVICES, INC
Ticket Date 10/07/2009 Vehicle# 877 Volume
Payment Type Credit Account Container
Manual Ticket# Driver
Hauling Ticket# Check#
Route Billing # 0000114
State Waste Code Gen EPA ID
Manifest
Destination Grid
PO
Profile 0
Generator

| | Time | Scale | Operator | Inbound | Gross | |
|-----|---------------------|--------------|-----------------|---------|-------------|--|
| In | 10/07/2009 16:19:15 | Inbound 301 | MMORGAN | | 29260 lb* | |
| Out | 10/07/2009 16:34:10 | Outbound 302 | MMORGAN | | 26980 lb | |
| | | | * Manual Weight | | Net 2200 lb | |
| | | | | | Tons 1.14 | |

Comments: PIT AND TRASH

| Product | LD% | Qty | UOM | Rate | Tax | Amount | Origin |
|----------------------|-----|------|-------|------|------|---------|-----------|
| 1 MLY-MSW-Louse- Ydr | 100 | 8.00 | Yards | 5.51 | 2.05 | \$32.06 | RIOARRIBA |

Frank Dennissom
Vaughn
Williams Prod.
Road #16
Rosa # 8900
Rosa # 1814
Rosa # 154A

Total Tax 12.05
Total Ticket \$35.11

Driver's Signature

403WM

