

DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

"AS DRILLED PLAT"
WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-045-35014		2 Pool Code 71599 / 72319		3 Pool Name BASIN DAKOTA/BLANCO MESAVERDE	
4 Property Code 6953		5 Property Name DELHI COM			6 Well Number 1 B
7 OGRID No. 14538		8 Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY LP			9 Elevation 5783'


10 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	16	30N	8W		2119'	NORTH	1556'	WEST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	16	30N	8W		1943	SOUTH	651	WEST	SAN JUAN
12 Dedicated Acres 320.00 Acres - (W/2)		13 Joint or Infill		14 Consolidation Code		15 Order No. RCVD APR 9 '10 OIL CONS. DIV.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION DIST. 3



17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.

Crystal Tafuya 3/26/10
Signature Date

Crystal Tafuya 3/26/10

Printed Name

18 SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

JANUARY 9, 2008

Date of Survey

Signature and Seal of Professional Surveyor:

David R. Russell



DAVID RUSSELL

Certificate Number

10201

HOLD C104 FOR NSL

B 49

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName DELHI COM #1B	API / UWI 3004535014	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 016-030N-008W-F	N/S Dist (ft) 2,119.00	N/S Ref FNL	E/W Dist (ft) 1,556.00	E/W Ref FWL

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
11/21/2009	335.00	0.50	Inc-VWL	AWS	
11/28/2009	392.00	0.63	IncAzi-MWD	Scientific Drilling	
11/28/2009	422.00	0.67	IncAzi-MWD	Scientific Drilling	
11/28/2009	453.00	1.45	IncAzi-MWD	Scientific Drilling	
11/28/2009	484.00	2.44	IncAzi-MWD	Scientific Drilling	
11/28/2009	515.00	3.27	IncAzi-MWD	Scientific Drilling	
11/28/2009	546.00	4.15	IncAzi-MWD	Scientific Drilling	
11/28/2009	577.00	4.81	IncAzi-MWD	Scientific Drilling	
11/28/2009	608.00	5.59	IncAzi-MWD	Scientific Drilling	
11/28/2009	638.00	6.77	IncAzi-MWD	Scientific Drilling	
11/28/2009	669.00	7.71	IncAzi-MWD	Scientific Drilling	
11/28/2009	700.00	8.57	IncAzi-MWD	Scientific Drilling	
11/28/2009	731.00	9.26	IncAzi-MWD	Scientific Drilling	
11/28/2009	762.00	9.93	IncAzi-MWD	Scientific Drilling	
11/28/2009	791.00	10.96	IncAzi-MWD	Scientific Drilling	
11/28/2009	822.00	11.91	IncAzi-MWD	Scientific Drilling	
11/28/2009	853.00	12.95	IncAzi-MWD	Scientific Drilling	
11/28/2009	884.00	13.90	IncAzi-MWD	Scientific Drilling	
11/28/2009	913.00	14.94	IncAzi-MWD	Scientific Drilling	
11/28/2009	947.00	16.01	IncAzi-MWD	Scientific Drilling	
11/28/2009	979.00	17.12	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,010.00	17.93	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,042.00	18.73	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,074.00	19.76	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,105.00	20.98	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,137.00	22.19	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,169.00	23.12	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,201.00	24.13	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,232.00	25.34	IncAzi-MWD	Scientific Drilling	
11/28/2009	1,264.00	26.47	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,295.00	27.63	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,327.00	28.68	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,358.00	29.66	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,391.00	30.39	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,422.00	31.10	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



COP Deviation Report

DELHI COM #1B

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
11/29/2009	1,454.00	32.19	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,485.00	33.35	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,517.00	34.22	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,549.00	35.13	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,581.00	35.62	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,613.00	36.04	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,645.00	36.07	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,676.00	36.09	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,708.00	36.33	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,740.00	36.48	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,772.00	36.77	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,804.00	36.97	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,835.00	37.22	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,867.00	37.29	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,899.00	37.39	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,931.00	37.19	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,962.00	37.25	IncAzi-MWD	Scientific Drilling	
11/29/2009	1,994.00	37.41	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,026.00	37.67	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,058.00	37.50	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,090.00	37.76	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,122.00	37.60	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,154.00	37.55	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,186.00	37.61	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,218.00	37.51	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,250.00	37.63	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,281.00	37.64	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,313.00	37.18	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,345.00	36.99	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,377.00	36.37	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,409.00	36.00	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,441.00	35.73	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,472.00	34.73	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,504.00	33.99	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,536.00	33.39	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,568.00	32.80	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,600.00	32.32	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,631.00	32.01	IncAzi-MWD	Scientific Drilling	
11/29/2009	2,663.00	31.55	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
11/29/2009	2,695.00	30.73	IncAzi-MWD	Scientific Drilling
11/29/2009	2,726.00	30.17	IncAzi-MWD	Scientific Drilling
11/29/2009	2,758.00	29.48	IncAzi-MWD	Scientific Drilling
11/29/2009	2,790.00	28.77	IncAzi-MWD	Scientific Drilling
11/29/2009	2,822.00	27.96	IncAzi-MWD	Scientific Drilling
11/29/2009	2,854.00	27.20	IncAzi-MWD	Scientific Drilling
11/29/2009	2,885.00	26.76	IncAzi-MWD	Scientific Drilling
11/30/2009	2,916.00	26.39	IncAzi-MWD	Scientific Drilling
11/30/2009	2,948.00	26.40	IncAzi-MWD	Scientific Drilling
11/30/2009	2,979.00	26.49	IncAzi-MWD	Scientific Drilling
11/30/2009	3,011.00	26.55	IncAzi-MWD	Scientific Drilling
11/30/2009	3,043.00	26.40	IncAzi-MWD	Scientific Drilling
11/30/2009	3,075.00	25.95	IncAzi-MWD	Scientific Drilling
11/30/2009	3,106.00	25.36	IncAzi-MWD	Scientific Drilling
11/30/2009	3,138.00	24.82	IncAzi-MWD	Scientific Drilling
11/30/2009	3,170.00	24.40	IncAzi-MWD	Scientific Drilling
11/30/2009	3,201.00	23.92	IncAzi-MWD	Scientific Drilling
11/30/2009	3,233.00	23.30	IncAzi-MWD	Scientific Drilling
11/30/2009	3,265.00	22.05	IncAzi-MWD	Scientific Drilling
11/30/2009	3,296.00	21.19	IncAzi-MWD	Scientific Drilling
11/30/2009	3,328.00	20.47	IncAzi-MWD	Scientific Drilling
11/30/2009	3,360.00	20.22	IncAzi-MWD	Scientific Drilling
11/30/2009	3,392.00	20.20	IncAzi-MWD	Scientific Drilling
11/30/2009	3,424.00	20.36	IncAzi-MWD	Scientific Drilling
11/30/2009	3,456.00	20.40	IncAzi-MWD	Scientific Drilling
11/30/2009	3,488.00	20.08	IncAzi-MWD	Scientific Drilling
11/30/2009	3,520.00	19.54	IncAzi-MWD	Scientific Drilling
11/30/2009	3,552.00	19.26	IncAzi-MWD	Scientific Drilling
11/30/2009	3,583.00	19.28	IncAzi-MWD	Scientific Drilling
11/30/2009	3,615.00	19.24	IncAzi-MWD	Scientific Drilling
11/30/2009	3,647.00	19.14	IncAzi-MWD	Scientific Drilling
11/30/2009	3,679.00	18.51	IncAzi-MWD	Scientific Drilling
11/30/2009	3,710.00	17.67	IncAzi-MWD	Scientific Drilling
11/30/2009	3,742.00	17.36	IncAzi-MWD	Scientific Drilling
11/30/2009	3,774.00	15.75	IncAzi-MWD	Scientific Drilling
11/30/2009	3,805.00	13.39	IncAzi-MWD	Scientific Drilling
11/30/2009	3,837.00	11.68	IncAzi-MWD	Scientific Drilling
12/1/2009	3,869.00	10.63	IncAzi-MWD	Scientific Drilling
12/1/2009	3,900.00	9.45	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data


Date	MD (ftKB)	Incl (°)	Method	Survey Company
12/1/2009	3,932.00	7.91	IncAzi-MWD	Scientific Drilling
12/1/2009	3,964.00	6.39	IncAzi-MWD	Scientific Drilling
12/1/2009	3,996.00	5.44	IncAzi-MWD	Scientific Drilling
12/1/2009	4,027.00	4.65	IncAzi-MWD	Scientific Drilling
12/1/2009	4,059.00	3.63	IncAzi-MWD	Scientific Drilling
12/1/2009	4,090.00	3.21	IncAzi-MWD	Scientific Drilling
12/1/2009	4,108.00	3.19	IncAzi-MWD	Scientific Drilling
12/11/2009	7,433.00	0.75	Inc-WL	PHOENIX

RCVD APR 9 '10

OIL CONS. DIV.

DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.




Subscribed and sworn to me this March 26, 2010

Crystal L. Tafaya

Notary Public in and for San Juan County, New Mexico

My Commission expires 6/12/2010



Scientific Drilling

RCVD APR 9 '10

OIL CONS. DIV.

DIST. 3

BURLINGTON RESOURCES


Field: San Juan (NM Western)
Site: SEC 13-T30N-R8W
Well: Delhi Com #1B
Wellpath: DH - Job #33D1109210
Survey: 11/28/09-12/02/09
API # 30-045-35014

This survey is correct to the best of my knowledge
and is supported by actual field data.

[Signature] Company Representative

Notorized this date 10th of December, 2009.

[Signature]
Notary Signature
County of Midland
State of Texas





Scientific Drilling International

COP Survey Report

Company: BURLINGTON RESOURCES
 Field: San Juan (NM Western)
 Site: SEC 13-T30N-R8W
 Well: Delhi Com #1B
 Wellpath: DH - Job #33D1109210

Date: 12/07/2009 Time: 13:13:47 Page: 1
 Co-ordinate(NE) Reference: Well: Delhi Com #1B, True North
 Vertical (TVD) Reference: SITE 0.0
 Section (VS) Reference: Well (0.00N,0.00E,218.19Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase

Survey: 11/28/09-12/02/09 Start Date: 11/28/2009
 E-field 0'-4108'
 Company: Scientific Drilling Internatio Engineer: Richey/Orozco/Blosser/Flower/K
 Tool: E-field;E-field Tied-to: From Surface

Site: SEC 13-T30N-R8W

Site Position: Northing: 2115122.03 ft Latitude: 36 48 45.774 N
 From: Map Easting: 543817.67 ft Longitude: 107 41 1.129 W
 Position Uncertainty: 0.00 ft North Reference: True
 Ground Level: 5783.00 ft Grid Convergence: 0.09 deg

Well: Delhi Com #1B Slot Name:
 1475' Slant @ S38.19W
 Well Position: +N/-S 0.00 ft Northing: 2115122.03 ft Latitude: 36 48 45.774 N
 +E/-W 0.00 ft Easting: 543817.67 ft Longitude: 107 41 1.129 W
 Position Uncertainty: 0.00 ft

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
392.00	0.63	17.25	391.99	-2.01	2.06	0.64	0.16	2.16	17.25
422.00	0.67	212.86	421.99	-1.99	2.07	0.59	4.29	2.15	15.99
453.00	1.45	216.60	452.99	-1.42	1.60	0.26	2.52	1.62	9.24
484.00	2.44	217.11	483.97	-0.37	0.76	-0.37	3.19	0.85	333.96
515.00	3.27	212.33	514.93	1.17	-0.51	-1.24	2.78	1.34	247.55
546.00	4.15	212.03	545.86	3.17	-2.21	-2.31	2.84	3.20	226.25
577.00	4.81	212.74	576.77	5.58	-4.26	-3.61	2.14	5.58	220.29
608.00	5.59	213.32	607.64	8.37	-6.61	-5.14	2.52	8.37	217.87
638.00	6.77	213.95	637.47	11.59	-9.30	-6.93	3.94	11.60	216.70
669.00	7.71	213.20	668.22	15.49	-12.55	-9.09	3.05	15.50	215.91
700.00	8.57	215.92	698.91	19.87	-16.16	-11.58	3.04	19.89	215.62
731.00	9.26	215.82	729.53	24.67	-20.06	-14.40	2.23	24.69	215.67
762.00	9.93	217.16	760.10	29.83	-24.21	-17.47	2.28	29.86	215.82
791.00	10.96	217.41	788.62	35.09	-28.39	-20.66	3.56	35.11	216.04
822.00	11.91	217.99	819.00	41.23	-33.25	-24.42	3.09	41.26	216.29
853.00	12.95	219.20	849.27	47.91	-38.47	-28.58	3.46	47.92	216.61
884.00	13.90	220.04	879.43	55.10	-44.01	-33.17	3.13	55.11	217.01
913.00	14.94	219.45	907.51	62.32	-49.56	-37.79	3.62	62.33	217.32
947.00	16.01	217.34	940.28	71.39	-56.68	-43.42	3.56	71.40	217.45
979.00	17.12	217.77	970.95	80.51	-63.91	-48.98	3.49	80.52	217.47
1010.00	17.93	216.88	1000.51	89.85	-71.33	-54.64	2.75	89.85	217.45
1042.00	18.73	217.73	1030.89	99.91	-79.34	-60.74	2.64	99.92	217.44
1074.00	19.76	217.49	1061.10	110.45	-87.69	-67.17	3.23	110.46	217.45
1105.00	20.98	217.73	1090.16	121.24	-96.24	-73.76	3.94	121.25	217.47
1137.00	22.19	217.21	1119.92	133.01	-105.58	-80.92	3.83	133.03	217.47
1169.00	23.12	217.29	1149.45	145.34	-115.39	-88.38	2.91	145.35	217.45
1201.00	24.13	217.67	1178.76	158.16	-125.57	-96.18	3.19	158.17	217.45
1232.00	25.34	217.58	1206.92	171.13	-135.84	-104.10	3.91	171.15	217.46
1264.00	26.47	217.55	1235.70	185.11	-146.92	-112.63	3.53	185.13	217.47
1295.00	27.63	218.16	1263.31	199.21	-158.05	-121.28	3.85	199.22	217.50
1327.00	28.68	218.21	1291.53	214.31	-169.92	-130.61	3.28	214.32	217.55
1358.00	29.66	219.13	1318.59	229.42	-181.72	-140.05	3.48	229.43	217.62
1391.00	30.39	217.78	1347.17	245.93	-194.65	-150.32	3.01	245.94	217.68
1422.00	31.10	217.78	1373.81	261.77	-207.17	-160.03	2.29	261.78	217.68
1454.00	32.19	216.85	1401.05	278.56	-220.53	-170.21	3.73	278.57	217.66
1485.00	33.35	217.42	1427.12	295.34	-233.90	-180.34	3.87	295.35	217.63



Scientific
Drilling

Scientific Drilling International

COP Survey Report

Company: BURLINGTON RESOURCES
Field: San Juan (NM Western)
Site: SEC 13-T30N-R8W
Well: Delhi Com #1B
Wellpath: DH - Job #33D1109210

Date: 12/07/2009 Time: 13:13:47 Page: 2
Co-ordinate(NE) Reference: Well: Delhi Com #1B, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,218.19Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
1517.00	34.22	217.77	1453.71	313.13	-248.00	-191.19	2.79	313.14	217.63
1549.00	35.13	219.62	1480.03	331.33	-262.21	-202.58	4.35	331.35	217.69
1581.00	35.62	219.96	1506.12	349.85	-276.44	-214.43	1.65	349.86	217.80
1613.00	36.04	219.79	1532.07	368.57	-290.82	-226.44	1.35	368.58	217.91
1645.00	36.07	219.05	1557.94	387.40	-305.37	-238.40	1.36	387.41	217.98
1676.00	36.09	218.57	1582.99	405.66	-319.59	-249.84	0.91	405.66	218.02
1708.00	36.33	219.21	1608.81	424.56	-334.31	-261.71	1.40	424.56	218.06
1740.00	36.48	218.85	1634.56	443.55	-349.06	-273.67	0.82	443.55	218.10
1772.00	36.77	219.09	1660.25	462.64	-363.90	-285.68	1.01	462.64	218.13
1804.00	36.97	219.35	1685.85	481.84	-378.78	-297.82	0.79	481.84	218.18
1835.00	37.22	219.36	1710.57	500.53	-393.23	-309.67	0.81	500.53	218.22
1867.00	37.29	219.32	1736.04	519.90	-408.22	-321.95	0.23	519.90	218.26
1899.00	37.39	218.66	1761.49	539.31	-423.30	-334.16	1.29	539.31	218.29
1931.00	37.19	218.34	1786.94	558.69	-438.47	-346.23	0.87	558.69	218.30
1962.00	37.25	218.68	1811.63	577.44	-453.15	-357.91	0.69	577.44	218.30
1994.00	37.41	218.30	1837.07	596.85	-468.34	-369.99	0.88	596.85	218.31
2026.00	37.67	218.55	1862.45	616.35	-483.61	-382.10	0.94	616.35	218.31
2058.00	37.50	217.46	1887.81	635.86	-498.99	-394.12	2.14	635.86	218.30
2090.00	37.76	218.02	1913.15	655.40	-514.44	-406.08	1.34	655.40	218.29
2122.00	37.60	217.62	1938.48	674.96	-529.89	-418.07	0.91	674.96	218.27
2154.00	37.55	217.52	1963.84	694.47	-545.36	-429.97	0.25	694.47	218.25
2186.00	37.61	217.59	1989.20	713.99	-560.83	-441.87	0.23	713.99	218.23
2218.00	37.51	216.75	2014.56	733.49	-576.37	-453.65	1.63	733.49	218.21
2250.00	37.63	216.85	2039.93	753.00	-592.00	-465.34	0.42	753.00	218.17
2281.00	37.64	217.58	2064.48	771.92	-607.07	-476.79	1.44	771.92	218.15
2313.00	37.18	216.44	2089.90	791.36	-622.59	-488.49	2.60	791.36	218.12
2345.00	36.99	216.15	2115.42	810.64	-638.15	-499.91	0.81	810.64	218.07
2377.00	36.37	214.81	2141.09	829.74	-653.71	-511.01	3.16	829.74	218.02
2409.00	36.00	214.76	2166.92	848.59	-669.23	-521.79	1.16	848.60	217.94
2441.00	35.73	214.74	2192.85	867.31	-684.63	-532.47	0.84	867.32	217.87
2472.00	34.73	214.81	2218.17	885.16	-699.32	-542.67	3.23	885.18	217.81
2504.00	33.99	214.37	2244.59	903.18	-714.19	-552.93	2.44	903.21	217.75
2536.00	33.39	215.14	2271.21	920.90	-728.77	-563.05	2.30	920.94	217.69
2568.00	32.80	216.53	2298.02	938.36	-742.94	-573.27	3.00	938.40	217.65
2600.00	32.32	218.35	2324.99	955.58	-756.61	-583.74	3.41	955.62	217.65
2631.00	32.01	219.31	2351.23	972.08	-769.47	-594.09	1.93	972.12	217.67
2663.00	31.55	219.58	2378.44	988.93	-782.48	-604.79	1.50	988.96	217.70
2695.00	30.73	218.51	2405.83	1005.47	-795.33	-615.22	3.09	1005.51	217.72
2726.00	30.17	219.02	2432.55	1021.18	-807.58	-625.06	1.99	1021.21	217.74
2758.00	29.48	217.52	2460.31	1037.10	-820.07	-634.91	3.18	1037.13	217.75
2790.00	28.77	216.82	2488.26	1052.67	-832.48	-644.32	2.46	1052.70	217.74
2822.00	27.96	216.46	2516.42	1067.87	-844.68	-653.40	2.59	1067.90	217.72
2854.00	27.20	215.54	2544.79	1082.67	-856.67	-662.11	2.72	1082.71	217.70
2885.00	26.76	214.72	2572.41	1096.71	-868.17	-670.20	1.86	1096.76	217.67
2916.00	26.39	216.62	2600.14	1110.57	-879.43	-678.28	2.99	1110.62	217.64
2948.00	26.40	218.11	2628.80	1124.79	-890.74	-686.92	2.07	1124.84	217.64
2979.00	26.49	218.96	2656.56	1138.60	-901.54	-695.52	1.26	1138.65	217.65
3011.00	26.55	219.94	2685.19	1152.88	-912.57	-704.60	1.38	1152.93	217.67
3043.00	26.40	219.77	2713.84	1167.14	-923.52	-713.74	0.53	1167.18	217.70
3075.00	25.95	219.55	2742.55	1181.25	-934.39	-722.75	1.44	1181.29	217.72
3106.00	25.36	219.52	2770.50	1194.67	-944.74	-731.29	1.90	1194.71	217.74
3138.00	24.82	219.52	2799.48	1208.23	-955.21	-739.93	1.69	1208.27	217.76
3170.00	24.40	217.92	2828.57	1221.56	-965.60	-748.26	2.46	1221.59	217.77



Scientific Drilling International


COP Survey Report

Company: BURLINGTON RESOURCES
 Field: San Juan (NM Western)
 Site: SEC 13-T30N-R8W
 Well: Delhi Com #1B
 Wellpath: DH - Job #33D1109210

Date: 12/07/2009 Time: 13:13:47 Page: 3
 Co-ordinate(NE) Reference: Well: Delhi Com #1B, True North
 Vertical (TVD) Reference: SITE 0.0
 Section (VS) Reference: Well (0.00N,0.00E,218.19Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
3201.00	23.92	217.39	2856.86	1234.25	-975.65	-756.01	1.70	1234.28	217.77
3233.00	23.30	218.14	2886.18	1247.06	-985.78	-763.86	2.15	1247.09	217.77
3265.00	22.05	217.39	2915.70	1259.40	-995.53	-771.42	4.01	1259.43	217.77
3296.00	21.19	216.84	2944.52	1270.82	-1004.64	-778.31	2.85	1270.85	217.77
3328.00	20.47	216.25	2974.43	1282.19	-1013.78	-785.09	2.34	1282.23	217.75
3360.00	20.22	218.14	3004.43	1293.31	-1022.64	-791.81	2.20	1293.35	217.75
3392.00	20.20	218.40	3034.46	1304.37	-1031.32	-798.66	0.29	1304.41	217.75
3424.00	20.36	219.14	3064.48	1315.46	-1039.97	-805.60	0.94	1315.50	217.76
3456.00	20.40	219.18	3094.48	1326.60	-1048.61	-812.64	0.13	1326.64	217.77
3488.00	20.08	217.07	3124.50	1337.67	-1057.31	-819.48	2.49	1337.70	217.78
3520.00	19.54	217.06	3154.61	1348.51	-1065.97	-826.01	1.69	1348.55	217.77
3552.00	19.26	216.32	3184.79	1359.14	-1074.49	-832.36	1.16	1359.18	217.76
3583.00	19.28	217.21	3214.05	1369.36	-1082.69	-838.49	0.95	1369.40	217.76
3615.00	19.24	216.41	3244.26	1379.92	-1091.14	-844.81	0.83	1379.96	217.75
3647.00	19.14	218.07	3274.49	1390.43	-1099.51	-851.18	1.73	1390.47	217.74
3679.00	18.51	218.01	3304.77	1400.76	-1107.64	-857.54	1.97	1400.80	217.75
3710.00	17.67	217.22	3334.24	1410.38	-1115.27	-863.41	2.82	1410.43	217.75
3742.00	17.36	217.45	3364.76	1420.01	-1122.92	-869.26	0.99	1420.06	217.74
3774.00	15.75	217.95	3395.43	1429.13	-1130.14	-874.83	5.05	1429.17	217.74
3805.00	13.39	217.93	3425.43	1436.93	-1136.29	-879.62	7.61	1436.97	217.74
3837.00	11.68	218.81	3456.67	1443.87	-1141.73	-883.93	5.38	1443.92	217.75
3869.00	10.63	218.08	3488.06	1450.06	-1146.58	-887.78	3.31	1450.11	217.75
3900.00	9.45	218.70	3518.59	1455.47	-1150.82	-891.14	3.82	1455.51	217.75
3932.00	7.91	220.77	3550.22	1460.29	-1154.54	-894.22	4.91	1460.34	217.76
3964.00	6.39	222.25	3581.97	1464.27	-1157.52	-896.85	4.78	1464.31	217.77
3996.00	5.44	223.91	3613.80	1467.56	-1159.93	-899.10	3.02	1467.59	217.78
4027.00	4.65	224.68	3644.68	1470.27	-1161.89	-901.00	2.56	1470.30	217.79
4059.00	3.63	226.30	3676.60	1472.56	-1163.51	-902.65	3.21	1472.59	217.80
4090.00	3.21	229.22	3707.54	1474.38	-1164.75	-904.02	1.47	1474.41	217.82
4108.00	3.19	231.59	3725.51	1475.36	-1165.39	-904.79	0.74	1475.39	217.83




Scientific
Drilling

Field: San Juan (NM Western)
Site: SEC 13-T30N-R8W
Well: Delhi Com #1B
Wellpath: DH - Job #33D1109210
Survey: 11/28/09-12/02/09



South(-)/North(+) [200ft/in]



West(-)/East(+) [200ft/in]


DELHI COM #1B

Burlington Resources Oil & Gas Company, LP

Most Recent Job

Jobs				
Job Category	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
COMPLETIONS	INITIAL COMPLETION	INITIAL COMPLETION	12/16/2009	3/24/2010

Well Config: DEVIATED - Original Hole, 3/25/2010 7:09:16 AM



RCVD APR 9 '10
OIL CONS. DIV.
DIST. 3