District I 1625 N French Dr., Hobbs, NM 88240

State of New Mexico **Energy Minerals and Natural Resources**

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

1301 W. Grand Ave , Artesia, NM 88210 District III	Oil Conservation Division 1220 South St. Francis Dr.	tanks, submit to the appropriate NMOCD District Office
1000 Rio Brazos Rd , Aztec, NM 87410 District IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
1220 S St. Francis Dr , Santa Fe, NM 87505	P' Cl II C DI C	appropriate NMOCD District Office.
554U n	Pit, Closed-Loop System, Below-Gra	
Prop	osed Alternative Method Permit or Clo	osure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade	e tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grad	le tank, or proposed alternative method
	X Modification to an existing permit	
	Closure plan only submitted for an existing perr below-grade tank, or proposed alternative metho	
Instructions: Please submit one a	application (Form C-144) per individual pit, closed-l	oop system, below-grade tank or alternative request
Please be advised that approval of	of this request does not relieve the operator of liability should operations	result in pollution of surface water, ground water or the
environment Nor does approval rel	ieve the operator of its responsibility to comply with any other applicable	e governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources O	il & Gas Company. LP	OGRID#: 14538
Address: PO Box 4289, Farmingt		1100
Facility or well name: SAN JUAN		
	0-039-30647 OCD Permit Num	her.
U/L or Qtr/Qtr: G(SW/NE) Secti		6W County: Rio Arriba
Center of Proposed Design: Latitud	· ·	107.410058 °W NAD: 1927X 1983
Surface Owner: Federal	State X Private Tribal Trust or Ind	
Surface Swifer. Treateral	State A Trivate Tribus reast of file	an Another
2		
X Pit: Subsection F or G of 19.15.1	7 II NMAC	
Temporary: X Drilling Wo	rkover	
	Cavitation P&A	
	iner type Thickness 20 mil X LLDPE	HDPE
X String-Reinforced		
Liner Seams: X Welded X F	factory Other Volume: 770	00 bbl Dimensions L 120' x W 55' x D 12'
Closed-loop System: Subsec	tion H of 19 15 17.11 NMAC	
Type of Operation: P&A		to activities which require prior approval of a permit or
	notice of intent)	
Drying Pad Above Gro	und Steel Tanks Haul-off Bins Other	
Lined Unlined Line	er type: Thicknessmil LLDPE	HDPE PVD Other
Liner Seams: Welded F	actory Other	HDPE PVD Other 334 7077
		分
Below-grade tank: Subsection	I of 19.15 17.11 NMAC	RECEIVED
Volume.	bbl Type of fluid:	(E MAR 2010
Tank Construction material:		- \2 OIL CONS DIV
Secondary containment with leak d	etection Visible sidewalls, liner, 6-inch lift and a	utomatic overflow shut-off \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Visible sidewalls and liner	Visible sidewalls only Other	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Liner Type: Thickness	mil HDPE PVC Other	Atomatic overflow shut-off RECEIVED MAR 2010 OIL CONS. DIV. DIST. 3 **SETZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ
- Thermos		
5 Alternative Method:		

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (Il netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
9 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of app	roval.		
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Ten:porary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
14		
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative		
Proposed Closure Method: Waste Excavation and Removal		
Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15		
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soul Bookfill and Court Design Specifications, based upon the converging requirements of Subsection H of 10.15.17.13 NIMAC		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC		

16	•		
Waste Removal Closure For Closed-loop Systems That Utilize Above Grantructions Please identify the facility or facilities for the disposal of liquid	cound Steel Tanks or Haul-off Bins Only:(19.15.17 13.D NMAC) is, drilling fluids and drill cuttings. Use attachment if more than two)	
facilities are required	Disposal Facility Permit #		
Disposal Facility Name: Disposal Facility Permit #: Disposal Facility Name: Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associat Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and op Soil Backfill and Cover Design Specification - based upon the Re-vegetation Plan - based upon the appropriate requirements of	e appropriate requirements of Subsection H of 19.15.17.13 Nof Subsection I of 19 15 17 13 NMAC	NMAC	
Site Reclamation Plan - based upon the appropriate requirement	its of Subsection G of 19 15 17.13 NMAC		
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17. Instructions Each siting criteria requires a demonstration of compliance in the closur certain string criteria may require administrative approval from the appropriate distruoffice for consideration of approval Justifications and/or demonstrations of equivalent	e plan Recommendations of acceptable source material are provided below ct office or may be considered an exception which must be submitted to the S		
Ground water is less than 50 feet below the bottom of the buried was		Yes No	
- NM Office of the State Engineer - IWATERS database search, USGS	Data obtained from nearby wells	N/A	
Ground water is between 50 and 100 feet below the bottom of the bu	rried waste	Yes No	
- NM Office of the State Engineer - 1WATERS database search; USGS,	Data obtained from nearby wells	N/A □	
Ground water is more than 100 feet below the bottom of the buried v	waste.	Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS;	Data obtained from nearby wells	N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any off (measured from the ordinary high-water mark)	ner significant watercourse or lakebed, sinkhole, or playa lake	Yes No	
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or - Visual inspection (certification) of the proposed site; Aerial photo; sate	•••	Yes No	
		Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring the purposes, or within 1000 horizontal fee of any other fresh water well or spring - NM Office of the State Engineer - iWATERS database, Visual inspection	ig, in existence at the time of the initial application		
Within incorporated municipal boundaries or within a defined municipal fresh pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written app	·	Yes No	
Within 500 feet of a wetland	noval obtained from the municipality	Пуеѕ Пуо	
- US Fish and Wildlife Wetland Identification map; Topographic map; V	/isual inspection (certification) of the proposed site		
Within the area overlying a subsurface mme.		Yes No	
- Written confirantion or verification or map from the NM EMNRD-Min	ing and Mineral Division		
Within an unstable area. - Engineering measures incorporated into the design, NM Bureau of Geo Topographic map	logy & Mineral Resources; USGS, NM Geological Society,	YesNo	
Within a 100-year floodplam FEMA map		Yes No	
18			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruction by a check mark in the box, that the documents are attached.	s: Each of the following items must bee attached to the clo	sure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the	appropriate requirements of 19.15.17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC			
Waste Material Sampling Plan - based upon the appropriate re		1	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Ste Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Marie E Jaramıllo Title: Staff Regulatory Technician				
Signature: Wall & Jack Date: 3210				
e-mail address: marie e jaramillo@conocophillips.com Telephone: 505-326-9865				
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: 4/16/10				
Title: Euniso 15pee OCD Permit Number:				
21 Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC				
Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure				
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed				
Closure Completion Date:				
22 Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain.				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name Disposal Facility Permit Number				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate compliane to the items below)				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in				
the box, that the documents are attached. Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude: Longitude: NAD 1927 1983				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Title:				
Signature: Date:				
e-mail address Telephone:				

Burlington Resources San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), BR
 can not conduct construction or similar activities during Seasonal Closures and therefore can
 not meet the closure requirements specified in the referenced rule. Completion of the well and
 Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure 06/05/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.