District 1

1625 № French Dr., Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

District III 1000 Rio Brazos Rd . Aztec. NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

July 21, 2008

Form C-144

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
Pit, Close	ed-Loop System, Below-Grade Tank, or native Method Permit or Closure Plan Application
Closure of X Modifica Closure problem of the Structions: Please submit one application (For Please be advised that approval of this request does to the struction of the structi	a pit, closed-loop system, below-grade tank, or proposed alternative method of a pit, closed-loop system, below-grade tank, or proposed alternative method tion to an existing permit olan only submitted for an existing permitted or non-permitted pit, closed-loop system, ade tank, or proposed alternative method or non-permitted pit, closed-loop system, and tank, or proposed alternative method or non-permitted pit, closed-loop system, below-grade tank or alternative request not relieve the operator of liability should operations result in pollution of surface water, ground water or the its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: ConocoPhillips Company Address: PO Box 4289, Farmington, NM 87499	OGRID#: <u>217817</u>
Facility or well name: SAN JUAN 30-5 UNIT 94	M
API Number: 30-039-30751	OCD Permit Number:
U/L or Qtr/Qtr: B(NW/NE) Section: 27	Township: 30N Range: 5W County: Rio Arriba
Center of Proposed Design: Latitude:	36.788889 °N Longitude: 107.341061 °W NAD: [1927]X 1983
Surface Owner: X Federal State	Private Tribal Trust or Indian Allotment
X Lined Unlined Liner type: The X String-Reinforced Liner Seams: X Welded X Factory O	P&A
Closed-loop System: Subsection H of 19 15. Type of Operation: P&A Drilling a new	
Drying Pad Above Ground Steel Tanks Lined Unlined Liner type: Thi Liner Seams: Welded Factory Oth	cknessmilLLDPEHDPEPVDOther er
Below-grade tank: Subsection I of 19.15.17.11 Volume bbl Type of Tank Construction material:	of fluid.
Secondary containment with leak detection Visible sidewalls and liner Liner Type: Thickness mil	Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Sidewalls only Other HDPE PVC Other
Alternative Method:	and must be submitted to the Sente Fe Environmental Rurrou office for concideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.					
Netting: Subsection E of 19 15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15 17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15 3 103 NMAC					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s). Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner) Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		No			
Within a 100-year floodplain	Yes	No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19 15.17.9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15,17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15 17 9 NMAC and 19.15 17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions. Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17 13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC				
14 Proposed Channel 10.15.17.19.19.4.C				
Proposed Closure: 19 15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16♣		
Waste Removal Closure For Closed-loop Systems That Utilize As Instructions Please identify the facility or facilities for the disposal of facilities are required	nove Ground Steel Tanks or Haul-off Bins Only:(19.15 17 13 D NMAC) of liquids, drilling fluids and drill cuttings—Use attachment if more than tw) vo
Disposal Facility Name:	Disposal Facility Permit #:	
Disposal Facility Name:		
	ssociated activities occur on or in areas that will nbe used for futur	
Required for impacted areas which will not be used for future service	e and operations: pon the appropriate requirements of Subsection H of 19.15.17.13 ments of Subsection I of 19 15 17 13 NMAC	NMAC .
17		
Siting Criteria (Regarding on-site closure methods only: 19 Instructions Each string criteria requires a demonstration of compliance in the	e closure plan Recommendations of acceptable source material are provided belo tte district office or may be considered an exception which must be submitted to the	
Ground water is less than 50 feet below the bottom of the buri - NM Office of the State Engineer - iWATERS database search,		Yes No
Ground water is between 50 and 100 feet below the bottom of	the huried waste	☐Yes ☐No
- NM Office of the State Engineer - IWATERS database search,		N/A
Ground water is more than 100 feet below the bottom of the h	uried waste	☐ ☐ Yes ☐ No
- NM Office of the State Engineer - 1WATERS database search,		∏N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark)	any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No
- Topographic map, Visual inspection (certification) of the propo	sed site	
Within 300 feet from a permanent residence, school, hospital, institute - Visual inspection (certification) of the proposed site, Aerial pho	•••	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spurposes, or within 1000 horizontal fee of any other fresh water well - NM Office of the State Engineer - tWATERS database, Visual a Within incorporated municipal boundaries or within a defined municip pursuant to NMSA 1978, Section 3-27-3, as amended	or spring, in existence at the time of the initial application inspection (certification) of the proposed site	Yes No
- Written confirmation or verification from the municipality, Writhin 500 feet of a wetland		Yes No
- US Fish and Wildlife Wetland Identification map, Topographic	map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNI	RD-Mining and Mineral Division	Yes No
Within an unstable area	of Geology & Mineral Resources, USGS, NM Geological Society,	Yes No
Topographic map	or outling, a minimum recommend, as as, this contagion scorety,	l
Within a 100-year floodplain - FEMA map		Yes No
	ructions: Each of the following items must bee attached to the cl	losure plan. Please indicate,
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upo		
	priate requirements of Subsection F of 19.15.17.13 NMAC	
Construction/Design Plan of Burial Trench (if applicab	ole) based upon the appropriate requirements of 19.15.17.11 NMA	C
Construction/Design Plan of Temporary Pit (for in place	ce burial of a drying pad) - based upon the appropriate requiremen	its of 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate		
Confirmation Sampling Plan (if applicable) - based upon	on the appropriate requirements of Subsection F of 19.15.17.13 N	MAC
Waste Material Sampling Plan - based upon the approp	oriate requirements of Subsection F of 19.15.17.13 NMAC	•
	s, drilling fluids and drill cuttings or in case on-site closure standar	rds cannot be achieved)
Soil Cover Design - based upon the appropriate require		
Re-vegetation Plan - based upon the appropriate requir Site Reclamation Plan - based upon the appropriate req		

Form C-144 Oil Conservation Division Page 4 of 5

19				
Operator Application Certification: I hereby certify that the information submitted with this application is quegaccurate and complete to the best of my knowledge and belief				
Name (Print): Majne Parsmillo, Title: Staff Regulatory Technician				
Signature: Date: 27/0				
c-mail address. mane e.jaramillq@conqcophillips com Telephone: 505-326-9865				
Citati Addition				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: By 6 mm. Approval Date: \$ 4/16/16				
Title: Euviro/Spec OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:				
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain.				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized. Disposal Facility Permit Number Disposal Facility Permit Number				
Disposal Facility Name. Disposal Facility Permit Number				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate compilane to the items below)				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude: NAD 1927 1983				
On-site Closure Location: Latitude Longitude: NAD 1927 1983				
25 Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Title:				
Signature: Date:				

ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), COP can not conduct construction or similar activities during Seasonal Closures and therefore can not meet the closure requirements specified in the referenced rule. Completion of the well and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure Date of 05/12/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.