

DISTRICT I
1825 N. French Dr., Hobbs, N.M. 88240

State of New Mexico
Energy, Minerals & Natural Resources Department

Form C-102
Revised October 12, 2005

DISTRICT II
1301 W. Grand Avenue, Artesia, N.M. 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

☐ AMENDED REPORT

"AS DRILLED PLAT"
WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-039-30815	² Pool Code 71599 / 72319	³ Pool Name BASIN DAKOTA/MESAVERDE
⁴ Property Code 7462	⁵ Property Name SAN JUAN 28-6 UNIT	⁶ Well Number 125 M
⁷ OGRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 6481'

¹⁰ Surface Location

UL or lot no. 1	Section 21	Township 28N	Range 6W	Lot Idn	Feet from the 1361'	North/South line SOUTH	Feet from the 982'	East/West line EAST	County RIO ARRIBA
--------------------	---------------	-----------------	-------------	---------	------------------------	---------------------------	-----------------------	------------------------	----------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. 0	Section 21	Township 28N	Range 6W	Lot Idn	Feet from the 826	North/South line SOUTH	Feet from the 2238	East/West line EAST	County RIO ARRIBA
¹² Dedicated Acres 320.0 Acres - (E/2)			¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No. RCVD MAY 14'10 OIL CONS. DIV.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION DIST. 3

18

5/17/10

17 OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order heretofore entered by the division.

Crystal Tafoya 5/13/10
Signature Date

Crystal Tafoya 5/13/2010
Printed Name

18 SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

DECEMBER 2, 2009
Date of Survey

Signature and Seal of Professional Surveyor:
David Russell

DAVID RUSSELL
NEW MEXICO
REGISTERED PROFESSIONAL LAND SURVEYOR
10201

DAVID RUSSELL
Certificate Number 10201

LEASE # USA SF-079193

21

DIRECTIONAL DRILL

BOTTOM HOLE

WELL FLAG
LAT. 36.64327° N (NAD83)
LONG. 107.46684° W (NAD83)
LAT. 36.3859572° N (NAD27)
LONG. 107.2797416° W (NAD27)

826'

2238'

1361'

982'

S 89°52'25" W
WEST

2640.57' (M)
2637.36' (R)

FND 2 1/2" BC
GLO 1914

FND 2 1/2" BC
GLO 1914

5273.19' (M)
5280.00' (R)

N 0°04'53" W
N 0°02' W

HOLD C104 FOR NSL Basin Dakota

ConocoPhillips

SJB (NM Central)

SEC 21-T28N-R6W

SJ 28-6 #125M

WAN.CDR.9082

Original Hole

API # 30-039-3081S

Survey: Actual

Standard Survey Report

17 February, 2010

RCVD MAY 14 '10

OIL CONS. DIV.

DIST. 3


This survey is correct to the best of my knowledge and is supported by actual field data.

Sheherton

Notorized this date 19th of February, 2010.



Carrie Reed

Notary Signature
County of Midland
State of Texas





Project: SJB (NM Central)
 Site: SEC 21-T28N-R6W
 Well: SJ 28-6 #125M
 Wellbore: Original Hole
 Design: Plan #2



COMPANY DETAILS: ConocoPhillips
 Calculation Method: Minimum Curvature
 Error System: ISCWSA
 Scan Method: Closest Approach 3D
 Error Surface: Combined Covariances
 Warning Method: Risk Ratio

PROJECT DETAILS: SJB (NM Central)
 Geodetic System: US State Plane 1927 (Exact solution)
 Datum: NAD 1927 (NADCON CONUS)
 Ellipsoid: Clarke 1866
 Zone: New Mexico Central 3002
 System Datum: Mean Sea Level

SITE DETAILS: SEC 21-T28N-R6W
 Rio Arriba County NM
 Site Centre Latitude: 36° 39' 6.308 N
 Longitude: 107° 28' 1.617 W
 Positional Uncertainty: 0.0
 Convergence: -0.73
 Local North: True

Scientific Drilling International, Inc.
Survey Report

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 28-6 #125M
Project:	SJB (NM Central)	TVD Reference:	DFE @ 6497.0ft (H&P 283)
Site:	SEC 21-T28N-R6W	MD Reference:	DFE @ 6497.0ft (H&P 283)
Well:	SJ 28-6 #125M	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	edmCOP

Project	SJB (NM Central), New Mexico, S-Type MV/DK Wells		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		Using Well Reference Point
Map Zone:	New Mexico Central 3002		Using geodetic scale factor

Site		SEC 21-T28N-R6W			
Site Position:		Northing:	2,058,719.88 ft	Latitude:	36° 39' 6.308 N
From:	Lat/Long	Easting:	142,967.57 ft	Longitude:	107° 28' 1.617 W
Position Uncertainty:	0.0 ft	Slot Radius:	6-1/8"	Grid Convergence:	-0.73 °

Well	SJ 28-6 #125M, S-Type MV/DK Well					
Well Position	+N/-S	0.0 ft	Northing:	2,055,625.71 ft	Latitude:	36° 38' 35.743 N
	+E/-W	0.0 ft	Easting:	143,186.50 ft	Longitude:	107° 27' 58.450 W
Position Uncertainty		3.5 ft	Wellhead Elevation:	ft	Ground Level:	6,481.0 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2009	12/16/2009	9.93	63.51	50,889

Design	Original Hole			
Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth: 0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.0	0.0	0.0	246.95

Survey Program	Date	2/17/2010		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
266.0	4,258.0	Actual (Original Hole)	MWD SDI	MWD - Standard ver 1.0.1

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
266.0	0.97	65.71	266.0	0.9	2.1	-2.3	0.36	0.36	0.00
296.0	0.88	73.63	296.0	1.1	2.5	-2.7	0.52	-0.30	26.40
327.0	0.54	88.32	327.0	1.2	2.9	-3.1	1.24	-1.10	47.39
357.0	0.57	200.10	357.0	1.0	3.0	-3.1	3.06	0.10	372.60
388.0	1.30	222.23	388.0	0.6	2.7	-2.7	2.58	2.35	71.39
419.0	2.45	233.00	419.0	0.0	1.9	-1.7	3.86	3.71	34.74
450.0	3.68	238.99	449.9	-0.9	0.5	-0.1	4.09	3.97	19.32
480.0	4.54	241.31	479.8	-2.0	-1.3	2.0	2.92	2.87	7.73
510.0	5.50	240.66	509.7	-3.3	-3.6	4.6	3.21	3.20	-2.17
540.0	6.34	241.97	539.6	-4.8	-6.3	7.7	2.84	2.80	4.37
571.0	7.34	243.83	570.3	-6.4	-9.6	11.4	3.30	3.23	6.00
602.0	8.67	243.99	601.0	-8.3	-13.5	15.7	4.29	4.29	0.52

Scientific Drilling International, Inc.

Survey Report

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 28-6 #125M
Project:	SJB (NM Central)	TVD Reference:	DFE @ 6497.0ft (H&P 283)
Site:	SEC 21-T28N-R6W	MD Reference:	DFE @ 6497 0ft (H&P 283)
Well:	SJ 28-6 #125M	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	edmCOP

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
633.0	9.71	244.70	631.6	-10.5	-18.0	20.6	3.37	3.35	2.29	
664.0	10.75	246.22	662.1	-12.8	-23.0	26.1	3.47	3.35	4.90	
694.0	11.76	247.83	691.6	-15.1	-28.4	32.0	3.53	3.37	5.37	
724.0	12.90	247.47	720.9	-17.5	-34.3	38.4	3.81	3.80	-1.20	
754.0	13.81	247.92	750.1	-20.1	-40.7	45.3	3.05	3.03	1.50	
784.0	14.98	248.88	779.1	-22.9	-47.6	52.8	3.98	3.90	3.20	
832.0	16.57	248.03	825.3	-27.7	-59.8	65.8	3.35	3.31	-1.77	
877.0	17.55	246.81	868.3	-32.7	-72.0	79.0	2.32	2.18	-2.71	
922.0	18.75	246.52	911.1	-38.3	-84.8	93.1	2.67	2.67	-0.64	
967.0	20.54	247.84	953.5	-44.1	-98.8	108.2	4.10	3.98	2.93	
1,012.0	22.26	247.01	995.4	-50.4	-113.9	124.6	3.88	3.82	-1.84	
1,057.0	23.86	246.81	1,036.8	-57.4	-130.2	142.2	3.56	3.56	-0.44	
1,102.0	25.70	247.20	1,077.6	-64.7	-147.5	161.1	4.10	4.09	0.87	
1,147.0	26.95	246.05	1,118.0	-72.6	-165.8	181.0	3.00	2.78	-2.56	
1,192.0	28.39	246.22	1,157.8	-81.1	-184.9	201.9	3.20	3.20	0.38	
1,237.0	30.25	246.62	1,197.0	-89.9	-205.1	224.0	4.16	4.13	0.89	
1,282.0	31.84	246.11	1,235.6	-99.2	-226.4	247.2	3.58	3.53	-1.13	
1,327.0	31.49	246.77	1,273.9	-108.7	-248.1	270.8	1.09	-0.78	1.47	
1,372.0	32.04	246.17	1,312.2	-118.1	-269.8	294.5	1.41	1.22	-1.33	
1,417.0	32.45	245.63	1,350.2	-127.9	-291.7	318.5	1.11	0.91	-1.20	
1,462.0	32.42	245.76	1,388.2	-137.9	-313.7	342.6	0.17	-0.07	0.29	
1,507.0	31.41	245.74	1,426.4	-147.6	-335.4	366.4	2.24	-2.24	-0.04	
1,552.0	31.70	244.94	1,464.7	-157.5	-356.8	389.9	1.13	0.64	-1.78	
1,597.0	32.18	244.83	1,502.9	-167.6	-378.3	413.7	1.07	1.07	-0.24	
1,642.0	30.96	246.11	1,541.3	-177.3	-399.8	437.3	3.09	-2.71	2.84	
1,687.0	30.01	247.52	1,580.0	-186.3	-420.7	460.1	2.64	-2.11	3.13	
1,732.0	30.16	247.74	1,619.0	-194.9	-441.6	482.7	0.41	0.33	0.49	
1,777.0	30.55	246.74	1,657.8	-203.7	-462.6	505.4	1.42	0.87	-2.22	
1,822.0	29.52	247.53	1,696.8	-212.5	-483.3	527.9	2.45	-2.29	1.76	
1,867.0	29.26	247.19	1,736.0	-221.0	-503.7	550.0	0.69	-0.58	-0.76	
1,912.0	29.21	247.32	1,775.3	-229.5	-524.0	572.0	0.18	-0.11	0.29	
1,957.0	27.58	246.70	1,814.8	-237.8	-543.7	593.4	3.68	-3.62	-1.38	
2,002.0	25.97	248.21	1,855.0	-245.6	-562.4	613.7	3.88	-3.58	3.36	
2,047.0	25.16	247.97	1,895.6	-252.9	-580.4	633.1	1.81	-1.80	-0.53	
2,092.0	25.23	248.50	1,936.3	-260.0	-598.2	652.2	0.52	0.16	1.18	
2,137.0	25.58	248.78	1,977.0	-267.0	-616.2	671.5	0.82	0.78	0.62	
2,182.0	24.67	247.76	2,017.7	-274.1	-633.9	690.6	2.24	-2.02	-2.27	
2,227.0	24.02	248.19	2,058.7	-281.0	-651.1	709.2	1.50	-1.44	0.96	
2,272.0	24.17	247.09	2,099.8	-288.0	-668.1	727.5	1.05	0.33	-2.44	
2,317.0	24.20	247.32	2,140.8	-295.1	-685.1	746.0	0.22	0.07	0.51	
2,362.0	24.07	247.51	2,181.9	-302.2	-702.1	764.4	0.34	-0.29	0.42	
2,407.0	24.22	247.95	2,223.0	-309.2	-719.1	782.8	0.52	0.33	0.98	
2,452.0	23.68	248.95	2,264.1	-315.9	-736.1	801.0	1.50	-1.20	2.22	
2,497.0	23.53	248.50	2,305.3	-322.4	-752.9	819.0	0.52	-0.33	-1.00	
2,542.0	23.60	247.69	2,346.6	-329.1	-769.6	837.0	0.74	0.16	-1.80	
2,587.0	23.94	248.12	2,387.8	-336.0	-786.4	855.2	0.85	0.76	0.96	
2,632.0	24.51	248.28	2,428.8	-342.8	-803.6	873.6	1.28	1.27	0.36	
2,677.0	25.02	248.21	2,469.7	-349.8	-821.1	892.5	1.14	1.13	-0.16	
2,722.0	25.43	248.15	2,510.4	-356.9	-838.9	911.6	0.91	0.91	-0.13	
2,767.0	25.91	247.45	2,550.9	-364.3	-856.9	931.1	1.26	1.07	-1.56	
2,812.0	26.79	246.44	2,591.3	-372.1	-875.3	951.1	2.19	1.96	-2.24	
2,857.0	27.32	246.40	2,631.3	-380.3	-894.0	971.6	1.18	1.18	-0.09	
2,901.0	26.69	247.07	2,670.5	-388.2	-912.4	991.6	1.59	-1.43	1.52	
2,946.0	25.52	246.63	2,710.9	-396.0	-930.6	1,011.4	2.64	-2.60	-0.98	

Scientific Drilling International, Inc.

Survey Report

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well SJ 28-6 #125M
Project:	SJB (NM Central)	TVD Reference:	DFE @ 6497.0ft (H&P 283)
Site:	SEC 21-T28N-R6W	MD Reference:	DFE @ 6497.0ft (H&P 283)
Well:	SJ 28-6 #125M	North Reference:	True
Wellbore:	Original Hole	Survey Calculation Method:	Minimum Curvature
Design:	Original Hole	Database:	edmCOP

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
2,991.0	25.33	246.35	2,751.6	-403.7	-948.3	1,030.7	0.50	-0.42	-0.62
3,081.0	25.08	245.80	2,833.0	-419.2	-983.4	1,069.0	0.38	-0.28	-0.61
3,171.0	25.01	244.14	2,914.5	-435.4	-1,017.9	1,107.1	0.78	-0.08	-1.84
3,261.0	23.99	246.51	2,996.4	-451.0	-1,051.8	1,144.4	1.57	-1.13	2.63
3,351.0	22.77	245.07	3,079.1	-465.6	-1,084.4	1,180.1	1.50	-1.36	-1.60
3,396.0	21.57	244.35	3,120.7	-472.8	-1,099.7	1,197.0	2.73	-2.67	-1.60
3,441.0	19.48	246.69	3,162.9	-479.4	-1,114.1	1,212.8	4.99	-4.64	5.20
3,486.0	18.18	249.08	3,205.5	-484.9	-1,127.5	1,227.3	3.36	-2.89	5.31
3,531.0	17.25	247.26	3,248.3	-490.0	-1,140.2	1,241.0	2.41	-2.07	-4.04
3,576.0	16.43	246.88	3,291.4	-495.0	-1,152.2	1,254.1	1.84	-1.82	-0.84
3,621.0	16.72	246.94	3,334.5	-500.1	-1,164.0	1,266.9	0.65	0.64	0.13
3,667.0	16.94	249.35	3,378.6	-505.0	-1,176.4	1,280.2	1.59	0.48	5.24
3,711.0	16.59	248.97	3,420.7	-509.5	-1,188.3	1,292.9	0.83	-0.80	-0.86
3,756.0	14.54	249.33	3,464.0	-513.8	-1,199.5	1,305.0	4.56	-4.56	0.80
3,801.0	12.31	250.32	3,507.8	-517.4	-1,209.3	1,315.4	4.98	-4.96	2.20
3,846.0	10.88	252.02	3,551.9	-520.4	-1,217.9	1,324.4	3.27	-3.18	3.78
3,891.0	9.02	252.60	3,596.2	-522.7	-1,225.3	1,332.1	4.14	-4.13	1.29
3,936.0	7.52	251.31	3,640.7	-524.7	-1,231.5	1,338.6	3.36	-3.33	-2.87
3,981.0	6.01	250.44	3,685.4	-526.5	-1,236.5	1,343.9	3.36	-3.36	-1.93
4,026.0	5.21	250.31	3,730.2	-527.9	-1,240.6	1,348.3	1.78	-1.78	-0.29
4,071.0	4.79	248.53	3,775.0	-529.3	-1,244.3	1,352.2	0.99	-0.93	-3.96
4,116.0	4.40	247.14	3,819.9	-530.7	-1,247.6	1,355.8	0.90	-0.87	-3.09
4,161.0	3.92	244.53	3,864.8	-532.0	-1,250.6	1,359.1	1.15	-1.07	-5.80
4,206.0	3.43	245.22	3,909.7	-533.2	-1,253.2	1,361.9	1.09	-1.09	1.53
4,251.0	3.18	244.63	3,954.6	-534.3	-1,255.6	1,364.5	0.56	-0.56	-1.31
4,258.0	3.01	243.26	3,961.6	-534.5	-1,255.9	1,364.9	2.65	-2.43	-19.57



COP Deviation Report
SAN JUAN 28-6 UNIT #125M

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 28-6 UNIT #125M	API / UWI 3003930815	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 021-028N-006W-I	N/S Dist (ft) 1,361.00	N/S Ref FSL	E/W Dist (ft) 982.00	E/W Ref FEL

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
12/17/2009	130.00	0.50	Inc-WL	MOTE	
12/17/2009	236.00	1.00	Inc-WL	MOTE	
12/21/2009	266.00	0.97	IncAzi-MWD	Scientific Drilling	
12/21/2009	296.00	0.88	IncAzi-MWD	Scientific Drilling	
12/21/2009	327.00	0.54	IncAzi-MWD	Scientific Drilling	
12/21/2009	357.00	0.57	IncAzi-MWD	Scientific Drilling	
12/21/2009	388.00	1.30	IncAzi-MWD	Scientific Drilling	
12/21/2009	419.00	2.45	IncAzi-MWD	Scientific Drilling	
12/21/2009	450.00	3.68	IncAzi-MWD	Scientific Drilling	
12/21/2009	480.00	4.54	IncAzi-MWD	Scientific Drilling	
12/21/2009	510.00	5.50	IncAzi-MWD	Scientific Drilling	
12/21/2009	540.00	6.34	IncAzi-MWD	Scientific Drilling	
12/21/2009	571.00	7.34	IncAzi-MWD	Scientific Drilling	
12/21/2009	602.00	8.67	IncAzi-MWD	Scientific Drilling	
12/21/2009	633.00	9.71	IncAzi-MWD	Scientific Drilling	
12/21/2009	664.00	10.75	IncAzi-MWD	Scientific Drilling	
12/21/2009	694.00	11.76	IncAzi-MWD	Scientific Drilling	
12/21/2009	724.00	12.90	IncAzi-MWD	Scientific Drilling	
12/21/2009	754.00	13.81	IncAzi-MWD	Scientific Drilling	
12/21/2009	784.00	14.98	IncAzi-MWD	Scientific Drilling	
12/21/2009	832.00	16.57	IncAzi-MWD	Scientific Drilling	
12/21/2009	877.00	17.55	IncAzi-MWD	Scientific Drilling	
12/21/2009	922.00	18.75	IncAzi-MWD	Scientific Drilling	
12/21/2009	967.00	20.54	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,012.00	22.26	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,057.00	23.86	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,102.00	25.70	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,147.00	26.95	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,192.00	28.39	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,237.00	30.25	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,282.00	31.84	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,327.00	31.49	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,372.00	32.04	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,417.00	32.45	IncAzi-MWD	Scientific Drilling	
12/21/2009	1,462.00	32.42	IncAzi-MWD	Scientific Drilling	

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

COP Deviation Report

SAN JUAN 28-6 UNIT #125M

Survey Data				
Date	MD (RKB)	Incl (°)	Method	Survey Company
12/21/2009	1,507.00	31.41	IncAzi-MWD	Scientific Drilling
12/21/2009	1,552.00	31.70	IncAzi-MWD	Scientific Drilling
12/21/2009	1,597.00	32.18	IncAzi-MWD	Scientific Drilling
12/22/2009	1,642.00	30.96	IncAzi-MWD	Scientific Drilling
12/22/2009	1,687.00	30.01	IncAzi-MWD	Scientific Drilling
12/22/2009	1,732.00	30.16	IncAzi-MWD	Scientific Drilling
12/22/2009	1,777.00	30.55	IncAzi-MWD	Scientific Drilling
12/22/2009	1,822.00	29.52	IncAzi-MWD	Scientific Drilling
12/22/2009	1,867.00	29.26	IncAzi-MWD	Scientific Drilling
12/22/2009	1,912.00	29.21	IncAzi-MWD	Scientific Drilling
12/22/2009	1,957.00	27.58	IncAzi-MWD	Scientific Drilling
12/22/2009	2,002.00	25.97	IncAzi-MWD	Scientific Drilling
12/22/2009	2,047.00	25.16	IncAzi-MWD	Scientific Drilling
12/22/2009	2,092.00	25.23	IncAzi-MWD	Scientific Drilling
12/22/2009	2,137.00	25.58	IncAzi-MWD	Scientific Drilling
12/22/2009	2,182.00	24.67	IncAzi-MWD	Scientific Drilling
12/22/2009	2,227.00	24.02	IncAzi-MWD	Scientific Drilling
12/22/2009	2,272.00	24.17	IncAzi-MWD	Scientific Drilling
12/22/2009	2,317.00	24.20	IncAzi-MWD	Scientific Drilling
12/22/2009	2,362.00	24.07	IncAzi-MWD	Scientific Drilling
12/22/2009	2,407.00	24.22	IncAzi-MWD	Scientific Drilling
12/22/2009	2,452.00	23.68	IncAzi-MWD	Scientific Drilling
12/22/2009	2,497.00	23.53	IncAzi-MWD	Scientific Drilling
12/22/2009	2,542.00	23.60	IncAzi-MWD	Scientific Drilling
12/22/2009	2,587.00	23.94	IncAzi-MWD	Scientific Drilling
12/22/2009	2,632.00	24.51	IncAzi-MWD	Scientific Drilling
12/22/2009	2,677.00	25.02	IncAzi-MWD	Scientific Drilling
12/22/2009	2,722.00	25.43	IncAzi-MWD	Scientific Drilling
12/22/2009	2,767.00	25.91	IncAzi-MWD	Scientific Drilling
12/22/2009	2,812.00	26.79	IncAzi-MWD	Scientific Drilling
12/22/2009	2,857.00	27.32	IncAzi-MWD	Scientific Drilling
12/22/2009	2,901.00	26.69	IncAzi-MWD	Scientific Drilling
12/22/2009	2,946.00	25.52	IncAzi-MWD	Scientific Drilling
12/22/2009	2,991.00	25.33	IncAzi-MWD	Scientific Drilling
12/22/2009	3,081.00	25.08	IncAzi-MWD	Scientific Drilling
12/22/2009	3,171.00	25.01	IncAzi-MWD	Scientific Drilling
12/22/2009	3,261.00	23.99	IncAzi-MWD	Scientific Drilling
12/22/2009	3,351.00	22.77	IncAzi-MWD	Scientific Drilling
12/22/2009	3,396.00	21.57	IncAzi-MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data


Date	MD (ftKB)	Incl (°)	Method	Survey Company
12/22/2009	3,441.00	19 48	IncAzi-MWD	Scientific Drilling
12/22/2009	3,486.00	18 18	IncAzi-MWD	Scientific Drilling
12/22/2009	3,531.00	17 25	IncAzi-MWD	Scientific Drilling
12/22/2009	3,576.00	16 43	IncAzi-MWD	Scientific Drilling
12/22/2009	3,621.00	16.72	IncAzi-MWD	Scientific Drilling
12/22/2009	3,667.00	16.94	IncAzi-MWD	Scientific Drilling
12/22/2009	3,711.00	16.59	IncAzi-MWD	Scientific Drilling
12/22/2009	3,756.00	14.54	IncAzi-MWD	Scientific Drilling
12/22/2009	3,801.00	12.31	IncAzi-MWD	Scientific Drilling
12/22/2009	3,846.00	10.88	IncAzi-MWD	Scientific Drilling
12/22/2009	3,891.00	9.02	IncAzi-MWD	Scientific Drilling
12/22/2009	3,936.00	7 52	IncAzi-MWD	Scientific Drilling
12/22/2009	3,981.00	6.01	IncAzi-MWD	Scientific Drilling
12/22/2009	4,026.00	5.21	IncAzi-MWD	Scientific Drilling
12/22/2009	4,071.00	4.79	IncAzi-MWD	Scientific Drilling
12/22/2009	4,116.00	4 40	IncAzi-MWD	Scientific Drilling
12/22/2009	4,161.00	3.92	IncAzi-MWD	Scientific Drilling
12/22/2009	4,206.00	3.43	IncAzi-MWD	Scientific Drilling
12/22/2009	4,251.00	3.18	IncAzi-MWD	Scientific Drilling
12/22/2009	4,258.00	3.01	IncAzi-MWD	Scientific Drilling
12/22/2009	4,314.00	1.63	Projection	Scientific Drilling
1/4/2010	8,011.00	1 00	Inc-WL	PHOENIX

RCVD MAY 14 '10


OIL CONS. DIV.

DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this May 10, 2010



Notary Public in and for San Juan County, New Mexico

My Commission expires 10/12/2010

SAN JUAN 28-6 UNIT #125M

Burlington Resources Oil & Gas Company, LP

Most Recent Job

Jobs

Job Category	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
COMPLETIONS	INITIAL COMPLETION	INITIAL COMPLETION	2/3/2010	5/6/2010

Well Config DEVIATED - Original Hole, 5/10/2010 12:39:58 PM

