District I

1,625 N French Dr , Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
Pit, Closed-Loop System, Below-	Grade Tank, or
Proposed Alternative Method Permit or	
Type of action: X Permit of a pit, closed-loop system, below-	grade tank, or proposed alternative method
Closure of a pit, closed-loop system, below	-grade tank, or proposed alternative method
Modification to an existing permit	
	permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative n	
Instructions: Please submit one application (Form C-144) per individual pit, clo.	• •
Please be advised that approval of this request does not relieve the operator of liability should op environment. Nor does approval relieve the operator of its responsibility to comply with any other a	
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: Huefanito Unit 76E	
API Number: 30-045-32978 OCD Permit	Number
U/L or Qtr/Qtr: F(SE/NW) Section: 2 Township: 26N Range	: 9W County: San Juan
Center of Proposed Design: Latitude: 36.3113764 °N Longitude	e: <u>107.454176</u> °W NAD: X 1927 1983
Surface Owner: Federal X State Private Tribal Trust o	r Indian Allotment
Pit: Subsection F or G of 19 15.17.11 NMAC Temporary. Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDF String-Reinforced Liner Seams Welded Factory Other Volume.	PE HDPE PVC Other
3 X Closed-loop System: Subsection H of 19 15 17 11 NMAC Type of Operation P&A Drilling a new well X Workover or Drilling (Apnotice of intent)	oplies to activities which require prior approval of a permit or
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type Thickness mil LLDP Liner Seams. Welded Factory Other	E HDPE PVD Other 192021222
Below-grade tank: Subsection I of 19 15.17 11 NMAC Volume: bbl Type of fluid: Tank Construction material Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift according to the state of	and automatic overflow shut-off APR 2010 APR 2010 STOREGATION APR 2010 APR 2010
Liner Type: Thicknessmil HDPE PVC Ott	iici

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate Please specify			
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19 15.17 11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19 15 3 103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required Please refer to 19 15.17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	sideration of approval		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA		
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. 	Yes No		
(Applied to permanent pits)	NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No		
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No		
Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No		
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map	Yes No		
Within a 100-year floodplain - FEMA map	Yes No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC		
1 H · · · · · · · · I		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19,15,17.9 NMAC and 19,15,17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
X Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC		
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15 17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC		
14		
Proposed Closure: 19 15 17.13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System		
Alternative Proposed Closure Method Waste Excavation and Removal		
Proposed Closure Method Waste Excavation and Removal X Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19.15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached. Description and Proceedures - based upon the appropriate requirements of 10.15.17.13 NMAC.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disnocal Facility Name and Permit Number (for Junida, drilling fluids and drill auttings)		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drılling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC		

. 16 Waste Removal Closure For Closed-loop Systems That Utilize Above Gro	und Steel Tanks or Haul-off Bins On	<u>lv:</u> (19 15 17 13 D NMAC)	•
Instructions Please identify the facility or facilities for the disposal of liquids, facilities are required	drilling fluids and drill cuttings Use	attachment if more than two)
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #	NM-01-0011 / NM-01-0	010B
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #		
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	activities occur on or in areas that v	vill not be used for future	service and
Required for impacted areas which will not be used for future service and ope		II . C10 15 17 12 NA	A.C.
Soil Backfill and Cover Design Specification - based upon the a Re-vegetation Plan - based upon the appropriate requirements of			AC
Site Reclamation Plan - based upon the appropriate requirement			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19 15.17.1) NMAC		
Instructions: Each siting criteria requires a demonstration of compliance in the clos certain siting criteria may require administrative approval from the appropriate disi	ure plan Recommendations of acceptable	source material are provided	below Requests regarding changes to
office for consideration of approval Justifications and/or demonstrations of equiva-			o ine Sania re Environmeniai dureau
Ground water is less than 50 feet below the bottom of the buried waste.			Yes No
- NM Office of the State Engineer - (WATERS database search, USGS I	Data obtained from nearby wells		N/A
Ground water is between 50 and 100 feet below the bottom of the burne	d waste		☐Yes ☐No
- NM Office of the State Engineer - 1WATERS database search; USGS, D			N/A
Ground water is more than 100 feet below the bottom of the buried was	te		☐Yes ☐No
- NM Office of the State Engineer - 1WATERS database search; USGS, D			N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other	significant watercourse or lakebed su	ikhole or playa lake	∏Yes ∏No
(measured from the ordinary high-water mark).	organicant victorians or taneous, on	innoie, or playa lake	
- Topographic map, Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or chi - Visual inspection (certification) of the proposed site; Aerial photo, satellit	-	pplication	Yes No
- Visual inspection (certification) of the proposed site, Aerial photo, satemi	e mage		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that	less than five households use for dome	estic or stock watering	
purposes, or within 1000 horizontal fee of any other fresh water well or spring, - NM Office of the State Engineer - iWATERS database, Visual inspection	•	plication	
Within incorporated municipal boundaries or within a defined municipal fresh v		pal ordinance adopted	∏Yes ∏No
pursuant to NMSA 1978, Section 3-27-3, as amended			
 Written confirmation or verification from the municipality, Written appro Within 500 feet of a wetland 	vai obtained from the municipality		∏ _{Yes} ∏ _{No}
- US Fish and Wildlife Wetland Identification map, Topographic map, Vis	ual inspection (certification) of the prop	oosed site	
Within the area overlying a subsurface mine			Yes No
Written confiramtion or verification or map from the NM EMNRD-Minin	g and Mineral Division		
Within an unstable area - Engineering measures incorporated into the design, NM Bureau of Geolog	ny & Mineral Resources LISGS NM (Seological Society	∐Yes ∐No
Topographic map	, w mineral resources, 0000, 11111 C	scological Society,	
Within a 100-year floodplain			Yes No
- FEMA map			
0n-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions:	Fach of the following items mus	t has attached to the clos	ura plan Plagsa indicata
by a check mark in the box, that the documents are attached.	Luch of the following tiems must	i bee unuched to the closs	are plum. I leuse maicule,
String Criteria Compliance Demonstrations - based upon the app	ropriate requirements of 19 15 17 1	0 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requ	urements of Subsection F of 19.15	17 13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of		propriate requirements of	19 15 17 11 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC Confirmation Sampling Plan (if applicable), based upon the appropriate requirements of Subsection F of 10 15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC			,
Disposal Facility Name and Permit Number (for liquids, drilling			annot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of	Subsection I of 19 15 17 13 NMAC	C	
Site Reclamation Plan - based upon the appropriate requirements	of Subsection G of 19.15.17.13 NI	MAC	

. 19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print) Jamie Goodwin Title: Regulatory Technician				
Signature / 10mile CROOCIUM Date				
e-mail address Jamie L Goodwin@conocophillips com Telephone 505-326-9784				
20				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: 5/27/10				
Title: Fusio 15pec OCD Permit Number:				
21				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC				
Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an				
approved closure plan has been obtained and the closure activities have been completed				
Closure Completion Date:				
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized. Disposal Facility Name: Disposal Facility Permit Number				
Disposal Facility Name: Disposal Facility Permit Number				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate complilane to the items below)				
Required for impacted areas which will not be used for future service and operations				
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in				
the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude Longitude NAD 1927 1983				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan				
Name (Print). Title				
Signature Date.				
e-mail addressTelephone:				

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.