1625 N French Dr Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S St Francis Dr., Santa Fe, NM 87505			ronmental Bureau office and pro opriate NMOCD District Office	• •		
	it, Closed-Loop System, I	Below-Grade Ta	nk, or			
	ed Alternative Method Per					
Type of action:	Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method					
	Modification to an existing permit					
	Closure plan only submitted for an		non-permitted pit, closed	-loop system,		
Instructions, Plansa submit on a appl	below-grade tank, or proposed alter		am halow anada tank on	altama atina magy act		
**	s request does not relieve the operator of liability the operator of its responsibility to comply with	y should operations result in	pollution of surface water, ground	I water or the		
1			RID#: 217817			
Operator: ConocoPhillips Company Address: PO Box 4289, Farmington,	VM 87490		CID#: 21/81/			
Facility or well name: San Juan 28-7 U						
		CD Permit Number				
U/L or Qtr/Qtr: P(SE/SE) Section:	17 Township: 28N	Range: 7W	County: Rio Arriba			
Center of Proposed Design: Latitude:	· · · · · · · · · · · · · · · · · · ·		3514208 °W NAI	D: X 1927 1983		
Surface Owner: X Federal	State Private Triba	al Trust or Indian Allo	tment			
Pit: Subsection F or G of 19 15 17 11 Temporary Drilling Workov Permanent Emergency Cavi Lined Unlined Liner String-Reinforced Liner Seams Welded Factor	er tation P&A type Thickness mil	LLDPE HDPE	Dimensions Lx	WxD		
	H of 19 15 17 11 NMAC rrilling a new well X Workover or D notice of intent		nes which require prior appre	oval of a permit or		
Drying Pad X Above Ground : Lined Unlined Liner ty Liner Seams Welded Factor	pe Thicknessmil	Other HDPE	PVD Other	189101172 374 374 374 374 374 374 374 374 374 374		
Volumebbl	19 15 17 11 NMAC Type of fluid			MAY 2010 OIL CONS. DIV. DIST. 3 Secretary		
Tank Construction material			\	OIL COMO. DITT TO		
Secondary containment with leak detect Visible sidewalls and liner			overflow shut-off			
Liner Type Thickness	Visible sidewalls only Other mil HDPE PVC	Other		- casasar		
There's						

Alternative Method:

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6	Fancing: Subsection D of 10.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below grade tanks)		.
Γ	Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		,۳
L	Library Ink., six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insti-	tution or chur	ch)
	Four foot height, four strands of barbed wire evenly spaced between one and four feet		
	Alternate Please specify		
7			
	Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)		
	Screen Netting Other		
_ [Monthly inspections (If netting or screening is not physically feasible)		
8			
_	Signs: Subsection C of 19 15 17 11 NMAC		
[12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
_[X Signed in compliance with 19 15 3 103 NMAC		·····
9			
	Administrative Approvals and Exceptions:		
	Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 NMAC for guidance Please check a box if one or more of the following is requested, if not leave blank:		
	Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi	deration of an	proval
	(Fencing/BGT Liner)	~r)	•
	Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10			
	Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
	Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
	source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
	consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
	does not apply to drying pads or above grade-tanks associated with a closed-loop system.	_	
	Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	☐]No
	- NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	 1	
	Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	∐Yes	No
	- Topographic map; Visual inspection (certification) of the proposed site		
	Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	□Yes	□No
	application.	LJ * \$3	LJ."
	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA	
	- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_	
	Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
	(Applied to permanent pits)	NA	
	- Visual inspection (certification) of the proposed site; Aerial photo, Satellite image	. _	
	Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No
	purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
	- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		
	Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No
	adopted pursuant to NMSA 1978, Section 3-27-3, as amended		_ _
	- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	Yes	□No
	- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ 1 cs	
	Within the area overlying a subsurface mine.	Yes	No
`., '	Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	· —	_
	Within an unstable area.	Yes	No
	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		
	Within a 100-year floodplain	Yes	No
	- FEMA map		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19 15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC			
X Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC			
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Penert hygodynon the requirements of Devograph (1) of Subsection P. of 10.15.17.0 NIMAC.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC			
☐ Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19 15.17.9 NMAC and 19.15.17 13 NMAC			
14			
Proposed Closure: 19 15.17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System			
Proposed Closure Method: Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC			
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☐ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
— — — — — — — — — — — — — — — — — — —			

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St	eel Tanks or Haul-off Bins On	lv: (19 15 17 13 D NMAC)		•			
Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required							
Disposal Facility Name Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #.	NM-01-0011 / NM-01-00	010 B				
Disposal Facility Name Basin Disposal Facility	Disposal Facility Permit #.						
	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and						
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the ap	nate requirements of Subsect ection I of 19.15 17 13 NMA	C	AC				
17							
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC Instructions Each string criteria requires a demonstration of compliance in the closure plan Recommendations of acceptable source material are provided below. Requests regarding changes to certain string criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance							
Ground water is less than 50 feet below the bottom of the buried waste			Yes	No			
- NM Office of the State Engineer - 1WATERS database search, USGS: Data ob	tained from nearby wells		∐N/A				
Ground water is between 50 and 100 feet below the bottom of the buried was	te		Yes	No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obt	ained from nearby wells		N/A				
Ground water is more than 100 feet below the bottom of the buried waste			Yes	No			
- NM Office of the State Engineer - IWATERS database search, USGS, Data obt	ained from nearby wells		□N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significances (measured from the ordinary high-water mark)	icant watercourse or lakebed, su	nkhole, or playa lake	Yes	No			
- Topographic map, Visual inspection (certification) of the proposed site							
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site, Aerial photo, satellite imag	·	pplication.	∐Yes	∐No			
			∐Yes	∐No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist. - NM Office of the State Engineer - iWATERS database, Visual inspection (certification).	tence at the time of the initial ap						
Within incorporated municipal boundaries or within a defined municipal fresh water was pursuant to NMSA 1978, Section 3-27-3, as amended		ipal ordinance adopted	Yes	No			
Written confirmation or verification from the municipality; Written approval obt Within 500 feet of a wetland	ained from the municipality		□v	□N ₀			
US Fish and Wildlife Wetland Identification map, Topographic map, Visual inst	pection (certification) of the pro	posed site	Yes	∐No			
Within the area overlying a subsurface mine			Yes	No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division							
Within an unstable area		Yes	∐No .				
- Engineering measures incorporated into the design, NM Bureau of Geology & N Topographic map	illierai Resources, USGS; Nivi C	deological Society,					
Within a 100-year floodplain - FEMA map			Yes	No			
18							
On-Site Closure Plan Checklist: (19 15.17 13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	n of the following items mus	st bee attached to the closi	ire plan. Pleas	se indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropria	ite requirements of 19 15 17	10 NMAC					
	Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC							
Construction/Design Plan of Temporary Pit (for in place burial of a dr	ying pad) - based upon the ap	ppropriate requirements of	19 15 17 11 NI	MAC			
Protocols and Procedures - based upon the appropriate requirements of 19 15 17 13 NMAC							
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)							
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC							
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC							

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print) Jamie Goodwin Title Regulatory Technician
Signature: (10m16 (300 000 u) Date 5/7//0
e-mail address / Jamie L Goodwin@conocophillips com Telephone 505-326-9784
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Ball Sell Approval Date: 6/2/10
Title: OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
Closure Completion Date.
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number.
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude Longitude NAD 1927 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print) Title
Signature. Date

Telephone

Form C-144 Oil Conservation Division

e-mail address.

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.