

District I
1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

RCVD JUN 23 10

OIL CON. DIV.

AMENDED REPORT
DIST. 3

"as drilled plat"

WELL LOCATION AND ACREAGE DEDICATION PLAT

*API Number 30-039- 30744	*Pool Code 72319 / 71599	*Pool Name BLANCO MESAVERDE / BASIN DAKOTA
*Property Code 7469	*Property Name SAN JUAN 30-6 UNIT	*Well Number 538
*OGRID No. 14538	*Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	*Elevation 6854'


¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	29	30N	6W		645	SOUTH	770	WEST	RIO ARRIBA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
N	29	30N	6W		723'	SOUTH	1935'	WEST	RIO ARRIBA
¹² Dedicated Acres 320.0 Acres (W/2) - MV 320.0 Acres (W/2) - DK					¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE
BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION
5272.08'



¹⁷ OPERATOR CERTIFICATION
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Tam Sessions **6/22/10**
Signature Date
Tamra Sessions
Printed Name

¹⁸ SURVEYOR CERTIFICATION
I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Survey Date: SEPTEMBER 12, 2008

Signature and Seal of Professional Surveyor




JASON C. EDWARDS
Certificate Number 15269

Survey Data					
Date	MD (ftKB)	Incl (°)	Method	Survey Company	
5/9/2010	2,269.00	27.61	IncAzi-MWD	Pathfinder	
5/9/2010	2,332.00	27.08	IncAzi-MWD	Pathfinder	
5/9/2010	2,396.00	27.35	IncAzi-MWD	Pathfinder	
5/9/2010	2,459.00	27.00	IncAzi-MWD	Pathfinder	
5/9/2010	2,522.00	26.47	IncAzi-MWD	Pathfinder	
5/9/2010	2,585.00	26.73	IncAzi-MWD	Pathfinder	
5/9/2010	2,649.00	26.20	IncAzi-MWD	Pathfinder	
5/9/2010	2,713.00	24.62	IncAzi-MWD	Pathfinder	
5/9/2010	2,776.00	22.69	IncAzi-MWD	Pathfinder	
5/9/2010	2,839.00	21.81	IncAzi-MWD	Pathfinder	
5/9/2010	2,902.00	21.81	IncAzi-MWD	Pathfinder	
5/9/2010	2,965.00	21.19	IncAzi-MWD	Pathfinder	
5/9/2010	3,029.00	20.49	IncAzi-MWD	Pathfinder	
5/9/2010	3,092.00	19.35	IncAzi-MWD	Pathfinder	
5/9/2010	3,156.00	17.86	IncAzi-MWD	Pathfinder	
5/9/2010	3,219.00	17.32	IncAzi-MWD	Pathfinder	
5/10/2010	3,282.00	14.95	IncAzi-MWD	Pathfinder	
5/10/2010	3,346.00	12.31	IncAzi-MWD	Pathfinder	
5/10/2010	3,409.00	10.38	IncAzi-MWD	Pathfinder	
5/11/2010	3,473.00	8.09	IncAzi-MWD	Pathfinder	
5/11/2010	3,536.00	6.07	IncAzi-MWD	Pathfinder	
5/11/2010	3,599.00	3.25	IncAzi-MWD	Pathfinder	
5/11/2010	3,663.00	2.55	IncAzi-MWD	Pathfinder	
5/11/2010	3,727.00	2.29	IncAzi-MWD	Pathfinder	
5/11/2010	3,917.00	1.67	IncAzi-MWD	Pathfinder	
5/11/2010	4,107.00	0.79	IncAzi-MWD	Pathfinder	
5/11/2010	4,254.00	0.79	IncAzi-MWD	Pathfinder	
5/11/2010	4,315.00	0.79	IncAzi-MWD	Pathfinder	
5/27/2010	8,542.00	1.50	Inc-WL	PHOENIX	

RCVD JUN 23 '10
OIL CONS. DIV.
DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.



Subscribed and sworn to me this 6/22/10



Notary Public in and for San Juan County, New Mexico

My Commission expires 2/8/12



COP Deviation Report

SAN JUAN 30-6 UNIT #53B

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 30-6 UNIT #53B	API / UWI 3003930744	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 029-030N-006W-M	N/S Dist (ft) 645.00	N/S Ref FSL	E/W Dist (ft) 770.00	E/W Ref FWL

Survey Data				
Date	MD (ftKB)	Incl (°)	Method	Survey Company
5/8/2010	0.00	0.00	IncAzi-MWD	Pathfinder
4/21/2010	129.00	1.25	Inc-Drop	MO-TE DRILLING INC.
4/21/2010	236.00	0.75	Inc-Drop	MO-TE DRILLING INC.
5/8/2010	279.00	0.79	IncAzi-MWD	Pathfinder
5/8/2010	295.00	0.88	IncAzi-MWD	Pathfinder
5/8/2010	357.00	2.20	IncAzi-MWD	Pathfinder
5/8/2010	419.00	3.87	IncAzi-MWD	Pathfinder
5/8/2010	481.00	5.54	IncAzi-MWD	Pathfinder
5/8/2010	541.00	6.95	IncAzi-MWD	Pathfinder
5/8/2010	603.00	9.06	IncAzi-MWD	Pathfinder
5/8/2010	664.00	10.55	IncAzi-MWD	Pathfinder
5/8/2010	728.00	11.87	IncAzi-MWD	Pathfinder
5/8/2010	820.00	13.89	IncAzi-MWD	Pathfinder
5/8/2010	882.00	15.12	IncAzi-MWD	Pathfinder
5/8/2010	944.00	16.53	IncAzi-MWD	Pathfinder
5/8/2010	1,005.00	17.94	IncAzi-MWD	Pathfinder
5/8/2010	1,067.00	19.96	IncAzi-MWD	Pathfinder
5/8/2010	1,129.00	21.90	IncAzi-MWD	Pathfinder
5/9/2010	1,191.00	23.74	IncAzi-MWD	Pathfinder
5/9/2010	1,253.00	25.94	IncAzi-MWD	Pathfinder
5/9/2010	1,315.00	28.67	IncAzi-MWD	Pathfinder
5/9/2010	1,379.00	30.34	IncAzi-MWD	Pathfinder
5/9/2010	1,444.00	29.90	IncAzi-MWD	Pathfinder
5/9/2010	1,507.00	29.90	IncAzi-MWD	Pathfinder
5/9/2010	1,570.00	29.99	IncAzi-MWD	Pathfinder
5/9/2010	1,634.00	29.90	IncAzi-MWD	Pathfinder
5/9/2010	1,696.00	29.55	IncAzi-MWD	Pathfinder
5/9/2010	1,760.00	29.19	IncAzi-MWD	Pathfinder
5/9/2010	1,824.00	28.93	IncAzi-MWD	Pathfinder
5/9/2010	1,887.00	28.75	IncAzi-MWD	Pathfinder
5/9/2010	1,950.00	28.40	IncAzi-MWD	Pathfinder
5/9/2010	2,014.00	28.75	IncAzi-MWD	Pathfinder
5/9/2010	2,078.00	28.49	IncAzi-MWD	Pathfinder
5/9/2010	2,142.00	28.49	IncAzi-MWD	Pathfinder
5/9/2010	2,205.00	27.87	IncAzi-MWD	Pathfinder

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

RCVD JUN 23 '10

OIL CONS. DIV.

DIST. 3

DIRECTIONAL SURVEY REPORT

**BURLINGTON RESOURCES OIL & GAS
COMPANY LP.**




SAN JUAN 30-6 #53B.

RIO ARRIBA COUNTY, NM

PREPARED BY: Tom Schmidt



Azimuths to True North
Magnetic North: 9.91°
Magnetic Field
Strength: 51039.0nT
Dip Angle: 63.61°
Date: 04/29/2010
Model: BGGM 2009



WELL DETAILS: #53B						
Ground Elevation: 6854.00						
RKB Elevation: WELL @ 6869.00ft (15' KB Correction)						
Rig Name: 15' KB Correction						
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.00	0.00	2104826.118	136247.755	36° 45' 41.300 N	107° 29' 31.400 W	

SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	300.89	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	
3	1206.17	27.19	85.49	1172.55	18.57	210.32	3.00	85.49	210.97	
4	2819.28	27.19	85.49	2507.45	74.47	945.01	0.00	0.00	947.94	
5	3725.43	0.00	0.00	3430.00	91.05	1155.33	3.00	180.00	1158.91	Vert. PT. (SJ30-6 #53B)
6	8559.43	0.00	0.00	8305.00	91.05	1155.33	0.00	0.00	1158.91	

Project: Rio Arriba County(NAD27)
Site: San Juan 30-6
Well: #53B
Wellbore: S-Well
Plan: Plan #2 (#53B/S-Well)

PROJECT DETAILS: Rio Arriba County(NAD27)
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico Central 3002
System Datum: Mean Sea Level
Local North: True

Plan Plan #2 (#53B/S-Well)

Created By: Nate Bingham Date: 16:30, May 11 2010

Checked: _____ Date: _____



Conoco Phillips

Rio Arriba County(NAD27)

San Juan 30-6

#53B

S-Well

Survey: MWWD #1

Pathfinder X & Y Survey Report

11 May, 2010

PATHFINDER

Company:	Conoco-Phillips	Local Co-ordinate Reference:	Well #53B
Project:	Rio Arriba County(NAD27)	TVD Reference:	WELL @ 6869.00ft (15' KB Correction)
Site:	San Juan 30-6	MD Reference:	WELL @ 6869.00ft (15' KB Correction)
Well:	#53B	North Reference:	True
Wellbore:	S-Well	Survey Calculation Method:	Minimum Curvature
Design:	S-Well	Database:	Midland Database

Project	Rio Arriba County(NAD27)		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico Central 3002		

Site	San Juan 30-6		
Site Position:		Northing:	2,102,035.511 ft
From:	Lat/Long	Easting:	108,396.412 ft
Position Uncertainty:	0.00 ft	Slot Radius:	"
		Latitude:	36° 46' 10.000 N
		Longitude:	107° 35' 13.200 W
		Grid Convergence:	-0.80 °

Well	#53B		
Well Position	+N-S	0.00 ft	Northing:
	+E-W	0.00 ft	Easting:
Position Uncertainty		3.00 ft	Wellhead Elevation:
			ft
			Latitude:
			36° 46' 41.300 N
			Longitude:
			107° 29' 31.400 W
			Ground Level:
			6,854.00 ft

Wellbore	S-Well		
-----------------	--------	--	--

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	User Defined	04/29/2010	9.91	63.61	51,039

Design	S-Well		
---------------	--------	--	--

Audit Notes:				
Version:	1.0	Phase:	ACTUAL	Tie On Depth:
				0.00

Vertical Section:	Depth From (TVD) (ft)	+N-S (ft)	+E-W (ft)	Direction (°)
	0.00	0.00	0.00	85.45

Survey Program		Date 05/11/2010		
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
279.00	4,315.00	MWD #1 (S-Well)	MWD	MWD - Standard

Company:	Conoco Phillips	Local Co-ordinate Reference:	Well #53B
Project:	Rio Arriba County(NAD27)	TVD Reference:	WELL @ 6869.00ft (15' KB Correction)
Site:	San Juan 30-6	MD Reference:	WELL @ 6869.00ft (15' KB Correction)
Well:	#53B	North Reference:	True
Wellbore:	S-Well	Survey Calculation Method:	Minimum Curvature
Design:	S-Well	Database:	Midland Database

Survey											
MD (ft)	Inc (°)	Azi (°)	TVD (ft)	TVDSS (ft)	N/S (ft)	E/W (ft)	V. Sec (ft)	DLeg (°/100ft)	Northing (ft)	Easting (ft)	
0.00	0.00	0.00	0.00	-6,869.00	0.00	0.00	0.00	0.00	2,104,826.12	136,247.75	
279.00	0.79	142.21	278.99	-6,590.01	-1.52	1.18	1.05	0.28	2,104,824.58	136,248.91	
295.00	0.88	119.88	294.99	-6,574.01	-1.67	1.35	1.22	2.09	2,104,824.43	136,249.09	
357.00	2.20	81.36	356.97	-6,512.03	-1.73	2.94	2.80	2.59	2,104,824.35	136,250.67	
419.00	3.87	72.87	418.88	-6,450.12	-0.93	6.12	6.03	2.78	2,104,825.11	136,253.86	
481.00	5.54	75.58	480.67	-6,388.33	0.43	11.02	11.02	2.72	2,104,826.41	136,258.78	
541.00	6.95	74.34	540.31	-6,328.69	2.13	17.32	17.43	2.36	2,104,828.02	136,265.10	
603.00	9.06	75.42	601.70	-6,267.30	4.37	25.65	25.92	3.41	2,104,830.16	136,273.46	
664.00	10.55	74.62	661.81	-6,207.19	7.06	35.69	36.14	2.45	2,104,832.72	136,283.53	
728.00	11.87	76.33	724.59	-6,144.41	10.17	47.73	48.39	2.13	2,104,835.67	136,295.62	
820.00	13.89	77.61	814.27	-6,054.73	14.78	67.71	68.67	2.22	2,104,840.02	136,315.66	
882.00	15.12	78.65	874.29	-5,994.71	17.97	82.91	84.08	2.03	2,104,843.01	136,330.89	
944.00	16.53	79.96	933.94	-5,935.06	21.10	99.53	100.89	2.35	2,104,845.92	136,347.55	
1,005.00	17.94	80.69	992.20	-5,876.80	24.13	117.34	118.89	2.34	2,104,848.72	136,365.40	
1,067.00	19.96	81.46	1,050.84	-5,818.16	27.25	137.23	138.96	3.28	2,104,851.58	136,385.33	
1,129.00	21.90	82.79	1,108.74	-5,760.26	30.27	159.17	161.07	3.22	2,104,854.32	136,407.30	
1,191.00	23.74	84.60	1,165.89	-5,703.11	32.89	183.07	185.10	3.18	2,104,856.63	136,431.23	
1,253.00	25.94	86.19	1,222.15	-5,646.85	34.97	209.03	211.14	3.71	2,104,858.37	136,457.22	
1,315.00	28.67	88.20	1,277.24	-5,591.76	36.34	237.43	239.56	4.65	2,104,859.37	136,485.64	
1,379.00	30.34	89.10	1,332.94	-5,536.06	37.07	268.94	271.03	2.70	2,104,859.70	136,517.15	
1,444.00	29.90	88.26	1,389.16	-5,479.84	37.82	301.55	303.60	0.94	2,104,860.03	136,549.77	
1,507.00	29.90	88.32	1,443.77	-5,425.23	38.76	332.94	334.96	0.05	2,104,860.55	136,581.17	
1,570.00	29.99	87.69	1,498.36	-5,370.64	39.86	364.37	366.38	0.52	2,104,861.24	136,612.61	
1,634.00	29.90	87.74	1,553.82	-5,315.18	41.13	396.29	398.30	0.15	2,104,862.10	136,644.54	
1,696.00	29.55	87.91	1,607.66	-5,261.34	42.30	427.01	429.02	0.58	2,104,862.87	136,675.27	
1,760.00	29.19	87.90	1,663.44	-5,205.56	43.44	458.37	460.38	0.56	2,104,863.61	136,706.65	
1,824.00	28.93	87.80	1,719.38	-5,149.62	44.61	489.44	491.44	0.41	2,104,864.37	136,737.73	



Pathfinder
Pathfinder X & Y Survey Report



Company:	Conoco Phillips	Local Co-ordinate Reference:	Well #53B
Project:	Rio Arriba County(NAD27)	TVD Reference:	WELL @ 6869.00ft (15' KB Correction)
Site:	San Juan 30-6	MD Reference:	WELL @ 6869.00ft (15' KB Correction)
Well:	#53B	North Reference:	True
Wellbore:	S-Well	Survey Calculation Method:	Minimum Curvature
Design:	S-Well	Database:	Midland Database

Survey										
MD (ft)	Inc (°)	Azi (°)	TVD (ft)	TVDSS (ft)	N/S (ft)	E/W (ft)	V. Sec (ft)	DLeg (°/100ft)	Northing (ft)	Easting (ft)
1,887.00	28.75	87.90	1,774.56	-5,094.44	45.75	519.81	521.80	0.30	2,104,865.12	136,768.11
1,950.00	28.40	87.49	1,829.89	-5,039.11	46.96	549.92	551.91	0.64	2,104,865.94	136,798.23
2,014.00	28.75	87.24	1,886.09	-4,982.91	48.37	580.49	582.50	0.58	2,104,866.95	136,828.83
2,078.00	28.49	87.50	1,942.27	-4,926.73	49.78	611.12	613.14	0.45	2,104,867.96	136,859.47
2,142.00	28.49	87.74	1,998.52	-4,870.48	51.04	641.62	643.65	0.18	2,104,868.83	136,889.98
2,205.00	27.87	86.66	2,054.06	-4,814.94	52.50	671.33	673.38	1.27	2,104,869.89	136,919.71
2,269.00	27.61	86.91	2,110.70	-4,758.30	54.17	701.08	703.16	0.45	2,104,871.18	136,949.48
2,332.00	27.08	86.11	2,166.66	-4,702.34	55.93	729.96	732.10	1.02	2,104,872.56	136,978.38
2,396.00	27.35	86.54	2,223.58	-4,645.42	57.80	759.17	761.36	0.52	2,104,874.06	137,007.61
2,459.00	27.00	85.96	2,279.62	-4,589.38	59.68	787.88	790.13	0.70	2,104,875.57	137,036.34
2,522.00	26.47	85.88	2,335.89	-4,533.11	61.70	816.15	818.47	0.84	2,104,877.22	137,064.64
2,585.00	26.73	85.80	2,392.22	-4,476.78	63.75	844.29	846.68	0.42	2,104,878.90	137,092.80
2,649.00	26.20	85.25	2,449.51	-4,419.49	65.97	872.72	875.20	0.91	2,104,880.75	137,121.26
2,713.00	24.62	85.38	2,507.32	-4,361.68	68.21	900.09	902.66	2.47	2,104,882.64	137,148.65
2,776.00	22.69	85.81	2,565.02	-4,303.98	70.16	925.29	927.94	3.08	2,104,884.26	137,173.88
2,839.00	21.81	86.14	2,623.33	-4,245.67	71.83	949.09	951.79	1.41	2,104,885.63	137,197.69
2,902.00	21.81	86.30	2,681.82	-4,187.18	73.38	972.44	975.20	0.09	2,104,886.87	137,221.07
2,965.00	21.19	85.97	2,740.44	-4,128.56	74.93	995.48	998.29	1.00	2,104,888.12	137,244.12
3,029.00	20.49	84.44	2,800.25	-4,068.75	76.83	1,018.17	1,021.05	1.39	2,104,889.73	137,266.83
3,092.00	19.35	84.67	2,859.48	-4,009.52	78.87	1,039.53	1,042.51	1.81	2,104,891.49	137,288.22
3,156.00	17.86	86.41	2,920.13	-3,948.87	80.47	1,059.89	1,062.93	2.48	2,104,892.82	137,308.60
3,219.00	17.32	87.17	2,980.19	-3,888.81	81.54	1,078.89	1,081.96	0.93	2,104,893.64	137,327.62
3,282.00	14.95	89.02	3,040.70	-3,828.30	82.14	1,096.39	1,099.45	3.85	2,104,894.02	137,345.12
3,346.00	12.31	88.02	3,102.90	-3,766.10	82.51	1,111.46	1,114.51	4.14	2,104,894.20	137,360.20
3,409.00	10.38	84.72	3,164.66	-3,704.34	83.27	1,123.83	1,126.89	3.23	2,104,894.79	137,372.57
3,473.00	8.09	87.01	3,227.83	-3,641.17	84.03	1,134.07	1,137.16	3.62	2,104,895.42	137,382.82
3,536.00	6.07	99.05	3,290.35	-3,578.65	83.74	1,141.79	1,144.83	3.96	2,104,895.03	137,390.53

Company:	ConocoPhillips	Local Co-ordinate Reference:	Well #53B
Project:	Rio Arriba County(NAD27)	TVD Reference:	WELL @ 6869.00ft (15' KB Correction)
Site:	San Juan 30-6	MD Reference:	WELL @ 6869.00ft (15' KB Correction)
Well:	#53B	North Reference:	True
Wellbore:	S-Well	Survey Calculation Method:	Minimum Curvature
Design:	S-Well	Database:	Midland Database

MD (ft)	Inc (°)	Azi (°)	TVD (ft)	TVDSS (ft)	N/S (ft)	E/W (ft)	V. Sec (ft)	DLeg (°/100ft)	Northing (ft)	Easting (ft)
3,599.00	3.25	105.46	3,353.13	-3,515.87	82.74	1,146.80	1,149.75	4.54	2,104,893.97	137,395.53
3,663.00	2.55	113.43	3,417.05	-3,451.95	81.69	1,149.85	1,152.71	1.26	2,104,892.88	137,398.57
3,727.00	2.29	115.20	3,481.00	-3,388.00	80.58	1,152.32	1,155.08	0.42	2,104,891.74	137,401.02
3,917.00	1.67	117.71	3,670.88	-3,198.12	77.68	1,158.20	1,160.71	0.33	2,104,888.76	137,406.87
4,107.00	0.79	73.03	3,860.84	-3,008.16	76.77	1,161.90	1,164.33	0.65	2,104,887.80	137,410.56
4,254.00	0.79	67.44	4,007.83	-2,861.17	77.46	1,163.81	1,166.29	0.05	2,104,888.46	137,412.47
4,315.00	0.79	67.44	4,068.82	-2,800.18	77.78	1,164.59	1,167.09	0.00	2,104,888.77	137,413.25

Targets										
Target Name	hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude
Vert. PT.(SJ30-6 #53f		0.00	0.00	3,480.00	91.05	1,155.33	2,104,902.162	137,404.166	36° 46' 42.200 N	107° 29' 17.200 W
- survey misses target center by 10.89ft at 3725.94ft MD (3479.94 TVD, 80.60 N, 1152.28 E)										
- Point										

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------