abal	gton, NM 87499	THE INTERIO D MANAGEME REPORTS Of pasals to drill or to 0-3 (APD) for such tions on the re	N WELDS AM 10: re-enter an proposals.	6. If Indian  6. If Unit o  8. Well Na  9. API We  10. Field a	FORM APPROVED OMB No. 1004- 013 Expires: November 30, Serial No. NMNM 10104 , Allottee, or Tribe Name of CA. Agreement Designation The company of the compan	5 2000 58 ne nation 21
1125' FNL and 660' FWL SEC 21, T24N, R10W, NMPM				1 '	y or Parish, State n Juan	NM
12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT						
TYPE OF SUBMISSION	TYPE OF SUBMISSION TYPE OF ACTION					
Notice of Intent	Acidize	Deepen	Production ( Star	t/ Resume)	Water Shut-off	
	Altering Casing	Fracture Trea	Reclamation		Well Integrity	
X Subsequent Report	Casing Repair	New Construc	tion Recomplete		Other	
Change Plans Plug and abandon Temporarily Aban						
Final Abandonment Notice	Convert to Injection	Plug back	Water Disposal			
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths or pertinent markers and sands. Attach the Bond under which the work will performed or provide the Bond No. on file with the BLW BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notice shall be filed only after all requirements, including reclamantion, have been completed, and the operator has determined that the site is ready for final inspection.)  SPUD WELL JANUARY 07, 2004 @ 10:00 AM. DRILLED 12 1/4" HOLE TO 135 FT. KB. RAN 3 JTS OF 8 5/8" 24# J-55 ST&C NEW CASING. RAN A TOTAL FOOTAGE OF 126.62 FT. AND LANDED @ 129.62 FT. KB. CEMENTED W/ 100 SACKS CLASS B W/ 2% CALCIUM CHLORIDE AND 1/4# PER SACK CELLOFLAKE. CIRCULATED 7 BARRELS OF CEMENT TO RESERVE PIT. NIPPLED UP BOP AND MANIFOLD. PRESSURE TESTED BOP, MANIFOLD AND CASING TO 750 PSIG. DRILLED 7 7/8" HOLE TO 1420 FT. KB. TD WELL @ 1420 FT.KB. @ 11:30 AM ON JANUARY 10, 2004. RAN A TOTAL OF 34 JTS 5 1/2" 15.50#/FT LT&C J-55. LANDED CASING AT 1401.45 FT. KB. CEMENTED W/ 145 SACKS CLASS G W/ 3% D79 AND 1/4# PER SACK D29. TAILED W/ 90 SACKS CLASS G 50/50 POZ W/ 2% GEL D20, 5# PER SACK D24 GILSONITE, .1% D46, 1% S-1 AND1/4# PER SACK D29. DID NOT CIRCULATE CEMENT TO SURFACE. RAN SCHLUMBERGER CBL-VDL-GR-CL DATED 01/13/04, CEMENT TOP @ 150 FT. KB.						
NO OPEN HOLE LOG						
14. I hereby certify that the foregoing i Name (Printed/ Typed)						
MICHAELT. HANSON			ENGINEER			
Signature Da Da			January 26, 2004	.00===		-
THIS SPACE FOR FEDERAL OR STATE OFFICE USE **********************************						
Approved by		Title		JAN	Date	
Conditions of approval, if any are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject leawhich would entitle the applicant to conduct operations thereon.			Office FARMING TOW LIETO DELICE			
Title 18 U.S.C. Section 1001 AND Title States any false, fictitiousor fraudulent (Instructions on reverse)				o make any dę	partificant or agency of t	he United