Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires July 31, 2010

5. Lease Serial No.

٠.	Luasu	CI	lat	1.4

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals

NMNM 30015
6. If Indian, Allottee or Tribe Name

abandoned well. Use Fort	m 3160-3 (APD) tol	r such proposals.					
SUBMIT IN TRIPLICATE - Other instructions on page 2" LIV LU					7. If Unit or CA/Agreement, Name and/or N		
1. Type of Well Oil Well X Gas Well Other			8. Well Name and No.				
2. Name of Operator	, , , , , , , , , , , , , , , , , , ,	Farmington Field C)ffice	Carracas		30 B#13	
Energen Resources Corporation		Bureau of Land Mana	demen:	9. API Well N	0.		
3a. Address		3b. Phone No. (include are	a code)	30-039-278			
2010 Afton Place Farmington, NM 8740 4. Location of Well (Footage, Sec., T., R., M., or Survey)		505.325.6800				r Exploratory Area	
800' FSL 70' FWL. Section 30 T32N R	- ·			Basin Frui	Lidil	u Coai	
OUT THE, SECTION SU TOUR N	-7 N			11. County of		, State	
12. CHECK APPROPRIAT	E BOX(ES) TO INI	DICATE NATURE OF N	OTICE, REPO				
TYPE OF SUBMISSION		TYP	PE OF ACTION				
X Notice of Intent	Acidize	Deepen	Production	(Start/Resume)		Water Shut-Off	
	Alter Casing	Fracture Treat	Reclamatio	on		Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplet	e	$\overline{\sqcap}$	Other	
DEMAND AND	Change Plans	Plug and Abandon	X Temporari	ly Abandon	_		
Final Abandonment Notice	Convert to Injection	on Plug Back	Water Disp	•			
Describe Proposed or Completed Operation (clearly)							
If the proposal is to deepen directionally or recomp Attach the Bond under which the work will be per following completion of the involved operations. It testing has been completed. Final Abandonment Metermined that the final site is ready for final inspections. Energen Requests that the above we Downspacing in the Fruitland coal 1.A 7" casing plug will be set @ 2.The well will be loaded with an minutes with no more than 10% pre 3. A 2-3/8" kill string will be I casing sideloutlet valves will be from any lines. 4. Energen will annually update of either requesting a continuted state infill approved) or to plug and ab 5. The casing pressure test is go another casing MIT will have to be BLM-NMOCD will be notified 24 hour (see attached well data sheet)	formed or provide the E f the operation results in Notices shall be filed on section.) ell be Allowed a . The well will +/- 3,950'MD which inhibited packs ssure loss. eft in the well left in place well that of TA . If a andon the well is od for 5 years e performed on the rs in advance of	Bond No. on file with BLM/E a multiple completion or really after all requirements, includes as a Temporary Aban be TA as follows: ich is below the toper fluid and the call and a master valve will bull plugs and the 80 Acre infill a change of status at which point if the well.	AlA. Required so completion in a reluding reclamation don to hold pofferuith sing will be will be the well well and will sing needed to a NOI.	ubsequent report lew interval, a F on, have been co the wellb and @ 3,91 e tested t fft on the rell be tot cubmit a su o producin s still no	s shall orm 31 omplete ore f 0'MD o 500 tubir ally bsque g(i.e	be filed within 30 days 60-4 shall be filed once od, and the operator has for 80 Acre o psig for 30 ag head - all disconnected ent report e. 80 Acre	
Name (Printed/Typed) Patricio W. Sanchez		Title Distric	t Engineer				
Signature DAM		Date 9/1/2010	o Engineer			,	
THIS	SPACE FOR FED	ERAL OR STATE OFF	ICE USE				
Approved by Original Signed: Stephe		Title		D	ate	SEP U 3 2010	
Conditions of approval, if any, are attached. Approval of this not the applicant holds legal or equitable title to those rights in the subentitle the applicant to conduct operations thereon.	ce does not warrant or certi	fy that Office					
Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, r fictitious or fraudulent statements or representations as to any ma			mply with N 5.12, 19.15.		!S	es any false,	

ENERGEN RESOURCES

Pertinent Data Sheet

Date: 9/1/2010

Well Name: Carracas 30 B13

API#: 30-039-27872 **DP#**: 3120611A

Unit: M

Sec: 30

Twp: 32N

Rge: 4W Spud: 8/27/2006

Footage: Surface 800' FSL 70' FWL

County: Rio Arriba

State:NM

TD: 5,714'

PBTD: 4,805' MD

Completed: 9/28/2006

Field: Basin Fruitland Coal

Elev: 7,198'GL

MD

End of liner

KB: 15'

Perfs: - TOL @ 4,256' MD EOL at 4,805' - perf as follows:(4,342'MD to 4,761' MD) EHD=0.5 inch

Total Holes= 2,773 @ 6 SPF.

Frac: N/A Horizontal with pre-drilled liner LAT: 36.95269409 LONG:-107.30428799

Hole Size	Casing Size	Weight & Grade	Depth Set	Cement	TOC
Hole Size	9-5/8"	32.3#H-40	221'	110SX	Circ.
-¥ 8-3/4"	7"	23#J-55	4,283'	825SX	Circ
Δ 6-1/4"	4-1/2"	11.6#J-55	4,256'-5,010'	N/A	N/A

Tubing Size	# Joints	Weight & Grade	Depth Set	Seat Nipple	Packer
2-3/8"	+/-120	4.7#EUE J-55	3,800' MD	3,760' MD	

Rod & Pump Record:

Rod Size

Rods

Length

Grade

Log Record:

Mudlog

Formation Tops:

Ojo Alamo Kirtland

Pictured Cliffs

3,333' tvd est 3,428' tvd est

3,793' tvd est

Menefee **Point Lookout**

Mancos Gallup

Dakota

Graneros

Lewis Cliffhouse

Fruitland

and

Work History: Before

1 42 Liner

AFTER

Kill string.

Δ