

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

RECEIVED**NOV 01 2010**

Sundry Notices and Reports on Wells

Farmington Field Office
Bureau of Land Management

5. Lease Number
SF-078543
6. If Indian, All. or
Tribe Name
7. Unit Agreement Name
San Juan 32-7 Unit

1. Type of Well
GAS
2. Name of Operator

ConocoPhillips

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

8. Well Name & Number
San Juan 32-7 Unit 69N

9. API Well No.

30-045-35200

4. Location of Well, Footage, Sec., T, R, M

Surface: Unit A (NENE), 1207' FNL & 1047' FEL, Section 35, T32N, R7W, NMPM

Bottomhole: Unit G (SWNE), 1900' FNL & 1945' FEL, Section 35, T32N, R7W, NMPM

10. Field and Pool
Blanco MV / Basin DK

11. County and State
San Juan, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission	Type of Action	
☒ Notice of Intent	☐ Abandonment	☐ Change of Plans
☐ Subsequent Report	☐ Recompletion	☐ New Construction
☐ Final Abandonment	☐ Plugging	☐ Non-Routine Fracturing
	☐ Casing Repair	☐ Water Shut off
	☐ Altering Casing	☐ Conversion to Injection

☒ Other - Project Proposal**RCVD NOV 5 '10
OIL CONS. DIV.****DIST. 3****13. Describe Proposed or Completed Operations**

ConocoPhillips would like to submit the following project proposal listing the correct bottomhole footages to match the APD package That was submitted on 09/22/2010

14. I hereby certify that the foregoing is true and correct.Signed Brandie Blakley Brandie BlakleyTitle Staff Regulatory Technician Date 11/1/10

(This space for Federal or State Office use)

APPROVED BY Troy L. Salvors Title Petroleum Engineer Date 11/2/2010

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

NMOCD

PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 32-7 UNIT 69N

DEVELOPMENT

Lease:		AFE #: WAN.CDR.8349				AFE \$: 0.00	
Field Name: SAN JUAN		Rig: Aztec Rig 730		State: NM	County: SAN JUAN		API #: 3004535200
Geologist:		Phone:		Geophysicist:		Phone:	
Geoscientist:		Phone:		Prod. Engineer:		Phone:	
Res. Engineer: Hester, Colton		Phone: +1 505-326-9779		Proj. Field Lead:		Phone:	
Primary Objective (Zones):							
Zone	Zone Name						
FRR	BASIN DAKOTA (PRORATED GAS)						
RON	BLANCO MESAVERDE (PRORATED GAS)						
Location: Surface		Datum Code: NAD 27				Directional	
Latitude: 36.940925	Longitude: -107.530323	X:	Y:	Section: 35	Range: 007W		
Footage X: 1047 FEL	Footage Y: 1207 FNL	Elevation: 6724	(FT)	Township: 032N			
Tolerance:							
Location: Bottom Hole		Datum Code: NAD 27				Directional	
Latitude: 36.939065	Longitude: -107.533413	X:	Y:	Section: 35	Range: 007W		
Footage X: 1945 FEL	Footage Y: 1900 FNL	Elevation:	(FT)	Township: 032N			
Tolerance:							
Location Type: Restricted		Start Date (Est.): 1/1/2013		Completion Date:		Date In Operation:	
Formation Data: Assume KB = 6739 Units = FT							
Formation Call & Casing Points	Depth (TVD in Ft)	SS (Ft)	MD (Ft)	Depletion (Yes/No)	BHP (PSIG)	BHT	Remarks
Surface Casing	230	6509		☐			12-1/4 hole. 200' 9 5/8" 32.3 ppf, H-40, STC casing. Cement with 170 cuft. Circulate cement to surface.
NACIMIENTO	965	5774		☐			
OJO ALAMO	2575	4164		☐			
KIRTLAND	2673	4066		☐			
FRUITLAND	3121	3618		☐			Possible Gas
PICTURED CLIFFS	3656	3083		☐			
LEWIS	3761	2978		☐			
Intermediate Casing	3861	2878		☐	133		8 3/4" Hole. 7", 23 ppf, J-55, LTC Casing. Cement with 916 cuft. Circulate cement to surface.
HUERFANITO BENTONITE	4493	2246		☐			
CHACRA	4914	1825		☐			Est. Top Perf - 4916 (1823)
UPPER CLIFF HOUSE	5528	1211		☐			Gas; Cliffhouse is dry
MASSIVE CLIFF HOUSE	5689	1050		☐	627		Gas
MENELEE	5751	988		☐			
POINT LOOKOUT	5961	778		☐			
MANCOS	6420	319		☐			
UPPER GALLUP	7311	-572		☐			
GREENHORN	8049	-1310		☐			
GRANEROS	8091	-1352		☐			
TWO WELLS	8173	-1434		☐	3067		Gas
PAGUATE	8197	-1458		☐			
UPPER CUBERO	8223	-1484		☐			

PROJECT PROPOSAL - New Drill / Sidetrack

San Juan Business Unit

SAN JUAN 32-7 UNIT 69N

DEVELOPMENT

LOWER CUBERO	8263	-1524	☐	Est. Btm Perf - 8293 (- 1554) based on offset wells
ENCINAL	8329	-1590	☐	TD - T/ENCN
Total Depth	8329	-1590	☐	238 6-1/4" hole, 4-1/2" 11.6 ppf, L-80, LTC casing. Cement w/ 608 cuft. Circulate cement a minimum of 100' inside the previous casing string.

Reference Wells:

Reference Type	Well Name	Comments
Production	SJ 32-7 Unit 69	32N 7W 35 SE NW NE
Production	SJ 32-7 Unit 93M	32N 7W 36 NW SW NW
Production	SJ 32-7 Unit 69M	32N 7W 35 NW

Logging Program:

Intermediate Logs: ☐ Log only if show ☐ GR/ILD ☐ Triple Combo

TD Logs: ☐ Triple Combo ☐ Dipmeter ☐ RFT ☐ Sonic ☐ VSP ☐ TDT ☒ Other

Cased Hole GR / CBL

Mudlog from 100' above top of GLLP to TD - mudlogger will call TD.

Additional Information:

Log Type	Stage	From (Ft)	To (Ft)	Tool Type/Name	Remarks
----------	-------	-----------	---------	----------------	---------