

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-045-28694
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: GRACIA STATE 32 L
8. Well Number #3
9. OGRID Number 5380
10. Pool name or Wildcat BASIN FRUITLAND COAL
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6,275'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other
2. Name of Operator XTO Energy Inc.
3. Address of Operator 382 CR 3100 AZTEC, NM 87410
4. Well Location Unit Letter L : 1850 feet from the SOUTH line and 790 feet from the WEST line Section 32 Township 26N Range 11W NMPM County SAN JUAN
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 6,275'

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: **BELOW GRADE MARKER**

☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER:

☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Per the request of the surface owner, XTO Energy Inc. intends to set a below grade marker at a depth of 6' for the above mentioned well. Please see the attached documents with correspondence from the surface owner to XTO Energy.

DENIED * SEE BELOW

BY: **KELLY ROBERTS**
DATE: **1-19-11** (505) 334-6178 x116

RCVD DEC 13 '10

OIL CONS. DIV.

DIST. 3

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE **Teena M. Whiting** TITLE **REGULATORY COMPLIANCE TECH** DATE **12/10/2010**
Type or print name **TEENA M. WHITING** E-mail address: **teena_whiting@xtoenergy.com** PHONE **505-333-3176**

For State Use Only

APPROVED BY _____ TITLE _____ DATE _____

Conditions of Approval (if any): **REQUEST RESCINDED 1-19-2011**



"April Duncan"
<aduncan@navajopride.com>
>

10/21/2010 11:01 AM

To <dusty_mecham@xtoenergy.com>

cc "Gregory Yazzie" <gyazzie@navajopride.com>, "Al Nakai"
<anakai@navajopride.com>, "Lionel Haskie"
<lhaskie@navajopride.com>

bcc

Subject NAPI oil & gas line required standards

Hi Dusty,

I just spoke to Al Nakai, our GIS Coordinator, and he said that you needed NAPI to send you an e-mail regarding our requirements on all oil and gas line burial depths.

Please let this e-mail serve as official notice that NAPI requires all oil and gas lines to be buried 6ft deep within NAPI boundaries.

Also, will you please send me the GPS coordinates on the location(s) that you were talking to Al about?

Thank you for your cooperation in this matter. Should you have any questions, please call Greg Yazzie at 566-2623 or 793-4923.

Thank You,

April R. Duncan
Program Analyst - Operations & Maintenance
Navajo Agricultural Products Industry - NAPI
Phone: (505)566-2688
Fax: (505)599-0514
Email: aduncan@navajopride.com



"Gregory Yazzie"
<gyazzie@navajopride.com>
10/22/2010 08:20 AM

To <Dusty_Mecham@xtoenergy.com>
cc "Al Nakai" <anakai@navajopride.com>, "Lionel Haskie"
<lhaskie@navajopride.com>
bcc
Subject NAPI Oil & Gas Required Standards

Good morning, Mr. Mecham.

In accordance with NAPI's standards for oil & gas standards, it is required for the abandoned well be marked with piping showing the legals or a dry hole marker buried at minimum depth of 6 feet. The marker plate will have to be marked with the legals also. Any other questions or concerns, please contact me through the listed mediums below.

Thank you.

Navajo Agricultural Products Industry
Operations & Maintenance
Greg Yazzie, Irrigation Systems Operations Supervisor
P.O. Drawer 1318
Farmington, NM 87499
Office: 505.566.2623
Cell: 505.793.4923
Fax: 505.599.0569
gyazzie@navajopride.com