## District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico

Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative

Please be advised that approval of this request does not relieve the operator of liability should operation environment. Nor does approval relieve the operator of its responsibility to comply with any other applications.	
Operator: ConocoPhillips Company	OGRID#: <b>217817</b>
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: JICARILLA 20 12	
API Number: 30-039-24271 OCD Permit Nu	mber:
U/L or Qtr/Qtr: E(SW/NW) Section: 18 Township: 25N Range:	4W County: Rio Arriba
Center of Proposed Design: Latitude: 36.246804 °N Longitude:	-107.180972 °W NAD: X 1927 1983
Surface Owner: Federal State Private X Tribal Trust or Inc	dian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type: Thickness mil LLDPE  String-Reinforced  Liner Seams: Welded Factory Other Volume:	HDPE PVC Other bbl Dimensions L x W x D
Subsection H of 19.15.17.11 NMAC	es to activities which require prior approval of a permit or  HDPE PVD Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other	automatic overflow shut-off
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Env	

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, insti	tution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
Attenuate. Prease specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
		==		
Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
<del>_</del>				
9 Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	deration of approval	1.		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Exception(3). Requests must be submitted to the Santa Le Environmental Buleau office for consideration of approval.				
	:			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	1			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria	l			
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	ПYes П	No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		,,,,		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	Yes	No		
lake (measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site	l			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No		
application.				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes T	No		
		110		
(Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	∏Yes ☐	No		
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
• • • • • • • • • • • • • • • • • • • •		ls.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		,		
Within 500 feet of a wetland.  LIS Fish and Wildlife Wetland Identification man: Tanagraphic man: Visual inspection (cortification) of the proposed site.	Yes	No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	□ <sub>Vac</sub> □	l <sub>Nic</sub>		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes Yes	No		
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		'		
Society; Topographic map		l <sub>Nio</sub>		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plar  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16 Waste Removal Closure For Closed-loop Systems That Utilize A	bove Ground Steel Tanks or Haul-off Bins Only:(19.15.17.13.D NMAC)			
	of liquids, drilling fluids and drill cuttings. Use attachment if more than two f	acilities		
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name:	Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and as:  Yes (If yes, please provide the information	sociated activities occur on or in areas that will not be used for future se No	rvice and operations?		
Required for impacted areas which will not be used for future service  Soil Backfill and Cover Design Specification - based up Re-vegetation Plan - based upon the appropriate require Site Reclamation Plan - based upon the appropriate require	on the appropriate requirements of Subsection H of 19.15.17.13 NMAC ments of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Frait - based upon the appropriate requ	or subsection of 19.13.17.13 NVIAC			
	the closure plan. Recommendations of acceptable source material are provided below. trict office or may be considered an exception which must be submitted to the Santa Fe			
Ground water is less than 50 feet below the bottom of the burie		Yes No		
- NM Office of the State Engineer - iWATERS database search	; USGS: Data obtained from nearby wells	∐N/A		
Ground water is between 50 and 100 feet below the bottom of a NM Office of the State Engineer - iWATERS database search.		Yes No		
- IN Other of the State Engineer - IWATERS database search,	, osos, Data obtained non-nearby wens			
Ground water is more than 100 feet below the bottom of the bu		Yes No		
- NM Office of the State Engineer - iWATERS database search	USGS; Data obtained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark).	f any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the prop	osed site			
Within 300 feet from a permanent residence, school, hospital, institu - Visual inspection (certification) of the proposed site; Aerial ph		Yes No		
, , , , , , , , , , , , , , , , , , , ,	•	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or purposes, or within 1000 horizontal fee of any other fresh water well - NM Office of the State Engineer - iWATERS database; Visual	· ·			
pursuant to NMSA 1978, Section 3-27-3, as amended.	cipal fresh water well field covered under a municipal ordinance adopted	Yes No		
<ul> <li>Written confirmation or verification from the municipality; W</li> <li>Within 500 feet of a wetland</li> </ul>	ritten approval obtained from the municipality	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographi	c map; Visual inspection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine.	, , ,	Yes No		
- Written confiramtion or verification or map from the NM EMN	NRD-Mining and Mineral Division			
Within an unstable area.	CO. 1 O.M. D. HOCK AIM Contained Society	Yes No		
- Engineering measures incorporated into the design; NM Burea  Topographic map	u of Geology & Mineral Resources; USGS; NM Geological Society;			
Within a 100-year floodplain. - FEMA map		Yes No		
	ructions: Each of the following items must bee attached to the closure	e plan. Please indicate, by a		
check mark in the box, that the documents are attached.	4			
Siting Criteria Compliance Demonstrations - based upo				
	priate requirements of Subsection F of 19.15.17.13 NMAC			
	le) based upon the appropriate requirements of 19.15.17.11 NMAC	9 15 17 11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate require	ements of Subsection Lof 19.15.17.13 NMAC			

Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature:  Approval Date: /2/8/10  Title: Orpliance Officer OCD Permit Number: 7/73
Title. Compliant Office October line Number: 1713
Closure Report (required within 60 days of closure completion):  Subsection K of 19,15,17,13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  X Closure Completion Date: 10/5/2010
22
Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installatior
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
25  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): CRYSTAL TAFOYA Title: STAFF REGULATORY TECHNICIAN
Signature: Constal Taloga Date: 10/8/200
e-mail address: crystal.tafoya@conocophillips.com Telephone: (505) 326-9837