1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe
District IV	Sama 1 C, IVIVI 67303	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87505	osed-Loop System, Below-Gra	
	Iternative Method Permit or Clo	
Type of action: Perm	ait of a pit, closed-loop system, below-grade	e tank, or proposed alternative method
 	ure of a pit, closed-loop system, below-grad	de tank, or proposed alternative method
	ification to an existing permit	
<b>—</b>	ure plan only submitted for an existing perf w-grade tank, or proposed alternative methor	nitted or non-permitted pit, closed-loop system, od
Instructions: Please submit one application	(Form C-144) per individual pit, closed-l	oop system, below-grade tank or alternative request
	does not relieve the operator of liability should operations tor of its responsibility to comply with any other applicabl	result in pollution of surface water, ground water or the le governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Gas O	Company, LP	OGRID#: <u>14538</u>
Address: P.O. Box 4289, Farmington, NM	***	
Facility or well name: NEGRO CANYON 5		
API Number: 3004534717 & 30		
U/L or Qtr/Qtr: L(NW/SW) Section: 12	` <del></del>	8W County: San Juan
Center of Proposed Design: Latitude:  Surface Owner: X Federal S	36.91069 °N Longitude: tate Private Tribal Trust or Ind	107.63253 °W NAD: 1927 X 1983
A recent	Trivate Caracteristics of the	
2  X Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation	□ <b>P&amp;A</b>	
X Lined Unlined Liner type:	Thickness 20 mil X LLDPE	HDPE PVC Other
X String-Reinforced	1	
Liner Seams: X Welded X Factory	Other Volume: 350	00 bbl Dimensions L 105' x W 35' x D 12'
Closed-loop System: Subsection H of 19 Type of Operation: P&A Drilling:	<b></b>	to activities which require prior approval of a permit or
Drying Pad Above Ground Steel Ta	anks Haul-off Bins Other	79020
Lined Unlined Liner type:	Thickness mil LLDPE	HDPE PVD Other 56 189 1077
Liner Seams: Welded Factory	Other	2º pr
4	2.11.78.41.6	HDPE PVD Other Other OIL CONS. DIV. DIST. 3
Below-grade tank: Subsection I of 19.15.1  Volume: bbl Ty	ype of fluid:	(Se 011 con 2010
Tank Construction material:		OIL CONS. DIV. DIST. 3
Secondary containment with leak detection	Visible sidewalls, liner, 6-inch lift and au	/27
Visible sidewalls and liner Visi	ible sidewalls only Other	7773242526
Liner Type: Thickness mil	HDPE PVC Other	
5		
Alternative Method:		
Submittal of an exception request is required. Exc	eptions must be submitted to the Santa Fe Envir	ronmental Bureau office for consideration of approval.

Form C-144



6'		Į.			
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	tion or church	)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other		1			
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9					
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations o	eration of app	roval.			
(Fencing/BGT Liner)	• •				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 Siting Critaria (regarding normitting) 10.15.17.10 NIMAC					
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		)			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		Ì			
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		1			
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		Ì			
Channel material less than 50 feet below the bettern of the termonorum it manner and nit on below and took	□ Van				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	∐No			
	[				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	∐Yes	∐No			
(measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	ı				
Topographic map, visual inspection (continuation) of the proposed site	_				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	∐Yes	∐No			
application.		ĺ			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA	ļ			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	I				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	│∏ <sub>NA</sub>				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	ا <sup>،</sup> ،،،				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No			
pur poses, or within 1000 normaniteet or any other fresh water went or spring, in existence at the time or initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	□Yes	□No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.	Yes	No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		_			
Within the area overlying a subsurface mine.	Yes	No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		-			
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		_			
Society; Topographic map	l	_			
Within a 100-year floodplain	Yes	□No			
- FEMA map	i				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Weste Everystian and Demoval Closure Plan Cheeldigh (10.15.17.13. NMAC) Instructions Early of the following instructions are the standard to the closure Plan
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
₁ ·—·

16 Waste Removal Closure For Closed-loop Systems That Utilize Abo	ve Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of facilities are required.	liquids, drilling fluids and drill cuttings. Use attachment if more than tw	0			
Disposal Facility Name:	Disposal Facility Permit #:				
Disposal Facility Name:	Disposal Facility Permit #:				
	sociated activities occur on or in areas that will nbe used for futur	e service and			
Required for impacted areas which will not be used for future service of Soil Backfill and Cover Design Specification - based up Re-vegetation Plan - based upon the appropriate requirem Site Reclamation Plan - based upon the appropriate requirem	on the appropriate requirements of Subsection H of 19.15.17.13 it tents of Subsection I of 19.15.17.13 NMAC	NM <sub>,</sub> AC			
	closure plan. Recommendations of acceptable source material are provided belo e district office or may be considered an exception which must be submitted to the				
Ground water is less than 50 feet below the bottom of the burie - NM Office of the State Engineer - iWATERS database search; l		Yes No			
	·				
Ground water is between 50 and 100 feet below the bottom of		Yes No			
- NM Office of the State Engineer - iWATERS database search; U	ISGS; Data obtained from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the bu	ried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; U	JSGS; Data obtained from nearby wells	∐N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of a (measured from the ordinary high-water mark).	any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the propos	ed site				
Within 300 feet from a permanent residence, school, hospital, instituted - Visual inspection (certification) of the proposed site; Aerial photo	• •	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spi purposes, or within 1000 horizontal fee of any other fresh water well o - NM Office of the State Engineer - iWATERS database; Visual in	r spring, in existence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Writt	I fresh water well field covered under a municipal ordinance adopted	Yes No			
Within 500 feet of a wetland	en approvar obtained from the municipality	Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic	nap; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.		Yes No			
- Written confiramtion or verification or map from the NM EMNR	D-Mining and Mineral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of	of Geology & Mineral Resources; USGS; NM Geological Society;	Yes No			
Topographic map Within a 100-year floodplain. - FEMA map		Yes No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instriby a check mark in the box, that the documents are attached.	uctions: Each of the following items must bee attached to the cl	osure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upor	n the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

19
Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
N. (D.)
e-mail address: Telephone:
c-man address.
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 2/7/11
Title:OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: November 25, 2009
22 Closure Method:  Waste Excavation and Removal  Mon-site Closure Method  Alternative Closure Method  Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.  Disposal Facility Name:  Disposal Facility Permit Number:  Disposal Facility Name:  Disposal Facility Permit Number:  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliant to the items below)  Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  X Proof of Closure Notice (surface owner and division)  X Proof of Deed Notice (required for on-site closure)  X Plot Plan (for on-site closures and temporary pits)  X Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (if applicable)  X Disposal Facility Name and Permit Number  X Soil Backfilling and Cover Installation  X Re-vegetation Application Rates and Seeding Technique  X Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude: 36.910764 °N Longitude: 107.632372 °W NAD 1927 X 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): // Marie E. Jaramilt Title: Staff Regulatory Tech
Signature: Date: UIUU
e-mail address:mariele.jaramillo@conocophillips.comTelephone:505-326-9865

## Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: NM-111921

API No.: 30-045-34717 - 30-045-34855

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

## **General Plan:**

 All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	1.1 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	35.1 ug/kG
TPH	EPA SW-846 418.1	2500	377mg/kg
GRO/DRO	EPA SW-846 8015M	500	221 mg/Kg
Chlorides	EPA 300.1	1000/500	45 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, NEGRO CANYON 5 & 5M, UL-L, Sec. 12, T 31N, R 8W, API # 30-045-34717 & 30-045-34855

## Taily, Ethel

From:

Tally, Ethel

Sent:

Thursday, January 15, 2009 11:35 AM

To: Cc: 'mark\_kelly@nm.blm.gov'

Sessions, Tamra D

Subject:

SURFACE OWNER NOTIFICATION

The following locations will have temporary pits that will be closed on-site.

Maxwell B 100 Negro Canyon 5M\ Mudge B 100S Cooper 100S SJ 28-6 Unit 181N San Juan 28-5 Unit 101N Negro Canyon 5 🗸 San Juan 29-7 Unit 66M San Juan 28-5 Unit 101P

Please let Tamara Sessions (326-9834) or I know if you have any questions or concerns.

## **Ethel Tally** ConocoPhillips-SJBU 3401 E. 30th Farmington NM 87402 (505)599-4027 phone Ethel.Tally@ConocoPhillips.com

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410

12 Dedicated Acres

320.00 Acres - (N/2)

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

1220 S. St. Francis Dr., Santa Fe, NM 87606


## WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API	Number			*Pool Code			<sup>8</sup> Pool Name BASIN DAKO	TA/BLANCO ME	SAVERDE
Property C	ode	<sup>6</sup> Property Name			9.4	<sup>6</sup> Well Number			
		NEGRO CANYON				5			
OGRID No	).		<sup>8</sup> Operator Name				Elevation		
			BUR	LINGTON	RESOURCES O	IL & GAS COMP	ANY LP		6905'
					10 Surface	Location			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	12	31N	8W		2350'	SOUTH	1106'	WEST	SAN JUAN
			11 Botte	om Hole	Location I	f Different Fro	om Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	12	31N	8W		1875	NORTH	2390'	EAST	SAN JUAN

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

14 Consolidation Code

18 Joint or Infill



## OPERATOR CERTIFICATION

18 Order No.

is true and complete to the best of my knowledge and belief, and that this organisation either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner or a compulsory pooling order herstofore entered by the division.

Date

## SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

SURVEYOR OROFESSIONAL LAND

10201

BURLINGTON RESOURCES OIL & GAS COMPANY LP

NEGRO CANYON #5

LOCATED IN THE NW/4 SW/4 OF SECTION 12, 2350' FSL & 1106' FWL

GROUND ELEVATION: 6905', NAVD 88 SAN JUAN COUNTY, NEW MEXICO T31N, R8W, N.M.P.M.,

LONGITUDE: 107.63263° W

LATITUDE: 36.91075° N

**CENTER OF PIT** 

LONGITUDE: 107,63259°W

LATITUDE: 36.91070°N


WELL FLAG

DATUM: NAD83 & NAVD88

ELEVATION: 6893.1'

FINISHED PAD ELEVATION: 6905.1', NAVD 88

B'F+5.8



GENERATOR HZ0 CAN EXISTING PAD CATHODIC LAYDOWN U/G CABLE F+0.1 **ම** Θ 0 F+0.1 VELL HEAD NEGRO CAYON #101 SEPERA TOR EPERATOR VELL HEAD NEGRO CAYON HZO CAN APPROXIMATE
15'275'
15'275'
LAED WITH
12 M. POLY, UNER RIG ANCHOR Vellhead to front 145′ C-0.0515.4014"W ANCHOR Ω Wellhead to side F+1.5 108, VELL FLAG V NEGRO CAYON #5 M CENTER OF PIT

12' Deep Z:1 Slopes Reserve Pit DIKE Wellhead to back 155' REAR RIG ANCHOR 10' Deep RIG ANCHOR F+3.2

F+0.2 © (

,SOJ

SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

1.47 ACRES OF DISTURBANCE

NOTE

SCALE: 1" = 60' JOB No.: COPC153\_REV1 DATE: 04/03/09

RESERVE PIT DIKE. TO BE 8' ABOVE DEEP SIDE (OVERFLOW — 3' WIDE AND 1' ABOVE SHALLOW SIDE).
RUSSELL SURVEYING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CALL ONE—CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.



Aztec, New Mexico 87410 (505) 334-8637 Russell Surveying 1409 W. Aztec Blvd. #2

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 86240

## State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease — 4 Copies Fee Lease — 3 Copies

☐ AMENDED REPORT


DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## WELL LOCATION AND ACREAGE DEDICATION PLAT

<sup>1</sup> API Number	*Pool Code	Pool Name BASIN DAKOTA/BLANCO MESAVERDE
<sup>4</sup> Property Code	<sup>5</sup> Property Name	Well Number
	NEGRO CANYON	5 M
OGRID No.	<sup>8</sup> Operator Name	<sup>8</sup> Elevation
	BURLINGTON RESOURCES OIL & GAS COM	MPANY LP 6905'

<sup>10</sup> Surface Location Feet from the UL or lot no. Section Lot Idn North/South line East/West line Township Range Feet from the County 12 31N 8W 2369 SOUTH 1096 WEST SAN JUAN 11 Bottom Hole Location If Different From Surface III. or lot no. Lot Idn Feet from the North/South line Section Township Range Feet from the East/West line County ח 12 31N RW 1250' NORTH 1070 WEST SAN JUAN 18 Dedicated Acres Joint or Infill 14 Consolidation Code 15 Order No. 320.00 Acres - (N/2)

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



## BURLINGTON RESOURCES OIL & GAS COMPANY LP

NEGRO CANYON #5 M 2369' FSL & 1096' FWL

LOCATED IN THE NW/4 SW/4 OF SECTION 12, T31N, R8W, N.M.P.M.,

FINISHED PAD ELEVATION: 6905.1, NAVD 88 GROUND ELEVATION: 6905', NAVD 88 SAN JUAN COUNTY, NEW MEXICO

LONGITUDE: 107.63263° W

LATITUDE: 36.91075° N

LONGITUDE: 107.63263°W

**CENTER OF PIT** 

LATITUDE: 36.91075°N

WELL FLAG

DATUM: NAD83 & NAVD88

ELEVATION: 6893.1'

B'F+5.8

F+4.5

SERVE PIT CENTER OF PIT.


2:1 Stopes Reserve Pit


12' Deep

DIKE

10' Deep

120,





RIG ANCHOR

ANCHOR

RIG ANCHOR

SLOPES TO BE CONSTRUCTED TO MATCH THE ORIGINAL CONTOURS AS CLOSE AS POSSIBLE.

H20 CAN

HZO CAN

8

F+1.5

F+3.2

<u>Ş</u>

F+0.3 Wellhead to fin 515'40'14" W

Wellhead to back 140' REAR

F+7

RIG ANCHOR

O ANCHOR

Wellhead to side

06ء

VELL FLAG 100°-NEGRO CAYON

110,1

Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410

(505) 334-8637

1.47 ACRES OF DISTURBANCE JOB No.: COPC149\_REV1 SCALE: 1" = 60' DATE: 04/03/09

RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW — 3' WIDE AND 1' ABOVE SHALLOW SIDE).
RUSSELL SIRVENING, INC. IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES.
CONTRACTOR SHOULD CALL ONE—CALL FOR LOCATION OF ANY MARKED OR UNMARKED, BURIED PIPELINES OR CABLES ON WELL PAD, IN CONSTRUCTION ZONE AND/OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION. NOTE



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	11-06-09
Laboratory Number:	52326	Date Sampled:	11-03-09
Chain of Custody No:	8185	Date Received:	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-04-09
Preservative:	Cool	Date Analyzed:	11-05-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	24.5	0.2
Diesel Range (C10 - C28)	196	0.1
Total Petroleum Hydrocarbons	221	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Negro Canyon #5 / 5/M

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	11-06-09
Laboratory Number:	52327	Date Sampled:	11-03-09
Chain of Custody No:	8185	Date Received:	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-04-09
Preservative:	Cool	Date Analyzed:	11-05-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	5.4	0.1
Total Petroleum Hydrocarbons	5.4	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Negro Canyon #5

Analyst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



## **EPA Method 8015 Modified** Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

## **Quality Assurance Report**

Client:	QA/QC	Project #:	N/A
Sample ID:	11-05-09 QA/QC	Date Reported:	11-06-09
Laboratory Number:	52328	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-05-09
Condition:	N/A	Analysis Requested:	TPH

ann ag Antonogygo ag Santonog Bayan gara	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	05-07-07	1.1771E+003	1.1776E+003	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	1.1775E+003	1.1779E+003	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	# Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	48.1	47.5	1.2%	0 - 30%
Diesel Range C10 - C28	191	184	3.3%	0 - 30%

Spike Conc. (mg/Kg)	<sup>a</sup> Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	48.1	250	311	104%	75 - 125%
Diesel Range C10 - C28	191	250	464	105%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 52326 - 52329, 52335, 52336, and 52342 - 52345.

Shustle on Walters Review



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	11-06-09
Laboratory Number:	52326	Date Sampled:	11-03-09
Chain of Custody:	8185	Date Received:	11-03-09
Sample Matrix:	Soil	Date Analyzed:	11-05-09
Preservative:	Cool	Date Extracted:	11-04-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	1.1	0.9
Toluene	15.4	1.0
Ethylbenzene	4.2	1.0
p,m-Xylene	10.8	1.2
o-Xylene	3.6	0.9
Total BTEX	35.1	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Negro Canyon #5

Analyst

Review



## **EPA METHOD 8021 AROMATIC VOLATILE ORGANICS**

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	11-06-09
Laboratory Number:	52327	Date Sampled:	11-03-09
Chain of Custody:	8185	Date Received:	11-03-09
Sample Matrix:	Soil	Date Analyzed:	11-05-09
Preservative:	Cool	Date Extracted:	11-04-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Negro Canyon #5

Analyst



## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	11-05-BT QA/QC	Date Reported:	11-06-09
Laboratory Number:	52328	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	11-05-09
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	i Cal RF:	C-Cal RF: Accept. Rang	⊹ %Diff µe 0;-⊹15%	Blank Conc.	Detect. Limit
Benzene	8.9971E+005	9.0152E+005	0.2%	ND	0.1
Toluene	8.4476E+005	8.4645E+005	0.2%	ND	0.1
Ethylbenzene	7.7444E+005	7.7599E+005	0.2%	ND	0.1
p,m-Xylene	1.9107E+006	1.9145E+006	0.2%	ND	0.1
o-Xylene	7.2135E+005	7.2280E+005	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample Di	uplicate	%Diff.	Accept Range	Detect, Limit
Benzene	15.6	15.3	1.9%	0 - 30%	0.9
Toluene	60.6	60.5	0.2%	0 - 30%	1.0
Ethylbenzene	17.8	16.7	6.2%	0 - 30%	1.0
p,m-Xylene	61.0	60.8	0.3%	0 - 30%	1.2
o-Xylene	24.7	24.7	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	<b>Şample A</b> mo	unt Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	15.6	50.0	60.5	92.2%	39 - 150
Toluene	60.6	50.0	105	95.0%	46 - 148
Ethylbenzene	17.8	50.0	65.6	96.8%	32 - 160
p,m-Xylene	61.0	100	158	98.0%	46 - 148
o-Xylene	24.7	50.0	69.4	92.9%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using

Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 52326 - 52329.

Analyst

Review



## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Reserve Pit	Date Reported:	11-06-09
Laboratory Number:	52326	Date Sampled:	11-03-09
Chain of Custody No:	8185	Date Received:	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-04-09
Preservative:	Cool	Date Analyzed:	11-04-09
Condition:	Intact	Analysis Needed:	TPH-418.1

	<b>(1)</b>	Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

377

7.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Negro Canyon #5.

Analyst

/ Misturn Welles

## EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	Background	Date Reported:	11-06-09
Laboratory Number:	52327	Date Sampled:	11-03-09
Chain of Custody No:	8185	Date Received:	11-03-09
Sample Matrix:	Soil	Date Extracted:	11-04-09
Preservative:	Cool	Date Analyzed:	11-04-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

**Total Petroleum Hydrocarbons** 

26.5

7.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Negro Canyon #5.

Analyst

Review



## **EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS** QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

11-04-09

Laboratory Number:

11-04-TPH.QA/QC 52307

Date Sampled:

N/A

Sample Matrix:

Freon-113

Preservative:

N/A

Date Analyzed: Date Extracted: 11-04-09 11-04-09

Condition:

N/A

Analysis Needed:

**TPH** 

Calibration

I-Cal Date

C-Cal Date

I-Cal RF:

C-Cal RF:

% Difference

Accept. Range

11-02-09

11-04-09

1,750

1,920

9.7%

+/- 10%

Blank Conc. (mg/Kg)

**TPH** 

Concentration

**Detection Limit** 

ND

7.0

Accept. Range

Duplicate Conc. (mg/Kg) **TPH** 

Sample 30.7

Duplicate 27.9

% Difference 9.1%

+/- 30%

Spike Conc. (mg/Kg)

Sample 30.7

Spike Added 2,000

Spike Result 1,710

% Recovery 84.2%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

**TPH** 

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 52307, 52321 and 52324 - 52331.

Analyst

/ hustle mulalla.
Review



## Chloride

Client: ConocoPhillips Project #: 96052-0026 Sample ID: Reserve Pit Date Reported: 11-06-09 Lab ID#: 52326 Date Sampled: 11-03-09 Sample Matrix: Soil Date Received: 11-03-09 Preservative: Cool Date Analyzed: 11-05-09 Condition: Intact Chain of Custody: 8185

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

45

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Negro Canyon #5.

Analyst

Misthern Weeters



## Chloride

ConocoPhillips Project #: 96052-0026 Client: Background Date Reported: 11-06-09 Sample ID: Lab ID#: 52327 Date Sampled: 11-03-09 Sample Matrix: Soil Date Received: 11-03-09 Preservative: Cool Date Analyzed: 11-05-09 Chain of Custody: Condition: Intact 8185

**Parameter** 

Concentration (mg/Kg)

**Total Chloride** 

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Negro Canyon #5.

Analyst

Review

Submit To Appropria Two Copies	ate District C	Office			State of Ne											rm C-105
District I 1625 N. French Dr.,	Hobbs, NM	88240	Ene	ergy, l	Minerals and	d Nat	tural	Re	sources	-	1. WELL A	APIN	JO		J	uly 17, 2008
District II 1301 W. Grand Ave.				0::	l C	ا سمنه	D::	: _ : _			30-045-347			-3485	5	
District III 1000 Rio Brazos Rd					l Conserva 20 South S						2. Type of Le					
District IV					Santa Fe, N				1.	ŀ	3. State Oil &		FEE Lease No.	⊠ F	ED/IND)	AN
1220 S. St. Francis I											NM-11192	1				
		ETION O	RRECC	MPL	ETION RE	POR	RT A	ND	LOG							
4. Reason for filing	ng:										5. Lease Name NEGRO C			nent Na	me	
☐ COMPLETION	ON REPO	RT (Fill in bo	xes#1 throu	igh #31	for State and Fe	e wells	only)			Ì	6. Well Numb			· · · · · · · · · · · · · · · · · · ·		
C-144 CLOS #33; attach this an	d the plat t									or	5 & 5M					
7. Type of Compl	letion:	WORKOVER	☐ DEED!	ENING	□PLUGBACI	к П г	DIFFE	REN	JT RESERV	OIR	OTHER					
8. Name of Opera	tor					·	JII 1 L	ILL:	VI RESERV		9. OGRID		,			****
Burlington Re		Oil Gas C	ompany,	LP						_	14538	o= W/i	Idaat			
PO Box 4298, Far		M 87499									11. Pool name	OF WI	ideat			
12.Location	Unit Ltr	Section	Towns	hip	Range	Lot			Feet from th	he	N/S Line	Feet	from the	E/W L	ine	County
Surface:																
вн:										]						
13. Date Spudded	14. Date	T.D. Reache	1 15. I 06/2		Released			16.	Date Comple	eted	(Ready to Prod	luce)		. Elevati Γ, GR, et		and RKB,
18. Total Measure	d Depth of	Well			k Measured De	pth		20.	Was Directi	iona	l Survey Made?					her Logs Run
											<u> </u>					
22. Producing Interval(s), of this completion - Top, Bottom, Name																
23.				CAS	ING REC	ORI	) (R			ing						
CASING SIZ	ZE	WEIGHT I	B./FT.		DEPTH SET			НО	LE SIZE		CEMENTIN	G REC	CORD	AM	MOUNT	PULLED
														-		
											<u> </u>					
24.				LIN	ER RECORD					25.	<u> </u>	URIN	I IG RECO	ORD		
SIZE	TOP		воттом		SACKS CEM	ENT	SCR	EEN	J	SIZ			PTH SET		PACK	ER SET
26. Perforation	record (inte	erval, size, and	number)				27	ACI	D SHOT	FR	ACTURE, CE	MEN	T SOUE	EEZE I	ETC	
		, , ,	,						INTERVAL	110	AMOUNT A					
28.						PRO	DDU	J <b>C</b> T	TION		<del></del>					
Date First Product	tion	Pro	duction Met	hod (Flo	owing, gas lift, p						Well Status	(Prod	. or Shut-	in)		
Date of Test	Hours 7	`ested	Choke Size		Prod'n For Test Period		Oil -	- Bbl		Gas	s - MCF	Wa	iter - Bbl.		Gas - C	Dil Ratio
Flow Tubing Press.	Casing	Pressure	Calculated Hour Rate	24-	Oil - Bbl.		<del>ا                                    </del>	Gas -	- MCF	<u> </u>	Water - Bbl.		Oil Grav	vity - Al	PI - <i>(Cor</i>	r.)
29. Disposition of	Gas (Sold.	used for fuel.	vented, etc.		<u> </u>							30. T	est Witne	ssed By		
31. List Attachme																
32. If a temporary		ed at the well.	attach a pla	with th	e location of the	tempo	rary p	oit.								
33. If an on-site b	_		-			-										
55. Hall on Sico b		- 1	<b>5.919764°</b> N		ngitude 107.632			DΓ	] ] ] ] ] ] ] ] ] ] ] ]	83						!
I hereby certif	y that the	informatio	n shown o	on boti	h sides of this	form	is tr	ue c	and comple	ete	to the best o	f my	knowlea	lge and	d beliej	<u> </u>
Signature \	lug	May	10		nted ne Marie E.	Jaran	nillo	7	Title: Staf	ff R	egulatory To	ech	Date	: 6/10/	2010	
E-mail Address	ss marie.	e.jaramillo	aconoco;	hillip	s.com											

## ConocoPhillips

Pit Closure Form:	
Date: 11/25/20	<u>ජ</u> ි
Well Name: <u>Necro</u>	Canyon 5
Footages:	· · · · · · · · · · · · · · · · · · ·
Section:, T	N, RW, County: <u>\$3</u> State: <u>W/Y</u>
Contractor Closing Pit:	Riffer
	Norman Faver Date: 11/25/2009
Inspector Signature:	Www. For

## Jaramillo, Marie E

From:

Payne, Wendy F

Sent:

Tuesday, April 06, 2010 1:28 PM

To:

Tally, Ethel; 'judd@crossfire-llc.com'; 'isaiah@crossfire-llc.com'; 'brook@crossfire-llc.com'

Cc:

Faver Norm (faverconsulting@yahoo.com); Bassing, Kendal R.; Silverman, Jason M

Subject:

Negro Canyon 5 and Negro Canyon 1N / Seeding of Location and Access

Attachments:

Negro Canyon 1N.pdf; Negro Canyon 5.pdf

Judd, Please find legals and driving directions for the Negro Canyon 5 and Negro Canyon 1N, please One Call location and access for seeding, also please pick up all trash on location as per Norm Faver.

Please contact Norm Faver @ 320-0670, if you have any questions or need further assistance.

Seeding mix will follow.



Burlington Resources Well- Network #: 10247400 Activity code D250

San Juan County, NM

Negro Canvon 1N-BLM surface / BLM minerals

1254' FSL, 1046' FWL

SEC. 12, T31N, R08W

Unit Letter 'M'

Lease #: USA NM-111921

Latitude: 36° 54 min 27.68400 sec N (NAD 83)

Longitude: 107° 37 min 57.97200 sec W (NAD83)

API#: 30-045-34853



Negro Canyon 5.pdf

**Burlington Resources Well- Network #:** 10220572 (Activity code D250)

San Juan County, NM

## NEGRO CANYON 5-BLM surface / BLM minerals

Twin: Negro Canyon 5M, Negro Canyon 101S

2350' FSL, 1106' FWL

SEC.12, T31N, R08W

Unit Letter 'L'

Lease #: USA NM-111921

Latitude: 36° 54 min 38.52000 sec N (NAD 83)

Longitude: 107° 37 min 57.32400 sec W (NAD83)

API#: 30-045-34717


Wendy Payne
ConocoPhillips-SJBU
505-326-9533
Wendy.F.Payne@conocophillips.com


## Canoarhilips


	Reclamation Form:
•	Date: 4/27/2010
	Well Mame: Negro Canyon 5M / 5
	Footages: 2369 FSL 1096 FWL Unit Letter: L
.a.	Section: 12, T-31-N, R-8-W, County: 53 State: NM
	Reclamation Contractor: R: 12:11 er
	Reclamation Date: Nov 2009
	Road Completion Date: 2/19/2010
K. J.	Seeding Date: 4/26/2010
	Construction inspector: Norman Faver Date: 4/27/2010 inspector Signature:
	Sim Randy

LOWINGS THOUSE











# WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: NEGRO CANYON 5 & 5M

API#: 30-045-34717 & 30-045-34855

9

DATE	INSPECTOR	SAFETY	LOCATION	PICTURES TAKEN	COMMENTS
06/01/09	JARED CHAVEZ				H & P 282 IS ON LOCATION
02/08/09	JARED CHAVEZ				COULD NOT ACCESS LOCATION DUE TO H&P 282 ON ACCESS RD
08/10/09	JARED CHAVEZ				COULD NOT ACCESS LOCATION DUE TO FRAC CREW ON THE NEGRO CANYON 1N
60/08/60	JARED CHAVEZ				BES # 1549 IS ON LOCATION
10/06/09	JARED CHAVEZ				BES # 1549 IS ON LOATION
10/13/09	JARED CHAVEZ				BES # 1549 IS ON LOCATION
10/20/09	JARED CHAVEZ				BES #1549 IS ON LOCATION
10/27/09	JARED CHAVEZ				BES #1549 IS ON LOCATION
60/60/90	JARED CHAVEZ				H & P 282 IS MOVING OFF OF LOCATION
06/22/09	JARED CHAVEZ				CANNOT ACCESS LOCATION DUE TO H&P 282 BEING ON NEGRO CANYON 1N
07/20/09	JARED CHAVEZ				SWABBING CREW IS ON LOCATION - I WAS ASKED TO RETURN ON ANOTHER DAY
08/04/09	JARED CHAVEZ				SCHLUMBERGER FRAC CRREW IS ON LOCATION

									<del></del> -					
PIT & LOCATION IN GOOD CONDITION		LOCATION IS BEING RECLAIMED		PIT & LOCATION IN GOOD CONDITION		LOCATION HAS BEEN RECLAIMED		PIT & LOCATION IN GOOD CONDITION		PIT & LOCATION IN GOOD CONDITION		PIT & LOCATION IN GOOD CONDITION		
×				×		×		×		×		×		
×				×				×		×		×		
×	_			×				×		×		×		
JARED	CHAVEZ	JARED	CHAVEZ	JARED	CHAVEZ	JARED	CHAVEZ	JARED	CHAVEZ	JARED	CHAVEZ	JARED	CHAVEZ	
11/03/09		11/24/09		07/13/09		12/08/09		08/11/09		09/25/09		11/11/09		

À