

Submit To Appropriate District Office  
Two Copies  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-105  
July 17, 2008

1. WELL API NO.  
**30-045-35089**  
2. Type of Lease  
 STATE  FEE  FED/INDIAN  
3. State Oil & Gas Lease No.  
**E-9224-5**

**WELL COMPLETION OR RECOMPLETION REPORT AND LOG**

4. Reason for filing:  
 **COMPLETION REPORT** (Fill in boxes #1 through #31 for State and Fee wells only)  
 **C-144 CLOSURE ATTACHMENT**

5. Lease Name or Unit Agreement Name  
**FC STATE COM**  
6. Well Number: **34S**  
**RCVD FEB 23 '11**

7. Type of Completion:  
 NEW WELL  WORKOVER  DEEPENING  PLUGBACK  DIFFERENT RESERVOIR  OTHER **OIL CONS. DIV.**

8. Name of Operator  
**ConocoPhillips**  
10. Address of Operator  
**P.O. Box 4289, Farmington, NM 87499-4289**

9. OGRID  
**217817** **DIST. 3**  
11. Pool name or Wildcat  
**BASIN FRC**

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	E	02	27N	8W		1800'	N	890'	W	San Juan
BH:	E	02	27N	8W		1870'	N	998'	W	San Juan

13. Date Spud **10/14/2010** 14. Date T.D. Reached **10/21/2010** 15. Date Rig Released **1/27/2011** 16. Date Completed (Ready to Produce) **1/27/2011** 17. Elevations **GL 6257' / KB 6273'**  
18. Total Measured Depth of Well **2817' / 2813'** 19. Plug Back Measured Depth **2760' / 2756'** 20. Was Directional Survey Made? **YES** 21. Type Electric and Other Logs Run **GR/CCL/CBL/CNL**

22. Producing Interval(s), of this completion - Top, Bottom, Name  
**BASIN FRUITLAND COAL 2362' - 2570'**

**23. CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
<b>7" / J-55</b>	<b>20#</b>	<b>316'</b>	<b>8 3/4"</b>	<b>Surface, 83sx(127cf-23bbls)</b>	<b>1bbls</b>
<b>4 1/2" / J-55</b>	<b>10.5#</b>	<b>2817'</b>	<b>6 1/4"</b>	<b>TOC @ 90' 245sx(494cf-88bbls)</b>	<b>17bbls</b>

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					<b>2 3/8", 4.7#, L-80</b>	<b>2614'</b>	

26. Perforation record (interval, size, and number)  
**Lower Fruitland Coal w/.34" diam.**  
**16ft @ 2SPF 2550' - 2534' = 32 Holes**  
**16ft @ 2SPF 2570' - 2554' = 32 Holes**  
**Upper Fruitland Coal w/.34" diam.**  
**2ft @ 3SPF 2362' - 2364' = 6 Holes**  
**2ft @ 3SPF 2410' - 2412' = 6 Holes**  
**2ft @ 3SPF 2446' - 2448' = 6 Holes**  
**5ft @ 2SPF 2462' - 2467' = 10 Holes**  
**7ft @ 2SPF 2470' - 2477' = 14 Holes**  
**22ft @ 1SPF 2480' - 2502' = 22 Holes**  
  
**Basin Fruitland Total Holes = 64**

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.  
DEPTH INTERVAL | AMOUNT AND KIND MATERIAL USED  
**2362'-2502'** | **Start breakdown w/ 2% KCL FW. Acidize w/ 10% Formic. Frac w/ 21,042gals Pre-pad X-link 25#linear gel, 75% Foampad w/ 70,446# of 20/40 Brady Sand. Pumped 36 bbls foam flush. N2:823,000SCF.**  
**2534' - 2570'** | **Start breakdown w/ 2% KCL FW. Acidize w/ 10% Formic. Frac w/ 33,138gals Pre-pad X-link 25#linear gel, w/ 98,336# of 20/40 Brady Sand. Pumped 40 bbls foam flush. N2:1,223,000SCF**

**28. PRODUCTION**

Date First Production <b>N/A</b>		Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> ) <b>Flowing</b>			Well Status ( <i>Prod. or Shut-in</i> ) <b>SI</b>		
Date of Test <b>1/26/2011</b>	Hours Tested <b>1hr.</b>	Choke Size <b>1/2"</b>	Prod'n For Test Period <b>0</b>	Oil - Bbl <b>0</b>	Gas - MCF <b>41 mcf/h</b>	Water - Bbl. <b>trace bwph</b>	Gas - Oil Ratio
Tubing Press. <b>SI-562psi</b>	Casing Pressure <b>SI-558psi</b>	Calculated 24-Hour Rate <b>0</b>	Oil - Bbl. <b>0</b>	Gas - MCF <b>976 mcf/d</b>	Water - Bbl. <b>8 bwpd</b>	Oil Gravity - API - ( <i>Corr.</i> )	

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*) **Sold** 30. Test Witnessed By


31. List Attachments: **This well is a Blanco Pictured Cliffs & Basin Fruitland being commingled by DHC order # 3394AZ.**

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:  
Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD 1927  
**1983**

*Handwritten mark*

*Handwritten mark*

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief  
 Signature:  Printed Name: Marie E. Jaramillo Title: Staff Regulatory Technician Date: 02/09/10  
 E-mail Address: marie.e.jaramillo@conocophillips.com

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 1672'	T. Penn A"
T. Salt	T. Strawn	T. Kirtland 1780'	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland 2292'	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs 2579'	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House n/a	T. Leadville
T. Queen	T. Silurian	T. Menefee n/a	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout n/a	T. Elbert
T. San Andres	T. Simpson	T. Mancos n/a	T. McCracken
T. Glorieta	T. McKee	T. Gallup n/a	T. Ignacio Oztte
T. Paddock	T. Ellenburger	Base Greenhorn n/a	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota n/a	
T. Tubb	T. Delaware Sand	T. Morrison not encountered	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T	T. Entrada	
T. Wolfcamp	T	T. Wingate	
T. Penn	T	T. Chinle	
T. Cisco (Bough C)	T	T. Permian	

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
 No. 2, from.....to..... No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.  
 No. 1, from.....to..... feet.....  
 No. 2, from.....to..... feet.....  
 No. 3, from.....to..... feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology

*a*



This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

**INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE**

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo 1672'	T. Penn A"
T. Salt	T. Strawn	T. Kirtland 1780'	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland 2292'	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs 2579'	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House n/a	T. Leadville
T. Queen	T. Silurian	T. Menefee n/a	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout n/a	T. Elbert
T. San Andres	T. Simpson	T. Mancos n/a	T. McCracken
T. Glorieta	T. McKee	T. Gallup n/a	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn n/a	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota n/a	
T. Tubb	T. Delaware Sand	T. Morrison not encountered	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T	T. Entrada	
T. Wolfcamp	T	T. Wingate	
T. Penn	T	T. Chinle	
T. Cisco (Bough C)	T	T. Permian	

**OIL OR GAS SANDS OR ZONES**

No. 1, from.....to..... No. 3, from.....to.....  
 No. 2, from.....to..... No. 4, from.....to.....

**IMPORTANT WATER SANDS**

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

**LITHOLOGY RECORD (Attach additional sheet if necessary)**

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology

PC