District I 1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210 District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
10493	Pit, Closed-Loop System, Below-Grad	le Tank, or
Prop	osed Alternative Method Permit or Clos	sure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade to	tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade	tank, or proposed alternative method
	X Modification to an existing permit	
	Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loc	p system, below-grade tank or alternative request
	f this request does not relieve the operator of liability should operations re eve the operator of its responsibility to comply with any other applicable	· · ·
1 Operator: ConocoPhillips Compan	у	OGRID#: 217817
Address: PO Box 4289, Farmingto	on, NM 87499	
Facility or well name: SAN JUAN	30-5 UNIT 81P	
API Number: 3	0-039-30800 OCD Permit Numb	er:
U/L or Qtr/Qtr: F(SE/NW) Secti	on: 27 Township: 30N Range:	5W County: Rio Arriba
Center of Proposed Design: Latitude		107.348469 °W NAD: 1927 X 1983
Surface Owner: Federal	State X Private Tribal Trust or India	ın Allotment
Permanent Emergency C X Lined Unlined L X String-Reinforced	7.11 NMAC rkover Cavitation P&A iner type: Thickness 20 mil X LLDPE actory Other Volume: 7700	HDPE PVC Other bbl Dimensions L 120' x W 55' x D 12'
Type of Operation: P&A Drying Pad Above Ground Unlined Line	notice of intent) und Steel Tanks Haul-off Bins Other	o activities which require prior approval of a permit or HDPE PVD Other RECEIVED
, , , , , , , , , , , , , , , , , , ,	I of 19.15.17.11 NMAC obl Type of fluid: etection Visible sidewalls, liner, 6-inch lift and aut Visible sidewalls only Other mil HDPE PVC Other	OIL CONS. DIV. DIST. 3
Submittal of an exception request is re-	quired. Exceptions must be submitted to the Santa Fe Enviro	nmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	☐ Yes ☐NA	No		
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) 	Yes	No		
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes	No		
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes	No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	Yes Yes	∐No ∏No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	Yes	 No		
- FEMA map	1 -	_		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method: Waste Excavation and Removal			
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fl				
facilities are required.				
Disposal Facility Name: Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will nbe used for future service and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropria	sto magninomento of Cubacation II of 10 15 17 12 N	MAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection		WAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recocertain siting criteria may require administrative approval from the appropriate district office or moffice for consideration of approval. Justifications and/or demonstrations of equivalency are required.	ay be considered an exception which must be submitted to the Sa			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtain	ned from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste		☐ ☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtain		□N/A		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells	∐Yes ∐No □N/A		
•	,			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signification (measured from the ordinary high-water mark).	nt watercourse or lakebed, sinkhole, or playa lake	YesNo		
- Topographic map; Visual inspection (certification) of the proposed site		∏Yes ∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex Visual inspection (certification) of the proposed site; Aerial photo; satellite image	distence at the time of initial application.	∐Yes ∐No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence of the State Engineer, iWA TERS database. Visual impossion (certifice	nce at the time of the initial application.	_		
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No		
- Written confirmation or verification from the municipality; Written approval obtain	ned from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspe	ction (certification) of the proposed site	YesNo		
Within the area overlying a subsurface mine.		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mi	neral Division			
Within an unstable area.	Cord Description LICCS, NIM Cords sized Society	∐Yes ∐No		
 Engineering measures incorporated into the design; NM Bureau of Geology & Mir Topographic map 	erai Resources; OSGS; NM Geological Society;			
Within a 100-year floodplain FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate	e requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriat		AC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): \ \ \ Marie E/Jaramillo \ \ \ \ Title: Staff Regulatory Technician				
Signature: Date: 175 ()				
e-mail address: marie e jaramillo@conocophillips.com Telephone: 505-326-9865				
20				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: 2/25/11				
Title: Compliany Office OCD Permit Number:				
21				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure				
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an				
approved closure plan has been obtained and the closure activities have been completed.				
Closure Completion Date:				
22				
Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain.				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name: Disposal Facility Permit Number:				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate complilane to the items below)				
Required for impacted areas which will not be used for future service and operations:				
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in				
the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude: Longitude: NAD 1927 1983				
On the Cosmic Location. Education. Longitude. Longitude				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that				
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Title:				
Signature: Date:				
e-mail address: Telephone:				

Form C-144 Oil Conservation Division

ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

2ND Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal),
 COP can not conduct construction or similar activities during Seasonal Closures and therefore
 can not meet the closure requirements specified in the referenced rule. Completion of the well
 and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure Date of 09/29/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.