District I 1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Ave., Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

District IV

1220 S. St. Francis Dr., Santa	a 1 C, 1MH - 67303
2008	Pit, Closed-Loop System, Below-Grade Tank, or
J W O	Proposed Alternative Method Permit or Closure Plan Application
Тур	pe of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
Landau di anna Diana	below-grade tank, or proposed alternative method
	e submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request ised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
	r does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burlington	Resources Oil & Gas Company, LP OGRID#: 14538
	289, Farmington, NM 87499
-	SAN JUAN 28-4 UNIT 27M
API Number:	30-039-30378 OCD Permit Number:
U/L or Qtr/Qtr: K(NI	E/SW) Section: 19 Township: 28N Range: 4W County: Rio Arriba
Center of Proposed Des	sign: Latitude: 36.6438444 °N Longitude: 107.2937389 °W NAD: 1927 X 1983
Surface Owner: X	Federal State Trivate Tribal Trust or Indian Allotment
X Lined Un X String-Reinforced	rilling Workover mergency Cavitation P&A nlined Liner type: Thickness 20 mil X LLDPE HDPE PVC Other Velded X Factory Other Volume: 4400 bbl Dimensions L 65' x W 45' x D 10'
Closed-loop Syst Type of Operation: Drying Pad Lined Unl Liner Seams: We	P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Above Ground Steel Tanks Haul-off Bins Other lined Liner type: Thickness mil LLDPE HDPE PVD Other
4 Below-grade tank	Subsection Lof 19.15.17.11 NMAC bbl Type of fluid: RECEIVED
Volume:	bbl Type of fluid: // RECEIVE
Tank Construction mate	- u a a b
<u></u>	nent with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls a	and liner Visible sidewalls only Other
Liner Type: Thickr	
Alternative Met	30,000
Submittal of an exception	on request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: Waste Excavation and Removal
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	leration of approval.			
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes No			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. 	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. 	☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No			
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 	Yes No			

16		
Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please identify the facility or facilities for the disposal of liq	Ground Steel Tanks or Haul-off Bins Only:(19.15.17.13.D NMAC)	0
facilities are required.		
Disposal Facility Name:	Disposal Facility Permit #:	
Disposal Facility Name:	Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and assoc	ciated activities occur on or in areas that will nbe used for future	e service and
Re-vegetation Plan - based upon the appropriate requiremen	the appropriate requirements of Subsection H of 19.15.17.13 hats of Subsection I of 19.15.17.13 NMAC	NMAC
Site Reclamation Plan - based upon the appropraite requirer	nents of Subsection G of 19.15.17.13 NMAC	
Siting Criteria (Regarding on-site closure methods only: 19.15. Instructions: Each siting criteria requires a demonstration of compliance in the cle certain siting criteria may require administrative approval from the appropriate de office for consideration of approval. Justifications and/or demonstrations of equiv	osure plan. Recommendations of acceptable source material are provided beloi istrict office or may be considered an exception which must be submitted to the	
Ground water is less than 50 feet below the bottom of the buried		Yes No
- NM Office of the State Engineer - iWATERS database search; US	GS: Data obtained from nearby wells	∐N/A
Ground water is between 50 and 100 feet below the bottom of the	buried waste	Yes No
- NM Office of the State Engineer - iWATERS database search; USG	3S; Data obtained from nearby wells	N/A
Ground water is more than 100 feet below the bottom of the burie	ed waste.	☐Yes ☐No
- NM Office of the State Engineer - iWATERS database search; USG		∏N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any (measured from the ordinary high-water mark).	other significant watercourse or lakebed, sinkhole, or playa lake	Yes No
Topographic map: Visual inspection (certification) of the proposed	site	
Within 300 feet from a permanent residence, school, hospital, institution.	or church in existence at the time of initial application.	Yes No
- Visual inspection (certification) of the proposed site: Aerial photo; s	atente mage	Tyes TNo
Within 500 horizontal feet of a private, domestic fresh water well or spring purposes, or within 1000 horizontal fee of any other fresh water well or standard or the NM Office of the State Engineer - iWATERS database; Visual insp	pring, in existence at the time of the initial application.	105
Within incorporated municipal boundaries or within a defined municipal fr pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No
- Written confirmation or verification from the municipality; Written	approval obtained from the municipality	
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic ma	p: Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine.		Yes No
- Written confirantion or verification or map from the NM EMNRD-	Mining and Mineral Division	
Within an unstable area.		Yes No
 Engineering measures incorporated into the design; NM Bureau of Copographic map 	Geology & Mineral Resources; USGS; NM Geological Society;	
Within a 100-year floodplain FEMA map		Yes No
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instruct	tions: Each of the following House must be attached to the	Josupa plan Planca is dis-
by a check mark in the box, that the documents are attached.		osure pian. Fieuse indicate,
Siting Criteria Compliance Demonstrations - based upon t		
Proof of Surface Owner Notice - based upon the appropria	•	C
	based upon the appropriate requirements of 19.15.17.11 NMA	
	purial of a drying pad) - based upon the appropriate requiremen	IS 01 19.15.17.11 NMAC
Protocols and Procedures - based upon the appropriate req		MAC
	the appropriate requirements of Subsection F of 19.15.17.13 NI	MAC
Waste Material Sampling Plan - based upon the appropria	•	ada a a a sa dha a dh' a a a
Disposal Facility Name and Permit Number (for liquids, d Soil Cover Design - based upon the appropriate requireme	rilling fluids and drill cuttings or in case on-site closure standarents of Subsection H of 19.15.17.13 NMAC	ras cannot be achieved)
Re-vegetation Plan - based upon the appropriate requirem		
Site Reclamation Plan - based upon the appropriate require	ements of Subsection (+ of IU IS I / I & NMA()	

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Nome (Drint)
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:
1 1000
Title: Ongliac Officer OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: December 2, 2008
22
Closure Method:
Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.64373 °N Longitude: 107.29339 °W NAD 1927 X 1983
25 Operator Closure Certification:
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Ethel Tally Title: Staff Regulatory Tech
Signature: Tell Tally Date: 3/4/2010
organica.

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 28-4 UNIT 27M

API No.: 30-039-30378

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	1.7 ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	83.1 ug/kG
TPH	EPA SW-846 418.1	2500	1,350mg/kg
GRO/DRO	EPA SW-846 8015M	500_	21.3 mg/Kg
Chlorides	EPA 300.1	1000(500)	42.0 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with Forest seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with Forest seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 28-4 UNIT 27M, UL-K, Sec. 19, T 28N, R 4W, API # 30-039-30378

Tafoya, Crystal

From:

Tafoya, Crystal

- Sent:

Thursday, July 10, 2008 8:16 AM

To: Subject: 'mark kelly@nm.blm.gov' OCD Pit Closure Notification

The following temporary pits will be closed on-site. The new OCD Pit Rule 17 requires the surface owner be notified. Please feel free to contact me at any time if you have any questions. Thank you!

Allison Unit 2B

Allison Unit 40N

Angel Peak B 27E

Ballard 11F

Cain 725S

Canyon Largo Unit 250N

Canyon Largo Unit 279E

Canyon Largo Unit 288E

Canyon largo Unit 297E

Canyon Largo Unit 465E

Carson SRC 4E

Day B 4P

Day B 5A

East 17S

EPNG A 1B

EPNG B 1M

Federal A 1E

Filan 5M

Filan 5N

Fogelson 4 100

Fogelson 4 100S

Grambling C 202S

Hagood 19

Hamner 9S

Hardie 4P

Hare 295

Heaton Com 100

Helms Federal 1G

Howell 12

Huerfanito Unit 103F

Huerfanito Unit 29S

Huerfanito Unit 39S

Huerfanito Unit 47S Huerfanito Unit 50E

Huerfanito Unit 75E

Huerfanito Unit 83E Huerfanito Unit 87E

Huerfanito Unit 90E

Huerfanito Unit 90M

Huerfanito Unit 98S

Huerfano Unit 108F

Huerfano Unit 282E

Huertano unit 305

Huerfano unit 307

Huerfano Unit 554

Johnston Federal 24S

King 3

Lackey A Com 100S

Lambe 1C

Lambe 7S

Lively 8M

Lloyd A 100

Lloyd A 100S

Martin 100

McCord B 1F

McDurmitt Com 100S

McManus 13R

Mitchell 1S

Morris A 14

Newberry B 1N

Newsom B 503

Newsom B 8N

Pierce A 210S

Roelofs 1N

San Juan 27-4 Unit 132G

San Juan 27-4 Unit 132M

San Juan 27-4 Unit 139N

San Juan 27-4 Unit 140B

San Juan 27-4 Unit 141M

San Juan 27-4 Unit 147Y

San Juan 27-4 Unit 153B

San Juan 27-4 Unit 22M

San Juan 27-4 Unit 38P

San Juan 27-4 Unit 41N

San Juan 27-4 Unit 42N

San Juan 27-4 Unit 569N

San Juan 27-4 Unit 59N

San Juan 27-4 Unit 60M

San Juan 27-5 Unit 113F

San Juan 27-5 Unit 59N

San Juan 27-5 Unit 84N

San Juan 27-5 unit 901

San Juan 27-5 Unit 902

San Juan 27-5 Unit 903

San Juan 27-5 Unit 904

San Juan 27-5 Unit 905

San Juan 27-5 Unit 906

San Juan 27-5 Unit 907

San Juan 27-5 Unit 908 San Juan 27-5 Unit 909

041 041 27 5 0111 000

San Juan 27-5 Unit 910

San Juan 27-5 Unit 912 San Juan 27-5 Unit 913

San Juan 27-5 Unit 914

San Juan 27-5 Unit 915

San Juan 27-5 Unit POW 916

San Juan 28-4 Unit 27M

San Juan 28-5 Unit 54F

San Juan 28-5 Unit 62E

San Juan 28-5 Unit 63M

San Juan 28-5 Unit 76N

San Juan 28-5 Unit 77N

San Juan 28-6 Unit 113N

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District JII
1000 Rio Brazos Rd., Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505


Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies


□ AMMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

	API Number		2	Pool Code		³ Pool Name MESA VERDE / DAKOTA			
⁴ Property Cade ⁵ Property Name SAN JUAN 28-4					⁶ Well Number 27M				
7 OGRID N	ło.		8 Operator Name BURLINGTON RESOURCES OIL AND GAS COMPANY					⁹ Elevation 7345.7'	
					10 SURFACE	LOCATION			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	19	28N	04		1860	SOUTH	1945	WEST	RIO ARRIBA
			^{τι} Β	ottom H	ole Location	If Different Fro	m Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	19	28N	04W		1970	SOUTH	750	WEST	RIO ARRIBA
Dedicated Acre 319.4	s 13 Joint	or Infill	Consolidation	Code 15	Order No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





- 1. RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW-3' WIDE AND 1' ABOVE SHALLOW SIDE).
- 2. C.C.I. SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CONTRACTOR SHOULD CALL ONE—CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPLINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS PRIOR TO CONSTRUCTION.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	SJ 28-4 #27M	Date Reported:	10-06-08
Laboratory Number:	47527	Date Sampled:	09-26-08
Chain of Custody No:	5240	Date Received:	09-30-08
Sample Matrix:	Soil	Date Extracted:	10-02-08
Preservative:	Cool	Date Analyzed:	10-03-08
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/K͡g)
Gasoline Range (C5 - C10)	0.6	0.2
Diesel Range (C10 - C28)	20.7	0.1
Total Petroleum Hydrocarbons	21.3	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample.

Analyst

Review

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505-632-0615 • Fax 505-632-1865



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	SJ 28-4 #27M Background	Date Reported:	10-06-08
Laboratory Number:	47528	Date Sampled:	09-26-08
Chain of Custody No:	5240	Date Received:	09-30-08
Sample Matrix:	Soil	Date Extracted:	10-02-08
Preservative:	Cool	Date Analyzed:	10-03-08
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Drilling Pit Sample.

Analyst

Review

5796 U.S. Highway 64 · Farmington, NM 87401 · Tel 505-632-0615 · Fax 505-632-1865



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	10-03-08 QA/QC	Date Reported:	10-06-08
Laboratory Number:	47520	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-03-08
Condition:	N/A	Analysis Requested:	TPH

Mark of the second seco	I-Cal Date.	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	05-07-07	9.8263E+002	9.8302E+002	0.04%	0 - 15%
Diesel Range C10 - C28	05-07-07	9.8770E+002	9.8810E+002	0.04%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept, Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept, Range
Gasoline Range C5 - C10	ND	250	249	99.6%	75 - 125%
Diesel Range C10 - C28	ND	250	245	98.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 47520 and 47525 - 47528.

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	SJ 28-4 #27M	Date Reported:	10-06-08
Laboratory Number:	47527	Date Sampled:	09-26-08
Chain of Custody:	5240	Date Received:	09-30-08
Sample Matrix:	Soil	Date Analyzed:	10-03 - 08
Preservative:	Cool	Date Extracted:	10-02 - 08
Condition:	Intact	Analysis Requested:	BTEX

Control To the Control of Control To the Control of Con

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	1.7	0.9 *	
Toluene	15.5	1.0	
Ethylbenzene	4.2	1.0	ч.
p,m-Xylene	36.7	1,2	
o-Xylene	25.0	0.9	
Total BTEX	83 <i>.</i> 1		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	99.0 %	
	1,4-difluorobenzene	99.0 %	
	Bromochlorobenzene	99.0 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit Sample.

Analyst

Mustum mucalan Beview



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	SJ 28-4 #27M Background	Date Reported:	10-06-08
Laboratory Number:	47528	Date Sampled:	09-26-08
Chain of Custody:	5240	Date Received:	09-30-08
Sample Matrix:	Soil	Date Analyzed:	10-03-08
Preservative:	Cool	Date Extracted:	10-02-08
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	1.4	0.9	
Toluene	14.4	1.0	
Ethylbenzene	2.5	1.0	64
p,m-Xylene	16.4	1.2	
o-Xylene	7.0	0.9	
Total BTEX	41.7		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	98.0 %	
	1,4-difluorobenzene	98.0 %	
	Bromochlorobenzene	98.0 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Drilling Pit Sample.

Analyst

A Mistine m Waster Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	10-03-BT QA/QC	Date Reported:	10-06-08
Laboratory Number:	47519	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	10-03-08
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal/RE;	G-CaliRF: Accept: Rang	%Diff: je 0 - 15%	Blank Conc	Detect: Limit
Benzene	5.4496E+007	5.4605E+007	0.2%	ND	0.1
Toluene	4.3953E+007	4.4041E+007	0.2%	ND	0.1
Ethylbenzene	3.5255E+007	3.5326E+007	0.2%	ND	0.1
p,m-Xylene	7.5457E+007	7.5609E+007	0.2%	ND	0.1
o-Xylene	3.5660E+007	3.5732E+007	0.2%	ND	0.1

The section of the se

Duplicate Conc. (ug/Kg)	, Sample Du	plicate	%Diff.	Accept Range	Detect, Limit
Benzene	1.5	1.6	6.7%	0 - 30%	0.9
Toluene	6.5	5.4	16.9%	0 - 30%	1.0
Ethylbenzene	2.6	2.3	11.5%	0 - 30%	1.0
p,m-Xylene	8.8	7.8	11.4%	0 - 30%	1.2
o-Xylene	5.5	4.5	18.2%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spik	ed Sample	% Recovery	Accept Range
Benzene	1.5	50.0	50.5	98.1%	39 - 150
Toluene	6.5	50.0	54.3	96.1%	46 - 148
Ethylbenzene	2.6	50.0	54.7	104%	32 - 160
p,m-Xylene	8.8	100	104	95.4%	46 - 148
o-Xylene	5.5	50.0	53.5	96.4%	46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 47519 - 47528.

Analyst

(Mistry Wellter Beview



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	SJ 28-4 #27M	Date Reported:	10-06-08
Laboratory Number:	47527	Date Sampled:	09-26-08
Chain of Custody No:	5240	Date Received:	09-30-08
Sample Matrix:	Soil	Date Extracted:	10-06-08
Preservative:	Cool	Date Analyzed:	10-06-08
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

1,350

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.

Analyst

__*Nus_Uu_* Review



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-0026
Sample ID:	SJ 28-4 #27M Background	Date Reported:	10-06-08
Laboratory Number:	47528	Date Sampled:	09-26-08
Chain of Custody No:	5240	Date Received:	09-30-08
Sample Matrix:	Soil	Date Extracted:	10-06-08
Preservative:	Cool	Date Analyzed:	10-06-08
Condition:	Intact	Analysis Needed:	TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
Total Petroleum Hydrocarbons	28.4	5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Drilling Pit Sample.

Analyst

Mustum Weeters



EPA METHOD 418.1 TOTAL PETROLEUM HYROCARBONS QUALITY ASSURANCE REPORT

1.1%

Accept. Range

+/- 10%

Client:		QA/QC		Project #:		N/A
Sample ID:		QA/QC		Date Reported	d: ·	10-06-08
Laboratory Number:		10-06-TPH.QA/C	C 47525	Date Sampled	l:	N/A
Sample Matrix:		Freon-113		Date Analyzed	i :	10-06-08
Preservative:		N/A		Date Extracted	d:	10-06-08
Condition:		N/A		Analysis Need	led:	TPH
Calibration	I-Cal Date	C-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. R

Blank Conc. (mg/Kg)	Concentration	Detection Limit

10-06-08

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	5.7

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	780	851	9.1%	+/- 30%

1,770

1,790

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
ТРН	780	2,000	2,690	96.8%	80 - 120%

ND = Parameter not detected at the stated detection limit.

10-06-08

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water References:

and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Samples 47525 - 47528 and 47542.



Chloride

Client: ConocoPhillips Project #: 96052-0026 Sample ID: SJ 28-4 #27M Date Reported: 10-06-08 Lab ID#: 47527 Date Sampled: 09-26-08 Sample Matrix: Soil Date Received: 09-30-08 Preservative: Cool Date Analyzed: 10-02-08 Condition: Intact Chain of Custody: 5240

Parameter

Concentration (mg/Kg)

Total Chloride

42.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pit Sample.

Analyst

Mustum Weeters Review



Chloride

Client: ConocoPhillips 96052-0026 Project #: SJ 28-4 #27M Background Sample ID: Date Reported: 10-06-08 Lab ID#: 47528 Date Sampled: 09-26-08 Soil Sample Matrix: Date Received: 09-30-08 Preservative: Cool Date Analyzed: 10-02-08 Condition: Intact Chain of Custody: 5240

Parameter

Concentration (mg/Kg)

Total Chloride

27.0

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Drilling Pit Sample.

Analyst

Mester Weeters Review

Submit To Appropriate Two Copies District I	riate District Of	ffice	Ene		State of Ne			_	COUTCAS		i .				rm C-105 July 17, 2008	
1625 N. French Dr District II	., Hobbs, NM 8	8240	Energy, Minerals and Natural Resources					1. WELL A		NO.			1119 17, 2000			
1301 W. Grand Av District III	enue, Artesia, I	NM 88210						30-039-303 2. Type of Le								
1000 Rio Brazos R District IV	d., Aztec, NM	87410			20 South S				r.		STAT	ΓE	☐ FEE	⊠F	ED/IND	IAN
1220 S. St. Francis					Santa Fe, N						3. State Oil & NM-03862					
		TION OF	RECC	MPL	ETION RE	POF	RT AN	<u>اD</u>	LOG		5 1 1					<u> </u>
4. Reason for fil	Č										5. Lease Name SAN JUAN				ame	
COMPLET	ION REPOR	RT (Fill in box	es#1 throu	gh #31	for State and Fe	e wells	s only)				6. Well Numb	er:				
#33; attach this a	nd the plat to									or	27M					
	WELL U	VORKOVER	DEEPE	ENING	□PLUGBAC	к 🗆	DIFFER	REN	T RESERVO	OIR	OTHER_					
8. Name of Oper Burlington R		Oil Cas C	mnany	I.P							9. OGRID 14538					
10. Address of O	perator		mpany,				-				11. Pool name	or V	Vildcat			
PO Box 4298, Fa	armington, N	М 87499														
12.Location Surface:	Unit Ltr	Section	Towns	hip	Range	Lot			Feet from th	ie	N/S Line	Fee	t from the	E/W	Line	County
BH:					1	\vdash		\dashv		-						
13. Date Spudde	d 14. Date	T.D. Reached	15. I	Date Rig	g Released			16.	Date Comple	eted	(Ready to Prod	uce)				and RKB,
18. Total Measur	and Douth of	Wall	08/2		ck Measured De									r, GR,		J
18. Total Weasur	red Depth of	wen	19. F	riug Dad	ik ivieasured De	pui	1	20.	was Direction	ona	l Survey Made?		21. 1yp	e Electr	ic and O	ther Logs Run
22. Producing In	terval(s), of the	his completion	ı - Top, Bot	tom, Na	ame	_										
23.				CAS	ING REC	OR	D (Re	epc	ort all str	ing	gs set in we	ell)				·
CASING SI	ZE	WEIGHT L	B./FT.		DEPTH SET		i	НО	LE SIZE		CEMENTIN	G R	ECORD	Al	MOUNT	PULLED
			 -								 					
				l		_						-				
24.				LIN	ER RECORD					25.	T	UB	NG RECO	ORD		
SIZE	ТОР	E	BOTTOM		SACKS CEM	ENT	SCRE	EEN		SIZ	ZE	C	EPTH SET		PACK	ER SET
			· · · · · · · · · · · · · · · · · · ·				ļ					+				····
26. Perforation	record (inter	val, size, and	number)							FR	ACTURE, CE					
							DEPT	HI	NTERVAL		AMOUNT A	ND	KIND MA	ERIA	USED	
			:													
						DD	ODU(TION							
Date First Produc	ction	Prod	uction Met	hod (Fle	owing, gas lift, p						Well Status	(Pro	od. or Shut-	in)		
Date of Test	Hours Te	ested	Choke Size		Prod'n For Test Period		Oil - E	Bbl	1	Gas	s - MCF	V	Vater - Bbl.	_	Gas - C	Oil Ratio
Flow Tubing Press.	Casing P		Calculated : Hour Rate	24-	Oil - Bbl.		G 	ias -	MCF	1	Water - Bbl.		Oil Gra	vity - A	PI - (Cor	r.)
29. Disposition o	f Gas <i>(Sold, 1</i>	used for fuel, 1	ented, etc.,		L							30.	Test Witne	ssed By	,	
31. List Attachm	ents															
32. If a temporar	y pit was used	d at the well, a	ttach a plat	with th	e location of the	tempe	orary pit	t.								
33. If an on-site	burial was use	ed at the well,	report the o	exact lo	cation of the on-	site bu	ırial:									
I hereby certi	h that the	Latitude 30	6.64373°N	Lon	gitude 107.2933	39°W	NAD [19	927 \(\) 1983	ata	to the best o	fm	knowles	lae an	d helia	
Signature 7	= $=$ $=$ $=$ $=$ $=$ $=$ $=$ $=$ $=$	(njormalio) ()		Pri	n staes of this nted ne Ethel Ta				-		·		te: 3			
E-mail Addre	ess ethel.ta	llv@conoc	U						-				- 1	, ,	🔾	

ConocoPhillips

Pit Closure Form:			
Date: 12/2/08			
Well Name: <u>ร.ว 28-4 นะ</u> เร	- [‡] 27M		
Footages: <u>/860' FSL</u>	1945 FWL	Unit Letter:K	_
Section: <u>19</u> , T- <u>28</u>	-N, R- <u>-</u> 4W, County: <i><u>ℓ;́</u></i>	Arriba State: New Mexico	2
Contractor Closing Pit:	JD Ritter Construction		_
Construction Inspector:	Johnny R. McDonald	Date: 12/2/08	_
Inspector Signature:	younger 14 tonala		_

Tally, Ethel

From:

Silverman, Jason M < Jason.M.Silverman@conocophillips.com>

Sent:

Tuesday, November 25, 2008 10:05 AM

To:

'jreidinger@fs.fed.us' <jreidinger@fs.fed.us>

Cc:

'jr_mcdonald@msn.com' <jr_mcdonald@msn.com>; 'JDRITT@aol.com' <JDRITT@aol.com>; Becker,

Joey W < Joe. W. Becker@conocophillips.com>; Bonilla, Amanda

<Amanda.Bonilla@conocophillips.com>; Bowker, Terry D <Terry.D.Bowker@conocophillips.com>;

Busse, Dollie L <Dollie.L.Busse@conocophillips.com>; Chavez, Virgil E <Virgil.E.Chavez@conocophillips.com>; GRP:SJBU Production Leads <SJBUProductionLeads@conocophillips.com>; Kennedy, Jim R

<JIM.R.Kennedy@conocophillips.com>; Kramme, Jeff L <Jeff.L.Kramme@conocophillips.com>; Larry
Thacker <Ithackerccinm@hotmail.com>; Lopez, Richard A <Richard.A.Lopez@conocophillips.com>;

Loudermilk, Jerry L < Jerry.L.Loudermilk@conocophillips.com>; Nelson, Terry J

<Terry.J.Nelson@conocophillips.com>; O'Nan, Mike J. <Mike.J.O'Nan@conocophillips.com>; Peace,

James T < James.T.Peace@conocophillips.com>; Poulson, Mark E

<Mark.E.Poulson@conocophillips.com>; Richards, Brian <Brian.Richards@conocophillips.com>;

Silverman, Jason M < Jason.M.Silverman@conocophillips.com>; Stamets, Stephan A

<Steve.A.Stamets@conocophillips.com>; Work, James A <Jim.A.Work@conocophillips.com>; Blair,

Maxwell O <Maxwell.O.Blair@conocophillips.com>; Blakley, Maclovia

<Maclovia.Blakley@conocophillips.com>; Clark, Joan E <Joni.E.Clark@conocophillips.com>;

Cornwall, Mary Kay <Mary.K.Cornwall@conocophillips.com>; Farrell, Juanita R

<Juanita.R.Farrell@conocophillips.com>; Greer, David A <David.A.Greer@conocophillips.com>;

Maxwell, Mary Alice <Mary.A.Maxwell@conocophillips.com>; McWilliams, Peggy L

<Peggy.L.McWilliams@conocophillips.com>; Seabolt, Elmo F <Elmo.F.Seabolt@conocophillips.com>; Valencia, Desiree (SOS Staffing Services, Inc.) <Desiree.Valencia@contractor.conocophillips.com>

Subject:

Reclamation Notice: San Juan 28-4 Unit 27M

Importance: High

Attachments: San Juan 28-4 unit 27M.PDF

JD Ritter will move a tractor to the San Juan 28-4 Unit 27M on Monday, December 1st, 2008 to start the reclamation process. Please contact Johnny McDonald (215-2861) if you have any questions or need additional information.

Thanks, Jason Silverman

Network#:

10155759, 10155756

Operator:

Burlington Resources

Legals:

1860' FSL, 1945' FWL Section 19, T28N. R4W Unit Letter 'K' (NE/SW)

Rio Arriba County, NM

Latitude:

36.643844 (nad 83)

Longitude:

107.293738 (nad 83)

Lease:

USA NM-03862

API#:


30-039-30378

Surface/Minerals:

FOREST

Jason M. Silverman ConocoPhillips-SJBU Construction Tech. (505)326-9821 jason.m.silverman@conocophillips.com





WELL PAD SAFETY AND ENVIRONMENTAL CHECK LIST

WELL NAME: San Juan 28-4 Unit 27M

API#: 30-039-30378