Form C-144 July 21, 2008

District I 1625 N. French Dr., Hobbs, NM 88240 District II. 1301 W. Grand Avenue, Artesia, NM 88210 District III. 1000 Rio Brazos Road, Aztec, NM 87410 District IV. 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or				
Proposed Alternative Method Permit or Closure Plan Application				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: Energen Resources Corporation OGRID#: 162928				
Address: 2010 Afton Place, Farmington, NM 87401				
Facility or well name: Carracas 16A #1H				
API Number: 30-039-30824 OCD Permit Number:				
U/L or Qtr/Qtr B Section 16 Township 32N Range 05W County: Rio Arriba				
Center of Proposed Design: Latitude 36.98720 Longitude −107.36680 NAD: ☐1927 ☒ 1983				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
Temporary:				
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)				
□ Drying Pad □ Above Ground Steel Tanks □ Haul-off Bins □ Other □ Lined □ Unlined □ Liner type: Thickness □ mil □ LLDPE□ HDPE□ PVC □ Other □ Liner Seams: □ Welded□ Factory □ Other □				
Drying Pad				
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other				
Liner type: Thicknessmil LLDPE HDPE PVC Other				
División de la companya de la compan				

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate. Please specify			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	·		
☐ Screen ☐ Netting ☐ Other			
Monthly inspections (If netting or screening is not physically feasible)			
8. Signs: Subsection C of 19.15.17.11 NMAC			
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC	· · · · · · · · · · · · · · · · · · ·		
9. Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bur	reau office for		
consideration of approval.	cau office for		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of ac material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the application of may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drabove-grade tanks associated with a closed-loop system.	propriate district of approval.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No		
Within a 100-year floodplain.	☐ Yes ☐ No		

II.
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Cilimatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Grounstructions: Please indentify the facility or facilities for the disposal of liquid			
facilities are required. Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	posal Facility Name: Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activition operations? Yes (If yes, please provide the information below) No	es occur on or in areas that will not be used for future ser	vice and	
Required for impacted areas which will not be used for future service and open Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate Plan - base	priate requirements of Subsection H of 19.15.17.13 NM/ ection I of 19.15.17.13 NMAC	AC	
Siting Criteria (regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in provided below. Requests regarding changes to certain siting criteria may rebe considered an exception which must be submitted to the Santa Fe Environ and/or demonstrations of equivalency are required. Please refer to 19.15.17.	the closure plan. Recommendations of acceptable sou equire administrative approval from the appropriate dist amental Bureau office for consideration of approval. J	rict office or may	
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS	; Data obtained from nearby wells	☐ Yes 🕱 No ☐ NA	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS		Yes No	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS	; Data obtained from nearby wells	▼ Yes □ No □ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any othe lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed si		Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site; Aerial photo; Sa		Yes X No	
Within 500 horizontal feet of a private, domestic fresh water well or spring tha watering purposes, or within 1000 horizontal feet of any other fresh water well NM Office of the State Engineer - iWATERS database; Visual inspec	or spring, in existence at the time of initial application.	Yes X No	
Within incorporated municipal boundaries or within a defined municipal fresh adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approximately	· · · · · · · · · · · · · · · · · · ·	Yes X No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map;	Visual inspection (certification) of the proposed site	Yes X No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-M	lining and Mineral Division	☐ Yes 🗷 No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Go Society; Topographic map	eology & Mineral Resources; USGS; NM Geological	☐ Yes ☑ No	
Within a 100-year floodplain FEMA map		Yes X No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must be attached to the closure pla	n. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Proof of Surface Owner Notice - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Waste Material Sampling Plan - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	of Subsection F of 19.15.17.13 NMAC appropriate requirements of 19.15.17.11 NMAC pad) - based upon the appropriate requirements of 19.15 15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC I drill cuttings or in case on-site closure standards cannot in H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC		

19.				
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate an	d complete to the best of my knowledge and belief.			
Name (Print):	Title:			
Signature:	Date:			
e-mail address:	Telephone:			
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure	P lan-(only) OCD Conditions (see attachment)			
OCD Representative Signature:) slight	Approval Date: 2/24/1/			
Title:OCD I	Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of I Instructions: Operators are required to obtain an approved closure plan prior to impreport. The closure report is required to be submitted to the division within 60 days of complete this section of the form until an approved closure plan has been obtained an	lementing any closure activities and submitting the closure f the completion of the closure activities. Please do not ad the closure activities have been completed.			
	Closure Completion Date: 10/19/10			
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure If different from approved plan, please explain.	ure Method			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposa	l Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude				
25.				
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Anna Stotts	Title: Regulatory Analyst			
Signature: Anna tollis	Date: 2/7/11			
e-mail address: astotts@energen.com	Telephone: 505-324-4154			

Submit to Appropriate District Office Form C-105 State of New Mexico Five Copies Energy, Minerals and Natural Resources July 17, 2008 District I 1625 N. French Dr., Hobbs, NM 88240 1. WELL API NO. District II. 1301 W. Grand Avenue, Artesia, NM 88210 30-039-30824 OIL CONSERVATION DIVISION District III 2. Type Of Lease 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis Dr. ☐ STATE ☐ FEE ☒ FED/INDIAN District IV Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe. NM 87505 3. State Oil & Gas Lease No. WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4. Reason for filing: 5. Lease Name or Unit Agreement Name COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) Carracas 16A 6. Well Number C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) #1H □ NEW WELL □ WORKOVER □ DEEPENING □ PLUGBACK □ DIFFERENT RESERVOIR X OTHER pit closure 9. OGRID Number 8. Name of Operator Energen Resources Corporation 162928 10. Address of Operator 11. Pool name or Wildcat 2010 Afton Place, Basin Fruitland Coal Farmington NM 87401 County 12. Location Unit Letter Township Range Feet from the N/S Line | Feet from the | E/W Line Section Lot Surface: R 16 32N 05W BH: 13. Date Spudded 14. Date T.D. Reached 15. Date Rig Released 16. Date Completed (Ready to Produce) 17. Elevations (DF & RKB, RT, GR, etc.) 8/27/10 20. Was Directional Survey Made 21. Type Electric and Other Logs Run 18. Total Measured Depth of Well 19. Plug Back Measured Depth 22. Producing Interval(s), of this completion - Top, Bottom, Name 23 CASING RECORD (Report all strings set in well) CASING SIZE HOLE SIZE CEMENTING RECORD AMOUNT PULLED WEIGHT LB./FT. DEPTH SET 25. **TUBING RECORD** 24. LINER RECORD DEPTH SET SIZE TOP **BOTTOM** SACKS CEMENT **SCREEN** SIZE PACKER SET 26. Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQEEZE, ETC **DEPTH INTERVAL** AMOUNT AND KIND MATERIAL USED PRODUCTION Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl. Gas - MCF Water - Bbl. Gas - Oil Ratio Flow Tubing Casing Pressure Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API -(Corr.) Hour Rate 29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By 31. List Attachments 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. 33. If an on-site burial was used at the well, report the exact location of the on-site burial: 36.98690 -107.36675 NAD: Latitude Longitude 1927 X 1983 I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Signature Printed Regulatory Analyst Date Anna Stotts 2/7/11 Name astotts@energen.com E-mail address

Well Name: Carracas 16A #1H

Reserve Pit - Final Closure Report

The pit will be closed with in place burial. If the pit is located on private surface, the surface owner will be notified prior to closure by certified mail and the return receipt will be included in the closure packet. The OCD will be verbally or by other means notified at least 72 hours and not more then one week prior to the pit closing. The following process will be used to close the pit:

Notification to the OCD is included in this closure report package. Surface owner notification not required.

1) At time of closure, all free standing fluids will be removed and reused or disposed with Agua Moss LLC in the Pretty Lady #1 (Disposal API Number # 30-048-30922) or an Energen operated permitted disposal well. The contents will be solidified to a bearing capacity sufficient to support the final cover. This will be accomplished by mixing the contents with soil at a mixing ratio no greater then 3:1 soil to contents.

Fluids were removed and properly disposed in the Pretty Lady #1 - API 30-048-30922. The pit contents were solidified by mixing the contents with soil at a mixing ratio of less than 3:1.

2) The liner will be cut off at the mud line of the stabilized contents.

The liner was cut off at the mud line of the stabilized contents.

3) Sampling will be done by collecting a minimum of a five-point composite sample of the contents after stabilization. The sample will be analyzed for the following components (if the groundwater is less than 100 feet below the pit but greater than 50 feet, testing for chlorides will be done to the lower limit);

Components	Tests Method	Limit	Results
		(mg/Kg)	(mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	.009
BTEX	EPA SW-846 8021B or 8260B	50	0867
TPH	EPA SW-846 418.1	2500	127
GRO/DRO	EPA SW-846 8015M	500	4.9
Chlorides	EPA 300.1	500 /1000	315

Sampling results are listed in the above table.

4) After demonstrating that the stabilized contents are under the limits listed above, the contents will be covered with compacted non-waste containing earthen material to a minimum of three feet. If stabilized contents exceed a volume that can be covered with three feet of earth and a foot of topsoil the excess contents will be removed and sent to Envirotech (Permit NM-01-0011) or IEI Landfarm (Permit NM-01-0010B). If the stabilized contents do no meet the above stated limits the stabilized contents will all be hauled to Envirotech pursuant to excavation and removal guidelines (19.15.17.13 B1).

The contents were covered with three feet of compacted non-waste containing material.

5) After the stabilized contents have been covered, the stockpiled topsoil will be replaced to a minimum depth of one foot. Topsoil cover will be graded to prevent ponding of water and erosion of the cover material. This will be accomplished within six months of rig release.

The stockpiled topsoil was replaced to a depth of one foot and graded to prevent ponding and erosion.

6) The exact location of the on-site burial will be reported to the Aztec field office on the C-105 form. A deed notice identifying the exact location of the on-site burial will be filed with the county clerk if the pit is on private surface.

The C-105 form is attached. This pit is located on public surface. Proof of Deed notice not required unless pit is located on private surface (per NMOCD FAQ dated 10/30/09).

7) The final closure report (C-144) will be filed within 60 days of closure completion and include sampling results, plot plan, details on backfilling, covering and inspections during the life of the pit.

This closure report includes sampling results, plot plan, closure details, inspections, and photos.

8) If the pit is located on federal or tribal surface, seeding will be deferred to BLM requirements per the BLM / OCD MOU. Otherwise, the disturbed area will be seeded or planted the first growing season after closing the pit. Seed will be drilled on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass but not including noxious weeds. Cover will be maintained through two successive growing seasons. During the two growing

seasons that prove viability there shall be no artificial irrigation of the vegetation. Seeding or planting will continue until the required cover is reached. If conditions are not favorable to establishment of vegetation due to periods of drought or similar problems then the Aztec office of the OCD will be notified. The Aztec office of the OCD will also be notified when the disturbed ground successfully achieves re-vegetation.

The pit is located on Federal or Tribal surface, seeding is deferred to BLM requirements per the BLM / OCD MOU.

9) Until the abandonment of the wells on the pad where the pit is located, a steel marker no less then four inches in diameter will be cemented in a hole three feet deep in the center of the onsite burial. The top of this marker will be flush with the ground. Once all wells on the pad are abandoned, a four foot tall riser will be welded on top of the marker with; operator name, lease number, well name and number, unit number, section, township and range, and a designation that it is an onsite burial location.

The marker was installed in the center of the closed pit. The marker is set flush to the ground until final abandonment. At the time of abandonment, a four foot riser will be installed and marked as follows: Energen Resources – Lease # NMNM 30351 – Carracas 16A #1H – Unit B

Sec.16, T32N, R05W - Pit Burial Site.

"As Drilled"

District 1 1625 N. French Dr., Hobbs, NM 88240

District II 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

12 Dedicated Acres 320 W/2

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

¹³ Joint or Infill

Consolidation Code

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102 Revised July 16, 2010 Submit one copy to appropriate District Office




WELL LOCATION AND ACREAGE DEDICATION PLAT

١,	API Numbe	Г	-	² Pool Code	·		³ Pool Na	me	
30-039-30824			71629		Basin Fruitland Coal				
⁴ Property	Code				5 Property !	Varme		۰۷	Vell Number
_35654	- 3703	4		Carracas 16A 1H			1붜		
70GRID				Operator Name *Elevation			Elevation		
162928	3			Energen Resources Corporation 7223'			7223'		
			· · · · · · · · · · · · · · · · · · ·		¹⁰ Surface	Location			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
В	16	32N	5W		98'	North	2374'	East	Rio Arriba
			¹¹ Bott	tom Hol	e Location If	Different Fro	m Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
к	16	32N	5W		1568'	South	1498'	West	Rio Arriba


No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

Order No.



ENERGEN RESOURCES CORPORATION

CARRACAS 16A #1H 98' FNL & 2374' FEL LOCATED IN THE NW/4 NE/4 OF SECTION 16, T32N, R5W, N.M.P.M., RIO ARRIBA COUNTY, NEW MEXICO GROUND ELEVATION: 7223', NAVD 88 FINISHED PAD ELEVATION: 7220.4', NAVD 88



VERT. SCALE: 1" = 30' HORZ. SCALE: 1" = 50' JOB No.: ERG200_rev1 DATE: 12/12/08



Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637

ENERGEN RESOURCES CORPORATION **WELL FLAG** CARRACAS 16A #1H LATITUDE: 36.98720°N 98' FNL & 2374' FEL LONGITUDE: 107.36688°W LOCATED IN THE NW/4 NE/4 OF SECTION 16, DATUM: NAD 83 T32N, R5W, N.M.P.M., **CENTER OF PIT** RIO ARRIBA COUNTY, NEW MEXICO LATITUDE: 36.98709° N **GROUND ELEVATION: 7223', NAVD 88** LONGITUDE: 107,36647° W. SCALE = 60' FINISHED PAD ELEVATION: 7220.4', NAVD 88 ELEVATION: 7208.4' DATUM: NAD83 & NAVD88 CARRACAS 16 A #2 LAT: 38.98727; N LONG: 107.36648; W CENTER OF PIT ØF+8.7 18616 LF OF NEW ACCESS ACROSS NATIONAL FOREST LANDS TO FOREST ROAD 218

1 FOOT CONTOUR INTERVAL SHOWN

SCALE: 1" = 60'

JOB No.: ERG200_REV1

DATE: 12/12/08

Russell Surveying 1409 W. Aztec Blvd. #2 Aztec, New Mexico 87410 (505) 334-8637

30'

60'

Vicki Donaghey

From:

Matt Foutz [mfoutz@fandmconst.com]

Sent:

Thursday, October 07, 2010 10:37 AM

To:

Brandon.Powell@state.nm.us

Cc:

Doug Thomas; Vicki Donaghey; Ed Hasely; Robert Schmidt; Bill Vocke; jjmiller@fs.fed.us; Michael Dean; Kellie Campbell; cfoutz@fandmconst.com; mmcminn@fandmconst.com

Subject:

Cracas 16A # 1 & 2 Pit Closure

Brandon, This is our 72 hour notice to close the drilling pit; Caracas 16A # 1 & 2 Rio Arriba County Township 32N, Range 5W, Section 16, NE 1/4

Sincerely,

Matt Foutz President F & M Construction, Inc. Office Phone - 970-884-0109 Mobile Phone - 970-749-5983



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Energen	Project #:	03022-0168
Sample ID:	09211001-A	Date Reported:	09-22-10
Laboratory Number:	55929	Date Sampled:	09-21-10
Chain of Custody No:	10390	Date Received:	09-21-10
Sample Matrix:	Soil	Date Extracted:	09-21-10
Preservative:	Cool	Date Analyzed:	09-22-10
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.9	0.2
Diesel Range (C10 - C28)	3.0	0.1
Total Petroleum Hydrocarbons	4.9	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Carracas #16A 1

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

,			
Client:	Energen	Project #:	03022-0168
Sample ID:	09211001-A	Date Reported:	09-22-10
Laboratory Number:	55929	Date Sampled:	09-21 - 10
Chain of Custody:	10390	Date Received:	09-21-10
Sample Matrix:	Soil	Date Analyzed:	09-22-10
Preservative:	Cool	Date Extracted:	09-21-10
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Diation.	, ,	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	5.2	0.9	
Toluene	23.8	1.0	
Ethylbenzene	2.7	1.0	
p,m-Xylene	47.4	1.2	
o-Xylene	7.6	0.9	
Total BTEX	86.7	•	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery	
	Fluorobenzene	101 %	
	1,4-difluorobenzene	103 %	
	Bromochlorobenzene	98.4 %	

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Carracas #16A 1

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen ·	Project #:	03022-0168
Sample ID:	09211001-A	Date Reported:	09 - 22-10
Laboratory Number:	55929	Date Sampled:	09-21-10
Chain of Custody No:	10390	Date Received:	09-21-10
Sample Matrix:	Soil	Date Extracted:	09-22 - 10
Preservative:	Cool	Date Analyzed:	09-22-10
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

127

13.6

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Carracas #16A 1

Analyst



Chloride

Client:	Energen	Project #:	03022-0168
Sample ID:	09211001-A	Date Reported:	09-22-10
Lab ID#:	55929	Date Sampled:	09-21-10
Sample Matrix:	Soil	Date Received:	09-21-10
Preservative:	Cool	Date Analyzed:	09-21-10
Condition:	Intact	Chain of Custody:	10390

Para	ameter	Concentration	(mg/Kg)

Total Chloride

315

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Carracas #16A 1

Änalyst



Well Name: CARRACAS 16A TH		API: 300.39:	30824
Name (Print): I WEATHERFORD	Signature: Me	alhorand	Date: 8/8/2010
Note Any Deficiencies: ChOSE LOOP			
Name (Print): TWEATHERFORD	Signature:	eatherford	Date: 8/9/2010
Note Any Deficiencies:			
Name (Print): TWEATHERFORD	Signature:	atherses	Date: 8/10/2010
Note Any Deficiencies:			
Name (Print) TWENTHERFORD	Signature:	atherful	Date: 8/11/2010
Note Any Deficiencies:			,
Name (Print): TWENTHEREORD	Signature:	Wedneylus	Date: 8/12/2010
Note Any Deficiencies:			,
Name (Print): TWEATHERFORD)	Signature:	extrulud	Date: 8/13/2010
Note Any Deficiencies:			
Name (Print): R. Kinbel	Signature:		Date: 8/14/ 2010
Note Any Deficiencies:			
Name (Print): R. Kinbel	Signature:		Date: 8/15/2010
Note Any Deficiencies:			
Name (Print): TWEHTHEIRFORM	Signature:	eatherful	Date: 8/16/2010
Note Any Deficiencies:			
Name (Print): TWENTHERFORD	Signature:	Thylas	Date: 8/17/2010
Note Any Deficiencies:			· · · · · · · · · · · · · · · · · · ·
Name (Print): TWENTHEMFORD	Signature:	atherty	Date: 8 /18/2010
Note Any Deficiencies:			
Name (Print): TWEATHERFORD	Signature:	eatherful	Date: 8/19/2010
Note Any Deficiencies:			
Name (Print): YWENTHER FORD	Signature:	eath ful	Date: 8/20/7810
Note Any Deficiencies:			
Name (Print): T WEATHER FORD	Signature:	rathyry	Date: 8/21/2010
Note Any Deficiencies:			
Name (Print): T. WEATHERFORD	Signature:	elherful	Date: 6/22/2010
Note Any Deficiencies:		h ,	
Name (Print): Y. WEATHER FORD	Signature:	Catheline	Date: 8/21/2010
Note Any Deficiencies:			



Well Name: CARRACAS FORT 1-H		API: 10039308	124
Name (Print): TWEHTHERFORD	Signature:	Weatherful	Date: 8/24/2010
Note Any Deficiencies:			
Name (Print): JWEATHERFORD	Signature:	Venthuful	Date: 8/25/2010
Note Any Deficiencies:			
Name (Print): J WEATHERFORD	Signature:	Wenthuful	Date: 8/26/2010
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			
Name (Print):	Signature:		Date:
Note Any Deficiencies:			



Well Name: CARRACAS 16A# 1	-	API: 30-0393-	0842
Name (Print): T, WENTHERFORD	Signature:	Meathenhud	Date: 8/28/2010
Note Any Deficiencies: ChOSE LOOP			
Name (Print): TWENTHERFORD	Signature:	Mathyan	Date: 8/29/2010
Note Any Deficiencies:			
Name (Print): I WEATHER FORD	Signature:	Meatherford	Date: 8/30/2010
Note Any Deficiencies:			
Name (Print): TWENTHERFORD	Signature:	Mesthyland	Date: 8/31/2010
Note Any Deficiencies:			
Name (Print): TWEATHERFORD	Signature:	Meatheral	Date: 9/1/2010
Note Any Deficiencies:			
Name (Print): TWEATHERFORD	Signature:	Meatherford	Date: 9/2/2010
Note Any Deficiencies:	J		
Name (Print); TWEATHERFORM	Signature:	Meatherfer	Date: 9/3/2010
Note Any Deficiencies:			
Name (Print): TWEATHERFORD	Signature:	Meathylin	Date: 9/4/2010
Note Any Deficiencies:			
Name (Print): I WEATHERFORD	Signatur <u>e:</u>	Meathering	Date: 9/5/2010
Note Any Deficiencies:			
Name (Print): TWENTHERFORD)	Signature:	Menthyful	Date: 9/0/2010
Note Any Deficiencies:		Later	
Name (Print): I WENTHENFORD	Signature:	Mulliful	Date: 9/7/2010
Note Any Deficiencies:			
Name (Print): / WEATHEARD	Signature:	Mentyfort	Date: 9/8/2010
Note Any Deficiencies:			and the same of th
Name (Print): 1 WENTHERFORD	Signature:	Mentherfund	Date: 9/9/2010
Note Any Deficiencies:			2
Name (Print): TWENTHERFORD	Signature:	Meathuful	Date: 9/10/2010
Note Any Deficiencies:		and the second	
Name (Print): TWENTHERFORD	Signature:	Menthyland	Date: 9/11/2010
Note Any Deficiencies:		the state of the s	from the same of t
Name (Print): TWEPTHER FARD	Signature:	Meatherfast	Date: 9/12/2010
Note Any Deficiencies:			




Meathyfud	Date: 9/13/2010
Meathufand	Date: 9/14/2010
	,
Mentherfund	Date: 9/15/2010
A	
Muhhaful	Date: 9/16/2010
M. Enthuran	Date: 9/17/2010
Mental	Date: 9/19/2010
	g
Medhorino	Date: 9/19/2016
Meatherful	Date: 9/20/2010
	<i>y</i>
Weathenland	Date: 9/21/2010
////	-
Weathyfuel	Date: 9/22/2010
Danister	Date: <i>9-13-201</i> 0
U	
1 Daniton	Date: 9-24-2010
O security and a secu	
Dunitan	Date: 9-25-10
V	
Dunentere	Date: 9-26-10
· U	
Durifor	Date: 9-27-10
U	
Duninton.	Date: 9-28-10
U	
	Menthyfus Menthyfus Menthyfus Menthyfus Menthyfus Danifen Danifen Danifen Danifen Danifen Danifen



API: 30-0393403	
Signature: OK Somiton	Date: 9-29-10
/ - 0	
Signature: Q.K. Annenter,	Date: 9-30-10
Signature: A Sunifon	Date: 10-1-10
Signature & Connentan	Date: 10-2-10
0	
Signature & Spinitor	Date: 10-3-10
Signature: Of Sandfon	Date: 10 - 4-10
Signature & Sanitar	Date: 10-5-10
Signature: W. Sunton	Date: 10-6-10
0	
Signature:	Date:
	Signature: A Suninfor. Signature: A Sunifor. Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature: Signature:

(daily while rig is site, then weekly as long as liquids remain Well Name: CARRA CAS API: 30039 30405 4CBOE Date: 10-11-2016 Name (Print): Signature: Note Any Deficiencies: NONE Date: 10-12-2016 Name (Print): JACK Signature: Note Any Deficiencies: Date: 10-13-2010 JACK ONEAL Name (Print): Signature: Note Any Deficiencies: Name (Print): JACK ONBAL Signature: Date: 10-14-2010 Note Any Deficiencies: NONE Date: 20-15-2016 TACK ONEAL Name (Print): Signature: Note Any Deficiencies: NONE Date: 10-16-2016 Name (Print): JACK ONEAL Signature: Note Any Deficiencies: NO NE Date: 10-17-2016 Name (Print): ONEAL Signature: Note Any Deficiencies: Date: 10-18-2010 Name (Print): JACK DUEAL Signature: Note Any Deficiencies: Date: 10-19-2016 Name (Print): Signature: Note Any Deficiencies: Date:10-20-20/0 Name (Print): JACK ONEAL Signature: NONE Note Any Deficiencies: Date: Name (Print): Signature: Note Any Deficiencies: Name (Print): Date: Signature: Note Any Deficiencies: Date: Name (Print): Signature:

Note Any Deficiencies:



36, 78675 + 101. 36631



ORPORATION

CARRACAS 16A #1 98' FNL 2374' FEL UNIT B SEC 16 T32N R05W LATITUDE 36.98720° LONGITUDE -107.336680 API # 30-039-30824 ELEV. 7223' LEASE # NMNM 30351 RIO ARRIBA COUNTY, NEW MEXICO BASIN FRUITLAND COAL