

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

☐ Initial Report ☒ Final Report

Name of Company: XTO Energy, Inc.	Contact: James McDaniel	
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3701	
Facility Name: Fred Feasel H #1G (30-045-34389)	Facility Type: Gas Well (Dakota)	
Surface Owner: Federal	Mineral Owner:	Lease No.: NMSF-046563

**LOCATION OF RELEASE**

Unit Letter I	Section 33	Township 28N	Range 10W	Feet from the 2355	North/South Line FSL	Feet from the 855	East/West Line FEL	County San Juan
------------------	---------------	-----------------	--------------	-----------------------	-------------------------	----------------------	-----------------------	--------------------

Latitude: 36.61801 Longitude: -107.89492

RCOD MAY 17 '10

OIL CONS. DIV.

DIST. 3

**NATURE OF RELEASE**

Type of Release: Condensate	Volume of Release: 9 BBLs	Volume Recovered: ~1 BBL
Source of Release: Production Tank Overflow	Date and Hour of Occurrence: 5/3/2010	Date and Hour of Discovery: 5/3/2010 10:00 AM
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*



Describe Cause of Problem and Remedial Action Taken.\*

Approximately nine (9) bbls of condensate overflowed from the production tank at the Fred Feasel H #1G well site due to an automation failure. The condensate overflowed from the top of the production tank, and filled the bermed area near the on-site tanks. Approximately one (1) bbl of product was recovered from the gravel inside the bermed area. The site was ranked according to the NMOCD Guidelines for the Remediation of Leaks, Spills and Releases. The site was ranked a zero, setting the closure standards to 5,000 mg/kg TPH, 10 mg/kg benzene and 50 mg/kg total BTEX.

Describe Area Affected and Cleanup Action Taken.\*

The production tanks were removed, and the spill area was excavated in two (2) sections. Section 1 was excavated to extents of approximately 30' x 10' x 6-12" deep. Section 2 was excavated to extents of approximately 20' x 20' x 4' deep. Three (3) composite samples were collected from the excavated area. One (1) composite sample was collected from the bottom of the excavation area in Section 1, one (1) composite sample was collected from the bottom of the excavated area in Section 2, and one (1) composite sample was collected from the four (4) walls of the excavated area of Section 2. All three (3) samples were analyzed for TPH via USEPA Method 8015 and for total BTEX via USEPA Method 8021B. All samples returned results below the regulatory limits determined for this site. No further excavation is required. The analytical results are attached for your reference. Approximately 190 cubic yards of impacted soil was transported to Envirotech's landfarm, and backfill was hauled in from the Moss Pit.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: James McDaniel	Approved by District Supervisor:  Per SCP	
Title: EH&S Specialist	Approval Date: 9/22/10	Expiration Date:
E-mail Address: James.McDaniel@xtoenergy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 5/13/2010	Phone: 505-333-3701	

\* Attach Additional Sheets If Necessary

WBP102655 0614

V



12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859  
Tax I.D. 62-0814289  
Est. 1970

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

### Report Summary

Thursday May 13, 2010

Report Number: L458233

Samples Received: 05/11/10

Client Project:

Description: Fred Feasel H #1G

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

### Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487  
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140  
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233  
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

May 13, 2010

Date Received : May 11, 2010  
Description : Fred Feasel H #1G

ESC Sample # : L458233-01

Sample ID : WALL COMPOSITE SECTION 2

Site ID : FRED FEASEL H NO. 16

Collected By : James McDaniel  
Collection Date : 05/10/10 12:52

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	91.7		%	2540G	05/12/10	1
Benzene	BDL	0.0027	mg/kg	8021/8015	05/11/10	5
Toluene	BDL	0.027	mg/kg	8021/8015	05/11/10	5
Ethylbenzene	BDL	0.0027	mg/kg	8021/8015	05/11/10	5
Total Xylene	0.011	0.0082	mg/kg	8021/8015	05/11/10	5
TPH (GC/FID) Low Fraction	BDL	0.54	mg/kg	GRO	05/11/10	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene(FID)	99.7		% Rec.	8021/8015	05/11/10	5
a,a,a-Trifluorotoluene(PID)	104.		% Rec.	8021/8015	05/11/10	5
TPH (GC/FID) High Fraction	BDL	4.4	mg/kg	3546/DRO	05/11/10	1
Surrogate recovery(%)						
o-Terphenyl	99.6		% Rec.	3546/DRO	05/11/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/12/10 16:17 Revised: 05/13/10 08:56



12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859  
Tax I.D. 62-0814289  
Est. 1970

REPORT OF ANALYSIS

May 13, 2010

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

Date Received : May 11, 2010  
Description : Fred Feasel H #1G  
Sample ID : BOTTOM COMPOSITE SECTION 1  
Collected By : James McDaniel  
Collection Date : 05/10/10 12:00

ESC Sample # : L458233-02

Site ID : FRED FEASEL H NO. 16

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	94.2		%	2540G	05/12/10	1
Benzene	BDL	0.0026	mg/kg	8021/8015	05/12/10	5
Toluene	BDL	0.026	mg/kg	8021/8015	05/12/10	5
Ethylbenzene	BDL	0.0026	mg/kg	8021/8015	05/12/10	5
Total Xylene	0.032	0.0080	mg/kg	8021/8015	05/12/10	5
TPH (GC/FID) Low Fraction	BDL	0.53	mg/kg	GRO	05/12/10	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene (FID)	98.8		% Rec.	8021/8015	05/12/10	5
a,a,a-Trifluorotoluene (PID)	103.		% Rec.	8021/8015	05/12/10	5
TPH (GC/FID) High Fraction	BDL	4.2	mg/kg	3546/DRO	05/11/10	1
Surrogate recovery(%)						
o-Terphenyl	85.4		% Rec.	3546/DRO	05/11/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/12/10 16:17 Revised: 05/13/10 08:56



YOUR LAB OF CHOICE

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel  
XTO Energy - San Juan Division  
382 Road 3100  
Aztec, NM 87410

May 13, 2010

Date Received : May 11, 2010  
Description : Fred Feasel H #1G  
Sample ID : BOTTOM COMPOSITE SECTION 2

ESC Sample # : L458233-03

Site ID : FRED FEASEL H NO. 16

Collected By : James McDaniel  
Collection Date : 05/10/10 12:50

Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	92.2		%	2540G	05/12/10	1
Benzene	BDL	0.0027	mg/kg	8021/8015	05/12/10	5
Toluene	BDL	0.027	mg/kg	8021/8015	05/12/10	5
Ethylbenzene	0.0084	0.0027	mg/kg	8021/8015	05/12/10	5
Total Xylene	0.061	0.0081	mg/kg	8021/8015	05/12/10	5
TPH (GC/FID) Low Fraction	1.2	0.54	mg/kg	GRO	05/12/10	5
Surrogate Recovery-%						
a,a,a-Trifluorotoluene (FID)	98.5		% Rec.	8021/8015	05/12/10	5
a,a,a-Trifluorotoluene (PID)	104.		% Rec.	8021/8015	05/12/10	5
TPH (GC/FID) High Fraction	BDL	4.3	mg/kg	3546/DRO	05/11/10	1
Surrogate recovery(%)						
o-Terphenyl	83.8		% Rec.	3546/DRO	05/11/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/12/10 16:17 Revised: 05/13/10 08:56

