

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised June 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

30 045 29921

OPERATOR

Initial Report ☒ Final Report

Name of Company	Burlington Resources	Contact	Ed Hasely
Address	P.O. Box 4289 Farmington NM 87499	Telephone No.	(505) 326-9700
Facility Name	MOORE	IB	Facility Type Gas Well
Surface Owner	Federal	Mineral Owner	Federal
Lease No.	NMSF-078146		

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
G	35	032N	012W	1620	North	1885	East	San Juan

NATURE OF RELEASE

Type of Release	Condensate and Produced Water	Volume of Release	122 BBLs.	Volume Recovered	77 BBLs.
Source of Release	Condensate Tank	Date and Hour of Occurrence	1/5/2005 3:00:00 PM	Date and Hour of Discovery	1/5/2005 3:00:00 PM
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Charlie Perrin		
By Whom?	Ed Hasely	Date and Hour	1/5/2005 3:30:00 PM		
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	0		

If a Watercourse was Impacted, Describe Fully.*

NA



Describe Cause of Problem and Remedial Action Taken.*

The drain valve on the condensate tank froze and broke allowing the tank contents (114 bbls of condensate and 8 bbls of produced water) to leak into the bermed area.

Describe Area Affected and Cleanup Action Taken.*

All fluids were contained inside the bermed area. A vacuum truck was used to recover the free liquids (77 bbls of condensate). Impacted soils were excavated and disposed at commercial landfarm. Excavation was approximately 60' x 60' x 6' (800 cy) and had a rock bottom. Excavation was backfilled with clean fill.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Ed Hasely	Approved by District Supervisor:  for Charlie Perrin, Actg	
Title: Environmental Representative	Approval Date: 3/24/05	Expiration Date:
E-mail Address: lhasely@br-inc.com or gwurtz@br-inc.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 3/21/05 Phone: (505) 326-9841 or 9537		

* Attach Additional Sheets If Necessary

NDG FOSD 1031763

4

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-001-13330
Sample ID:	Walls	Date Reported:	02-08-05
Laboratory Number:	32111	Date Sampled:	01-27-05
Chain of Custody No:	13330	Date Received:	02-07-05
Sample Matrix:	Soil	Date Extracted:	02-08-05
Preservative:	Cool	Date Analyzed:	02-08-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Moore 1B Spill Cleanup (Area 4).**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington Resources	Project #:	92115-001-13330
Sample ID:	Bottom	Date Reported:	02-08-05
Laboratory Number:	32112	Date Sampled:	01-27-05
Chain of Custody No:	13330	Date Received:	02-07-05
Sample Matrix:	Soil	Date Extracted:	02-08-05
Preservative:	Cool	Date Analyzed:	02-08-05
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.5	0.2
Diesel Range (C10 - C28)	1.7	0.1
Total Petroleum Hydrocarbons	3.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Moore 1B Spill Cleanup (Area 4).**


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington Resources	Project #:	92115-001-13330
Sample ID:	Bottom	Date Reported:	02-08-05
Laboratory Number:	32112	Date Sampled:	01-27-05
Chain of Custody:	13330	Date Received:	02-07-05
Sample Matrix:	Soil	Date Analyzed:	02-08-05
Preservative:	Cool	Date Extracted:	02-08-05
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	11.1	2.1
Toluene	10.7	1.8
Ethylbenzene	80.3	1.7
p,m-Xylene	41.4	1.5
o-Xylene	68.5	2.2
Total BTEX	212	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Moore 1B Spill Cleanup (Area 4).


Analyst


Review